

| Location Information | | | | | System-Owned Portion | | | Customer-Owned Portion | | Entire Service Line | Additional Information to Assign Tap Monitoring Tiering | |
|-------------------------|---------------|--------------|---------------|-----------|--|---|--------------------------------|--|--------------------------------|---|---|--|
| Unique Service Line ID* | Street Number | Street Name* | City* | Zip Code* | System-Owned Portion Service Line Material Classification* | If Non-Lead, Was Material Ever Previously Lead? | Service Line Installation Date | Customer-Owned Portion Service Line Material Classification* | Service Line Installation Date | Entire Service Line Material Classification (by Water System) | Current LCR Sampling Site? | Sample Site Selection Criteria (Site Tier) |
| SL1 | 200 | ABEL DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2 | 201 | ABEL DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3 | 203 | ABEL DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL4 | 204 | ABEL DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL5 | 205 | ABEL DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL6 | 206 | ABEL DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL7 | 207 | ABEL DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL8 | 208 | ABEL DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL9 | 209 | ABEL DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL10 | 210 | ABEL DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL11 | 211 | ABEL DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL12 | 212 | ABEL DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL13 | 213 | ABEL DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL14 | 214 | ABEL DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL15 | 215 | ABEL DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL16 | 216 | ABEL DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL17 | 217 | ABEL DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL18 | 300 | ABEL DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL19 | 301 | ABEL DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL20 | 302 | ABEL DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL21 | 303 | ABEL DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL22 | 304 | ABEL DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL23 | 305 | ABEL DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL24 | 306 | ABEL DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL25 | 307 | ABEL DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL26 | 308 | ABEL DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL27 | 309 | ABEL DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL28 | 310 | ABEL DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Copper | After 2014 | Non-Lead | No | Tier 5 |
| SL29 | 311 | ABEL DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL30 | 312 | ABEL DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL31 | 313 | ABEL DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL32 | 314 | ABEL DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL33 | 315 | ABEL DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL34 | 317 | ABEL DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL35 | 319 | ABEL DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |

| Location Information | | | | | System-Owned Portion | | | Customer-Owned Portion | | Entire Service Line | Additional Information to Assign Tap Monitoring Tiering | |
|-------------------------|---------------|--------------|---------------|-----------|--|---|--------------------------------|--|--------------------------------|---|---|--|
| Unique Service Line ID* | Street Number | Street Name* | City* | Zip Code* | System-Owned Portion Service Line Material Classification* | If Non-Lead, Was Material Ever Previously Lead? | Service Line Installation Date | Customer-Owned Portion Service Line Material Classification* | Service Line Installation Date | Entire Service Line Material Classification (by Water System) | Current LCR Sampling Site? | Sample Site Selection Criteria (Site Tier) |
| SL36 | 1101 | ADDISON PL | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL37 | 1103 | ADDISON PL | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL38 | 1105 | ADDISON PL | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL39 | 2300 | AGATE LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL40 | 2304 | AGATE LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL41 | 2308 | AGATE LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL42 | 2312 | AGATE LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL43 | 2316 | AGATE LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL44 | 401 | ALBERTA CIR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL45 | 402 | ALBERTA CIR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL46 | 403 | ALBERTA CIR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL47 | 404 | ALBERTA CIR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL48 | 1018 | ALEXIS CT | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL49 | 1022 | ALEXIS CT | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL50 | 1026 | ALEXIS CT | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL51 | 2500 | ALLVIEW LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL52 | 2501 | ALLVIEW LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL53 | 2502 | ALLVIEW LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL54 | 2503 | ALLVIEW LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL55 | 2504 | ALLVIEW LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL56 | 2505 | ALLVIEW LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL57 | 2506 | ALLVIEW LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL58 | 2507 | ALLVIEW LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL59 | 2508 | ALLVIEW LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL60 | 2509 | ALLVIEW LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL61 | 2510 | ALLVIEW LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL62 | 2511 | ALLVIEW LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL63 | 2512 | ALLVIEW LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL64 | 2513 | ALLVIEW LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL65 | 2514 | ALLVIEW LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL66 | 2515 | ALLVIEW LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL67 | 2516 | ALLVIEW LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL68 | 2517 | ALLVIEW LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL69 | 2518 | ALLVIEW LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL70 | 2519 | ALLVIEW LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL71 | 2520 | ALLVIEW LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL72 | 2521 | ALLVIEW LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL73 | 2522 | ALLVIEW LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL74 | 2523 | ALLVIEW LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL75 | 2524 | ALLVIEW LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL76 | 2525 | ALLVIEW LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL77 | 2526 | ALLVIEW LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL78 | 2527 | ALLVIEW LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL79 | 2528 | ALLVIEW LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL80 | 2529 | ALLVIEW LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL81 | 2530 | ALLVIEW LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL82 | 1401 | ALPINE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |

| Location Information | | | | | System-Owned Portion | | | Customer-Owned Portion | | Entire Service Line | Additional Information to Assign Tap Monitoring Tiering | |
|-------------------------|---------------|-------------------|---------------|-----------|--|---|--------------------------------|--|--------------------------------|---|---|--|
| Unique Service Line ID* | Street Number | Street Name* | City* | Zip Code* | System-Owned Portion Service Line Material Classification* | If Non-Lead, Was Material Ever Previously Lead? | Service Line Installation Date | Customer-Owned Portion Service Line Material Classification* | Service Line Installation Date | Entire Service Line Material Classification (by Water System) | Current LCR Sampling Site? | Sample Site Selection Criteria (Site Tier) |
| SL83 | 1403 | ALPINE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL84 | 1405 | ALPINE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL85 | 1407 | ALPINE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL86 | 1409 | ALPINE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL87 | 1411 | ALPINE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL88 | 1413 | ALPINE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL89 | 1001 | ANDREA MICHELE LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL90 | 1003 | ANDREA MICHELE LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL91 | 1005 | ANDREA MICHELE LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL92 | 1007 | ANDREA MICHELE LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL93 | 1009 | ANDREA MICHELE LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL94 | 1010 | ANDREA MICHELE LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL95 | 1011 | ANDREA MICHELE LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL96 | 1012 | ANDREA MICHELE LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL97 | 1013 | ANDREA MICHELE LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL98 | 1014 | ANDREA MICHELE LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL99 | 1015 | ANDREA MICHELE LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL100 | 207 | APACHE DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL101 | 208 | APACHE DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL102 | 209 | APACHE DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL103 | 210 | APACHE DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL104 | 211 | APACHE DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL105 | 212 | APACHE DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | Yes | Tier 5 |
| SL106 | 213 | APACHE DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL107 | 214 | APACHE DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL108 | 215 | APACHE DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL109 | 216 | APACHE DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL110 | 300 | APACHE DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL111 | 301 | APACHE DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL112 | 302 | APACHE DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL113 | 303 | APACHE DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL114 | 304 | APACHE DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL115 | 305 | APACHE DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL116 | 306 | APACHE DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL117 | 307 | APACHE DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL118 | 308 | APACHE DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL119 | 1901 | ASH ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | Don't Know | Between 1989 and 2014 | Non-Lead | Between 1989 and 2014 | Non-Lead | No | Tier 5 |

| Location Information | | | | | System-Owned Portion | | | Customer-Owned Portion | | Entire Service Line | Additional Information to Assign Tap Monitoring Tiering | |
|-------------------------|---------------|--------------|---------------|-----------|--|---|--------------------------------|--|--------------------------------|---|---|--|
| Unique Service Line ID* | Street Number | Street Name* | City* | Zip Code* | System-Owned Portion Service Line Material Classification* | If Non-Lead, Was Material Ever Previously Lead? | Service Line Installation Date | Customer-Owned Portion Service Line Material Classification* | Service Line Installation Date | Entire Service Line Material Classification (by Water System) | Current LCR Sampling Site? | Sample Site Selection Criteria (Site Tier) |
| SL120 | 1903 | ASH ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | Don't Know | Before 1989 | Non-Lead | Before 1989 | Non-Lead | No | Tier 5 |
| SL121 | 1905 | ASH ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | Don't Know | After 2014 | Non-Lead | After 2014 | Non-Lead | No | Tier 5 |
| SL122 | 1907 | ASH ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | Don't Know | After 2014 | Non-Lead | After 2014 | Non-Lead | No | Tier 5 |
| SL123 | 1909 | ASH ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | Don't Know | After 2014 | Non-Lead | After 2014 | Non-Lead | No | Tier 5 |
| SL124 | 1911 | ASH ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | Don't Know | Before 1989 | Non-Lead | Before 1989 | Non-Lead | No | Tier 5 |
| SL125 | 1915 | ASH ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | Don't Know | Between 1989 and 2014 | Non-Lead | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL126 | 1632 | AUBURN WAY | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL127 | 1634 | AUBURN WAY | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL128 | 1636 | AUBURN WAY | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL129 | 1638 | AUBURN WAY | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL130 | 1640 | AUBURN WAY | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL131 | 1642 | AUBURN WAY | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL132 | 101 | AUSTRALIA CT | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL133 | 103 | AUSTRALIA CT | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL134 | 105 | AUSTRALIA CT | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL135 | 107 | AUSTRALIA CT | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL136 | 109 | AUSTRALIA CT | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL137 | 111 | AUSTRALIA CT | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL138 | 113 | AUSTRALIA CT | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | Yes | Tier 5 |
| SL139 | 115 | AUSTRALIA CT | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL140 | 117 | AUSTRALIA CT | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL141 | 2000 | AUTUMN DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL142 | 2002 | AUTUMN DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL143 | 2004 | AUTUMN DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL144 | 2006 | AUTUMN DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL145 | 2008 | AUTUMN DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL146 | 2010 | AUTUMN DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL147 | 2012 | AUTUMN DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL148 | 2014 | AUTUMN DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL149 | 2016 | AUTUMN DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL150 | 2018 | AUTUMN DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL151 | 500 | AZALEA DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL152 | 501 | AZALEA DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL153 | 502 | AZALEA DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL154 | 503 | AZALEA DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL155 | 504 | AZALEA DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL156 | 505 | AZALEA DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL157 | 506 | AZALEA DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL158 | 507 | AZALEA DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |

| Location Information | | | | | System-Owned Portion | | | Customer-Owned Portion | | Entire Service Line | Additional Information to Assign Tap Monitoring Tiering | |
|-------------------------|---------------|--------------|---------------|-----------|--|---|--------------------------------|--|--------------------------------|---|---|--|
| Unique Service Line ID* | Street Number | Street Name* | City* | Zip Code* | System-Owned Portion Service Line Material Classification* | If Non-Lead, Was Material Ever Previously Lead? | Service Line Installation Date | Customer-Owned Portion Service Line Material Classification* | Service Line Installation Date | Entire Service Line Material Classification (by Water System) | Current LCR Sampling Site? | Sample Site Selection Criteria (Site Tier) |
| SL159 | 508 | AZALEA DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL160 | 509 | AZALEA DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL161 | 510 | AZALEA DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL162 | 511 | AZALEA DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL163 | 512 | AZALEA DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL164 | 513 | AZALEA DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL165 | 514 | AZALEA DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL166 | 515 | AZALEA DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL167 | 516 | AZALEA DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL168 | 517 | AZALEA DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL169 | 518 | AZALEA DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL170 | 519 | AZALEA DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL171 | 520 | AZALEA DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL172 | 521 | AZALEA DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL173 | 522 | AZALEA DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL174 | 523 | AZALEA DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL175 | 524 | AZALEA DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL176 | 525 | AZALEA DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL177 | 526 | AZALEA DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL178 | 527 | AZALEA DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL179 | 600 | AZALEA DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL180 | 601 | AZALEA DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL181 | 602 | AZALEA DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL182 | 603 | AZALEA DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL183 | 604 | AZALEA DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL184 | 605 | AZALEA DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL185 | 606 | AZALEA DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |

| Location Information | | | | | System-Owned Portion | | | Customer-Owned Portion | | Entire Service Line | Additional Information to Assign Tap Monitoring Tiering | |
|-------------------------|---------------|--------------|---------------|-----------|--|---|--------------------------------|--|--------------------------------|---|---|--|
| Unique Service Line ID* | Street Number | Street Name* | City* | Zip Code* | System-Owned Portion Service Line Material Classification* | If Non-Lead, Was Material Ever Previously Lead? | Service Line Installation Date | Customer-Owned Portion Service Line Material Classification* | Service Line Installation Date | Entire Service Line Material Classification (by Water System) | Current LCR Sampling Site? | Sample Site Selection Criteria (Site Tier) |
| SL186 | 607 | AZALEA DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL187 | 608 | AZALEA DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL188 | 609 | AZALEA DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL189 | 610 | AZALEA DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL190 | 611 | AZALEA DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL191 | 612 | AZALEA DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL192 | 613 | AZALEA DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL193 | 614 | AZALEA DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL194 | 615 | AZALEA DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL195 | 616 | AZALEA DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL196 | 617 | AZALEA DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL197 | 618 | AZALEA DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL198 | 619 | AZALEA DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL199 | 620 | AZALEA DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL200 | 621 | AZALEA DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL201 | 622 | AZALEA DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL202 | 623 | AZALEA DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL203 | 624 | AZALEA DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL204 | 625 | AZALEA DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL205 | 626 | AZALEA DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL206 | 627 | AZALEA DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL207 | 628 | AZALEA DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL208 | 629 | AZALEA DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL209 | 630 | AZALEA DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL210 | 631 | AZALEA DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL211 | 633 | AZALEA DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL212 | 635 | AZALEA DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL213 | 701 | BARTON AVE | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |

| Location Information | | | | | System-Owned Portion | | | Customer-Owned Portion | | Entire Service Line | Additional Information to Assign Tap Monitoring Tiering | |
|-------------------------|---------------|--------------|---------------|-----------|--|---|--------------------------------|--|--------------------------------|---|---|--|
| Unique Service Line ID* | Street Number | Street Name* | City* | Zip Code* | System-Owned Portion Service Line Material Classification* | If Non-Lead, Was Material Ever Previously Lead? | Service Line Installation Date | Customer-Owned Portion Service Line Material Classification* | Service Line Installation Date | Entire Service Line Material Classification (by Water System) | Current LCR Sampling Site? | Sample Site Selection Criteria (Site Tier) |
| SL214 | 704 | BARTON AVE | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL215 | 705 | BARTON AVE | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL216 | 706 | BARTON AVE | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL217 | 707 | BARTON AVE | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL218 | 708 | BARTON AVE | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL219 | 709 | BARTON AVE | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL220 | 710 | BARTON AVE | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL221 | 711 | BARTON AVE | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL222 | 712 | BARTON AVE | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL223 | 713 | BARTON AVE | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL224 | 714 | BARTON AVE | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL225 | 715 | BARTON AVE | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL226 | 800 | BARTON AVE | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL227 | 801 | BARTON AVE | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL228 | 803 | BARTON AVE | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL229 | 805 | BARTON AVE | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL230 | 807 | BARTON AVE | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL231 | 808 | BARTON AVE | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL232 | 809 | BARTON AVE | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL233 | 811 | BARTON AVE | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL234 | 813 | BARTON AVE | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL235 | 817 | BARTON AVE | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL236 | 1010 | BARTON AVE | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL237 | 1011 | BARTON AVE | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL238 | 1014 | BARTON AVE | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL239 | 1015 | BARTON AVE | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL240 | 1019 | BARTON AVE | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL241 | 1023 | BARTON AVE | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL242 | 1030 | BARTON AVE | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL243 | 1034 | BARTON AVE | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL244 | 1035 | BARTON AVE | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL245 | 1041 | BARTON AVE | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL246 | 1042 | BARTON AVE | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL247 | 1046 | BARTON AVE | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL248 | 601 | BAY CT | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL249 | 603 | BAY CT | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL250 | 605 | BAY CT | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL251 | 607 | BAY CT | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL252 | 609 | BAY CT | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL253 | 223 | BAYLOR DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL254 | 225 | BAYLOR DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL255 | 226 | BAYLOR DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL256 | 227 | BAYLOR DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |

| Location Information | | | | | System-Owned Portion | | | Customer-Owned Portion | | Entire Service Line | Additional Information to Assign Tap Monitoring Tiering | |
|-------------------------|---------------|---------------|---------------|-----------|--|---|--------------------------------|--|--------------------------------|---|---|--|
| Unique Service Line ID* | Street Number | Street Name* | City* | Zip Code* | System-Owned Portion Service Line Material Classification* | If Non-Lead, Was Material Ever Previously Lead? | Service Line Installation Date | Customer-Owned Portion Service Line Material Classification* | Service Line Installation Date | Entire Service Line Material Classification (by Water System) | Current LCR Sampling Site? | Sample Site Selection Criteria (Site Tier) |
| SL257 | 228 | BAYLOR DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL258 | 229 | BAYLOR DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL259 | 230 | BAYLOR DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL260 | 231 | BAYLOR DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL261 | 232 | BAYLOR DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL262 | 234 | BAYLOR DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL263 | 235 | BAYLOR DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL264 | 236 | BAYLOR DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL265 | 237 | BAYLOR DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL266 | 238 | BAYLOR DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL267 | 239 | BAYLOR DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL268 | 241 | BAYLOR DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL269 | 712 | BAYOU DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL270 | 713 | BAYOU DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL271 | 714 | BAYOU DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL272 | 715 | BAYOU DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL273 | 716 | BAYOU DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL274 | 717 | BAYOU DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL275 | 718 | BAYOU DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL276 | 719 | BAYOU DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL277 | 720 | BAYOU DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL278 | 721 | BAYOU DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL279 | 722 | BAYOU DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL280 | 723 | BAYOU DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL281 | 300 | BEAR CREEK RD | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL282 | 306 | BEAR CREEK RD | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL283 | 928 | BEAR CREEK RD | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL284 | 1470 | BEAR CREEK RD | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL285 | 361 | BEAR TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Before 1989 | Non-Lead | Before 1989 | Non-Lead | No | Tier 5 |
| SL286 | 363 | BEAR TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Between 1989 and 2014 | Non-Lead | Between 1989 and 2014 | Non-Lead | No | Tier 5 |

| Location Information | | | | | System-Owned Portion | | | Customer-Owned Portion | | Entire Service Line | Additional Information to Assign Tap Monitoring Tiering | |
|-------------------------|---------------|----------------|---------------|-----------|--|---|--------------------------------|--|--------------------------------|---|---|--|
| Unique Service Line ID* | Street Number | Street Name* | City* | Zip Code* | System-Owned Portion Service Line Material Classification* | If Non-Lead, Was Material Ever Previously Lead? | Service Line Installation Date | Customer-Owned Portion Service Line Material Classification* | Service Line Installation Date | Entire Service Line Material Classification (by Water System) | Current LCR Sampling Site? | Sample Site Selection Criteria (Site Tier) |
| SL287 | 365 | BEAR TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | After 2014 | Non-Lead | After 2014 | Non-Lead | No | Tier 5 |
| SL288 | 367 | BEAR TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | After 2014 | Non-Lead | After 2014 | Non-Lead | No | Tier 5 |
| SL289 | 403 | BEAR TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Before 1989 | Non-Lead | Before 1989 | Non-Lead | No | Tier 5 |
| SL290 | 405 | BEAR TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Before 1989 | Non-Lead | Before 1989 | Non-Lead | No | Tier 5 |
| SL291 | 407 | BEAR TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Before 1989 | Non-Lead | Before 1989 | Non-Lead | No | Tier 5 |
| SL292 | 409 | BEAR TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | After 2014 | Non-Lead | After 2014 | Non-Lead | No | Tier 5 |
| SL293 | 411 | BEAR TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Before 1989 | Non-Lead | Before 1989 | Non-Lead | No | Tier 5 |
| SL294 | 413 | BEAR TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Between 1989 and 2014 | Non-Lead | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL295 | 415 | BEAR TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Before 1989 | Non-Lead | Before 1989 | Non-Lead | No | Tier 5 |
| SL296 | 417 | BEAR TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Before 1989 | Non-Lead | Before 1989 | Non-Lead | No | Tier 5 |
| SL297 | 419 | BEAR TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Before 1989 | Non-Lead | Before 1989 | Non-Lead | No | Tier 5 |
| SL298 | 421 | BEAR TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | After 2014 | Non-Lead | After 2014 | Non-Lead | No | Tier 5 |
| SL299 | 425 | BEAR TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Before 1989 | Non-Lead | Before 1989 | Non-Lead | No | Tier 5 |
| SL300 | 427 | BEAR TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Before 1989 | Non-Lead | Before 1989 | Non-Lead | No | Tier 5 |
| SL301 | 429 | BEAR TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Before 1989 | Non-Lead | Before 1989 | Non-Lead | No | Tier 5 |
| SL302 | 431 | BEAR TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Before 1989 | Non-Lead | Before 1989 | Non-Lead | No | Tier 5 |
| SL303 | 433 | BEAR TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Before 1989 | Non-Lead | Before 1989 | Non-Lead | No | Tier 5 |
| SL304 | 435 | BEAR TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | After 2014 | Non-Lead | After 2014 | Non-Lead | No | Tier 5 |
| SL305 | 501 | BEAR TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Between 1989 and 2014 | Non-Lead | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL306 | 503 | BEAR TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Before 1989 | Non-Lead | Before 1989 | Non-Lead | No | Tier 5 |
| SL307 | 505 | BEAR TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Before 1989 | Non-Lead | Before 1989 | Non-Lead | No | Tier 5 |
| SL308 | 507 | BEAR TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | After 2014 | Non-Lead | After 2014 | Non-Lead | No | Tier 5 |
| SL309 | 509 | BEAR TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | After 2014 | Non-Lead | After 2014 | Non-Lead | No | Tier 5 |
| SL310 | 511 | BEAR TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Before 1989 | Non-Lead | Before 1989 | Non-Lead | No | Tier 5 |
| SL311 | 513 | BEAR TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Before 1989 | Non-Lead | Before 1989 | Non-Lead | No | Tier 5 |
| SL312 | 514 | BEAR TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Before 1989 | Non-Lead | Before 1989 | Non-Lead | No | Tier 5 |
| SL313 | 515 | BEAR TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Between 1989 and 2014 | Non-Lead | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL314 | 516 | BEAR TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Before 1989 | Non-Lead | Before 1989 | Non-Lead | No | Tier 5 |
| SL315 | 517 | BEAR TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Between 1989 and 2014 | Non-Lead | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL316 | 519 | BEAR TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Between 1989 and 2014 | Non-Lead | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL317 | 521 | BEAR TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | After 2014 | Non-Lead | After 2014 | Non-Lead | No | Tier 5 |
| SL318 | 2600 | BEECH CREEK RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL319 | 2601 | BEECH CREEK RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL320 | 2604 | BEECH CREEK RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL321 | 2605 | BEECH CREEK RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL322 | 2608 | BEECH CREEK RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL323 | 2609 | BEECH CREEK RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL324 | 2612 | BEECH CREEK RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL325 | 2613 | BEECH CREEK RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL326 | 2616 | BEECH CREEK RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Copper | After 2014 | Non-Lead | No | Tier 5 |
| SL327 | 2617 | BEECH CREEK RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL328 | 2620 | BEECH CREEK RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL329 | 2621 | BEECH CREEK RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL330 | 2624 | BEECH CREEK RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL331 | 2625 | BEECH CREEK RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL332 | 2628 | BEECH CREEK RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL333 | 2629 | BEECH CREEK RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Copper | After 2014 | Non-Lead | No | Tier 5 |
| SL334 | 2632 | BEECH CREEK RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL335 | 2633 | BEECH CREEK RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL336 | 2636 | BEECH CREEK RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |

| Location Information | | | | | System-Owned Portion | | | Customer-Owned Portion | | Entire Service Line | Additional Information to Assign Tap Monitoring Tiering | |
|-------------------------|---------------|----------------|---------------|-----------|--|---|--------------------------------|--|--------------------------------|---|---|--|
| Unique Service Line ID* | Street Number | Street Name* | City* | Zip Code* | System-Owned Portion Service Line Material Classification* | If Non-Lead, Was Material Ever Previously Lead? | Service Line Installation Date | Customer-Owned Portion Service Line Material Classification* | Service Line Installation Date | Entire Service Line Material Classification (by Water System) | Current LCR Sampling Site? | Sample Site Selection Criteria (Site Tier) |
| SL337 | 2637 | BEECH CREEK RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL338 | 1913 | BELLFLOWER DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL339 | 1914 | BELLFLOWER DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL340 | 1915 | BELLFLOWER DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL341 | 1916 | BELLFLOWER DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL342 | 1917 | BELLFLOWER DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL343 | 1919 | BELLFLOWER DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL344 | 2001 | BELLFLOWER DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL345 | 1300 | BELLINGHAM CIR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL346 | 1301 | BELLINGHAM CIR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL347 | 1302 | BELLINGHAM CIR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL348 | 1303 | BELLINGHAM CIR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL349 | 1304 | BELLINGHAM CIR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL350 | 1306 | BELLINGHAM CIR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL351 | 2000 | BENTWOOD DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL352 | 2002 | BENTWOOD DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL353 | 2004 | BENTWOOD DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL354 | 2005 | BENTWOOD DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL355 | 2006 | BENTWOOD DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL356 | 2007 | BENTWOOD DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL357 | 2008 | BENTWOOD DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL358 | 2009 | BENTWOOD DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL359 | 2010 | BENTWOOD DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL360 | 2011 | BENTWOOD DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL361 | 2012 | BENTWOOD DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL362 | 2013 | BENTWOOD DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL363 | 2014 | BENTWOOD DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL364 | 2015 | BENTWOOD DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL365 | 2016 | BENTWOOD DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL366 | 2017 | BENTWOOD DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL367 | 2018 | BENTWOOD DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL368 | 2019 | BENTWOOD DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL369 | 2020 | BENTWOOD DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL370 | 2021 | BENTWOOD DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |

| Location Information | | | | | System-Owned Portion | | | Customer-Owned Portion | | Entire Service Line | Additional Information to Assign Tap Monitoring Tiering | |
|-------------------------|---------------|--------------|---------------|-----------|--|---|--------------------------------|--|--------------------------------|---|---|--|
| Unique Service Line ID* | Street Number | Street Name* | City* | Zip Code* | System-Owned Portion Service Line Material Classification* | If Non-Lead, Was Material Ever Previously Lead? | Service Line Installation Date | Customer-Owned Portion Service Line Material Classification* | Service Line Installation Date | Entire Service Line Material Classification (by Water System) | Current LCR Sampling Site? | Sample Site Selection Criteria (Site Tier) |
| SL371 | 2022 | BENTWOOD DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL372 | 2023 | BENTWOOD DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL373 | 2024 | BENTWOOD DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL374 | 2025 | BENTWOOD DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL375 | 2026 | BENTWOOD DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL376 | 2027 | BENTWOOD DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL377 | 2028 | BENTWOOD DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL378 | 2029 | BENTWOOD DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL379 | 2030 | BENTWOOD DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL380 | 2031 | BENTWOOD DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL381 | 2032 | BENTWOOD DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL382 | 2034 | BENTWOOD DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL383 | 2036 | BENTWOOD DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL384 | 2038 | BENTWOOD DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL385 | 1709 | BERKELEY DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL386 | 1710 | BERKELEY DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL387 | 1711 | BERKELEY DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL388 | 1712 | BERKELEY DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL389 | 1713 | BERKELEY DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL390 | 1714 | BERKELEY DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL391 | 1715 | BERKELEY DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL392 | 1716 | BERKELEY DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL393 | 1717 | BERKELEY DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL394 | 1718 | BERKELEY DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL395 | 1800 | BERKELEY DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL396 | 1801 | BERKELEY DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL397 | 1802 | BERKELEY DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |

| Location Information | | | | | System-Owned Portion | | | Customer-Owned Portion | | Entire Service Line | Additional Information to Assign Tap Monitoring Tiering | |
|-------------------------|---------------|--------------|---------------|-----------|--|---|--------------------------------|--|--------------------------------|---|---|--|
| Unique Service Line ID* | Street Number | Street Name* | City* | Zip Code* | System-Owned Portion Service Line Material Classification* | If Non-Lead, Was Material Ever Previously Lead? | Service Line Installation Date | Customer-Owned Portion Service Line Material Classification* | Service Line Installation Date | Entire Service Line Material Classification (by Water System) | Current LCR Sampling Site? | Sample Site Selection Criteria (Site Tier) |
| SL398 | 1803 | BERKELEY DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL399 | 1804 | BERKELEY DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL400 | 1805 | BERKELEY DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL401 | 1806 | BERKELEY DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL402 | 1807 | BERKELEY DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL403 | 1809 | BERKELEY DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL404 | 1811 | BERKELEY DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL405 | 1813 | BERKELEY DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL406 | 1815 | BERKELEY DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL407 | 1817 | BERKELEY DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL408 | 1818 | BERKELEY DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL409 | 1819 | BERKELEY DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL410 | 1820 | BERKELEY DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL411 | 1821 | BERKELEY DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL412 | 1822 | BERKELEY DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL413 | 1900 | BERKELEY DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL414 | 1901 | BERKELEY DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL415 | 1902 | BERKELEY DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL416 | 1904 | BERKELEY DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL417 | 1906 | BERKELEY DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL418 | 1908 | BERKELEY DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL419 | 1910 | BERKELEY DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL420 | 1911 | BERKELEY DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL421 | 1912 | BERKELEY DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL422 | 1913 | BERKELEY DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL423 | 1914 | BERKELEY DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL424 | 1915 | BERKELEY DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |

| Location Information | | | | | System-Owned Portion | | | Customer-Owned Portion | | Entire Service Line | Additional Information to Assign Tap Monitoring Tiering | |
|-------------------------|---------------|----------------|---------------|-----------|--|---|--------------------------------|--|--------------------------------|---|---|--|
| Unique Service Line ID* | Street Number | Street Name* | City* | Zip Code* | System-Owned Portion Service Line Material Classification* | If Non-Lead, Was Material Ever Previously Lead? | Service Line Installation Date | Customer-Owned Portion Service Line Material Classification* | Service Line Installation Date | Entire Service Line Material Classification (by Water System) | Current LCR Sampling Site? | Sample Site Selection Criteria (Site Tier) |
| SL425 | 1916 | BERKELEY DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL426 | 1917 | BERKELEY DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL427 | 1918 | BERKELEY DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL428 | 1919 | BERKELEY DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL429 | 1920 | BERKELEY DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL430 | 1921 | BERKELEY DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL431 | 2000 | BERKELEY DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL432 | 2002 | BERKELEY DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL433 | 2004 | BERKELEY DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL434 | 3029 | BETSY CT | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL435 | 3030 | BETSY CT | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL436 | 3031 | BETSY CT | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL437 | 3032 | BETSY CT | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL438 | 3033 | BETSY CT | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL439 | 3034 | BETSY CT | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL440 | 3035 | BETSY CT | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL441 | 3036 | BETSY CT | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL442 | 1900 | BIRCH ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL443 | 1901 | BIRCH ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | Don't Know | After 2014 | Non-Lead | After 2014 | Non-Lead | No | Tier 5 |
| SL444 | 1902 | BIRCH ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | Don't Know | After 2014 | Non-Lead | After 2014 | Non-Lead | No | Tier 5 |
| SL445 | 1903 | BIRCH ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | Don't Know | After 2014 | Non-Lead | After 2014 | Non-Lead | No | Tier 5 |
| SL446 | 1904 | BIRCH ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | Don't Know | After 2014 | Non-Lead | After 2014 | Non-Lead | No | Tier 5 |
| SL447 | 1905 | BIRCH ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | Don't Know | Before 1989 | Non-Lead | Before 1989 | Non-Lead | No | Tier 5 |
| SL448 | 1906 | BIRCH ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | Don't Know | After 2014 | Non-Lead | After 2014 | Non-Lead | No | Tier 5 |
| SL449 | 1907 | BIRCH ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | Don't Know | Between 1989 and 2014 | Non-Lead | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL450 | 1908 | BIRCH ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | Don't Know | After 2014 | Non-Lead | After 2014 | Non-Lead | No | Tier 5 |
| SL451 | 1909 | BIRCH ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | Don't Know | After 2014 | Non-Lead | After 2014 | Non-Lead | No | Tier 5 |
| SL452 | 1910 | BIRCH ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | Don't Know | After 2014 | Non-Lead | After 2014 | Non-Lead | No | Tier 5 |
| SL453 | 1911 | BIRCH ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | Don't Know | Between 1989 and 2014 | Non-Lead | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL454 | 1912 | BIRCH ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | Don't Know | Before 1989 | Non-Lead | Before 1989 | Non-Lead | No | Tier 5 |
| SL455 | 1913 | BIRCH ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | Don't Know | After 2014 | Non-Lead | After 2014 | Non-Lead | No | Tier 5 |
| SL456 | 1914 | BIRCH ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | Don't Know | Before 1989 | Non-Lead | Before 1989 | Non-Lead | No | Tier 5 |
| SL457 | 1915 | BIRCH ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | Don't Know | Before 1989 | Non-Lead | Before 1989 | Non-Lead | No | Tier 5 |
| SL458 | 700 | BLACKTHORNE DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL459 | 701 | BLACKTHORNE DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |

| Location Information | | | | | System-Owned Portion | | | Customer-Owned Portion | | Entire Service Line | Additional Information to Assign Tap Monitoring Tiering | |
|-------------------------|---------------|--------------|---------------|-----------|--|---|--------------------------------|--|--------------------------------|---|---|--|
| Unique Service Line ID* | Street Number | Street Name* | City* | Zip Code* | System-Owned Portion Service Line Material Classification* | If Non-Lead, Was Material Ever Previously Lead? | Service Line Installation Date | Customer-Owned Portion Service Line Material Classification* | Service Line Installation Date | Entire Service Line Material Classification (by Water System) | Current LCR Sampling Site? | Sample Site Selection Criteria (Site Tier) |
| SL510 | 309 | BLUEBELL DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL511 | 311 | BLUEBELL DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL512 | 313 | BLUEBELL DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL513 | 400 | BLUFF CREEK | OVILLA | 75154 | Non-Lead - Copper | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL514 | 401 | BLUFF CREEK | OVILLA | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL515 | 402 | BLUFF CREEK | OVILLA | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL516 | 403 | BLUFF CREEK | OVILLA | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL517 | 404 | BLUFF CREEK | OVILLA | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL518 | 405 | BLUFF CREEK | OVILLA | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL519 | 406 | BLUFF CREEK | OVILLA | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL520 | 407 | BLUFF CREEK | OVILLA | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL521 | 408 | BLUFF CREEK | OVILLA | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL522 | 1400 | BOBWHITE TRL | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL523 | 1402 | BOBWHITE TRL | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL524 | 1404 | BOBWHITE TRL | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL525 | 1406 | BOBWHITE TRL | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL526 | 1408 | BOBWHITE TRL | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL527 | 1410 | BOBWHITE TRL | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL528 | 1412 | BOBWHITE TRL | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL529 | 1414 | BOBWHITE TRL | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL530 | 1416 | BOBWHITE TRL | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL531 | 1113 | BRADFORD DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL532 | 1114 | BRADFORD DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL533 | 1115 | BRADFORD DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL534 | 1116 | BRADFORD DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL535 | 1117 | BRADFORD DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL536 | 1118 | BRADFORD DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL537 | 1119 | BRADFORD DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL538 | 1120 | BRADFORD DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL539 | 1121 | BRADFORD DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |

| Location Information | | | | | System-Owned Portion | | | Customer-Owned Portion | | Entire Service Line | Additional Information to Assign Tap Monitoring Tiering | |
|-------------------------|---------------|--------------|---------------|-----------|--|---|--------------------------------|--|--------------------------------|---|---|--|
| Unique Service Line ID* | Street Number | Street Name* | City* | Zip Code* | System-Owned Portion Service Line Material Classification* | If Non-Lead, Was Material Ever Previously Lead? | Service Line Installation Date | Customer-Owned Portion Service Line Material Classification* | Service Line Installation Date | Entire Service Line Material Classification (by Water System) | Current LCR Sampling Site? | Sample Site Selection Criteria (Site Tier) |
| SL540 | 1122 | BRADFORD DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL541 | 1123 | BRADFORD DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL542 | 1124 | BRADFORD DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL543 | 1125 | BRADFORD DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL544 | 813 | BREANNA WAY | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL545 | 814 | BREANNA WAY | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL546 | 815 | BREANNA WAY | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL547 | 816 | BREANNA WAY | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL548 | 817 | BREANNA WAY | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL549 | 818 | BREANNA WAY | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL550 | 819 | BREANNA WAY | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL551 | 820 | BREANNA WAY | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL552 | 821 | BREANNA WAY | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL553 | 822 | BREANNA WAY | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL554 | 824 | BREANNA WAY | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL555 | 826 | BREANNA WAY | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL556 | 813 | BRETON DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL557 | 814 | BRETON DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL558 | 815 | BRETON DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL559 | 816 | BRETON DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL560 | 817 | BRETON DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL561 | 818 | BRETON DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL562 | 819 | BRETON DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL563 | 820 | BRETON DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL564 | 821 | BRETON DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL565 | 822 | BRETON DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL566 | 1401 | BRICKNELL DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL567 | 1403 | BRICKNELL DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL568 | 1405 | BRICKNELL DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |

| Location Information | | | | | System-Owned Portion | | | Customer-Owned Portion | | Entire Service Line | Additional Information to Assign Tap Monitoring Tiering | |
|-------------------------|---------------|----------------|---------------|-----------|--|---|--------------------------------|--|--------------------------------|---|---|--|
| Unique Service Line ID* | Street Number | Street Name* | City* | Zip Code* | System-Owned Portion Service Line Material Classification* | If Non-Lead, Was Material Ever Previously Lead? | Service Line Installation Date | Customer-Owned Portion Service Line Material Classification* | Service Line Installation Date | Entire Service Line Material Classification (by Water System) | Current LCR Sampling Site? | Sample Site Selection Criteria (Site Tier) |
| SL569 | 1407 | BRICKNELL DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL570 | 1409 | BRICKNELL DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL571 | 1411 | BRICKNELL DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL572 | 1413 | BRICKNELL DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL573 | 1415 | BRICKNELL DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL574 | 1417 | BRICKNELL DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL575 | 1419 | BRICKNELL DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL576 | 1501 | BRICKNELL DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL577 | 1503 | BRICKNELL DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL578 | 1505 | BRICKNELL DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL579 | 1507 | BRICKNELL DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL580 | 1509 | BRICKNELL DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL581 | 1511 | BRICKNELL DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL582 | 119 | BRISBANE CT | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL583 | 121 | BRISBANE CT | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL584 | 123 | BRISBANE CT | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL585 | 125 | BRISBANE CT | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | Yes | Tier 5 |
| SL586 | 127 | BRISBANE CT | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL587 | 129 | BRISBANE CT | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL588 | 131 | BRISBANE CT | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL589 | 133 | BRISBANE CT | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL590 | 1301 | BROOKSIDE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL591 | 1313 | BROOKSIDE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL592 | 1319 | BROOKSIDE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL593 | 1323 | BROOKSIDE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL594 | 514 | BROWN BEAR TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | After 2014 | Non-Lead | After 2014 | Non-Lead | No | Tier 5 |
| SL595 | 515 | BROWN BEAR TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | After 2014 | Non-Lead | After 2014 | Non-Lead | No | Tier 5 |
| SL596 | 516 | BROWN BEAR TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | After 2014 | Non-Lead | After 2014 | Non-Lead | No | Tier 5 |
| SL597 | 517 | BROWN BEAR TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Before 1989 | Non-Lead | Before 1989 | Non-Lead | No | Tier 5 |
| SL598 | 518 | BROWN BEAR TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | After 2014 | Non-Lead | After 2014 | Non-Lead | No | Tier 5 |
| SL599 | 519 | BROWN BEAR TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Between 1989 and 2014 | Non-Lead | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL600 | 520 | BROWN BEAR TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | After 2014 | Non-Lead | After 2014 | Non-Lead | No | Tier 5 |
| SL601 | 521 | BROWN BEAR TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | After 2014 | Non-Lead | After 2014 | Non-Lead | No | Tier 5 |
| SL602 | 223 | BROWN DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL603 | 225 | BROWN DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL604 | 227 | BROWN DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL605 | 229 | BROWN DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL606 | 231 | BROWN DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL607 | 235 | BUFFALO DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL608 | 237 | BUFFALO DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |

| Location Information | | | | | System-Owned Portion | | | Customer-Owned Portion | | Entire Service Line | Additional Information to Assign Tap Monitoring Tiering | |
|-------------------------|---------------|---------------|---------------|-----------|--|---|--------------------------------|--|--------------------------------|---|---|--|
| Unique Service Line ID* | Street Number | Street Name* | City* | Zip Code* | System-Owned Portion Service Line Material Classification* | If Non-Lead, Was Material Ever Previously Lead? | Service Line Installation Date | Customer-Owned Portion Service Line Material Classification* | Service Line Installation Date | Entire Service Line Material Classification (by Water System) | Current LCR Sampling Site? | Sample Site Selection Criteria (Site Tier) |
| SL609 | 239 | BUFFALO DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL610 | 241 | BUFFALO DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL611 | 2400 | BULL CREEK RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL612 | 2401 | BULL CREEK RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL613 | 2404 | BULL CREEK RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL614 | 2405 | BULL CREEK RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL615 | 2408 | BULL CREEK RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL616 | 2409 | BULL CREEK RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL617 | 2412 | BULL CREEK RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL618 | 2413 | BULL CREEK RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL619 | 2416 | BULL CREEK RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL620 | 2417 | BULL CREEK RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL621 | 2421 | BULL CREEK RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL622 | 1600 | BUOY DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL623 | 1602 | BUOY DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL624 | 1603 | BUOY DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL625 | 1604 | BUOY DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL626 | 1605 | BUOY DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL627 | 1606 | BUOY DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL628 | 1607 | BUOY DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL629 | 1608 | BUOY DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL630 | 1609 | BUOY DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL631 | 1610 | BUOY DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL632 | 1611 | BUOY DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL633 | 1612 | BUOY DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL634 | 1613 | BUOY DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL635 | 1614 | BUOY DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL636 | 1615 | BUOY DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL637 | 1616 | BUOY DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL638 | 1617 | BUOY DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL639 | 1400 | CALEO DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL640 | 1402 | CALEO DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL641 | 1404 | CALEO DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |

| Location Information | | | | | System-Owned Portion | | | Customer-Owned Portion | | Entire Service Line | Additional Information to Assign Tap Monitoring Tiering | |
|-------------------------|---------------|---------------|---------------|-----------|--|---|--------------------------------|--|--------------------------------|---|---|--|
| Unique Service Line ID* | Street Number | Street Name* | City* | Zip Code* | System-Owned Portion Service Line Material Classification* | If Non-Lead, Was Material Ever Previously Lead? | Service Line Installation Date | Customer-Owned Portion Service Line Material Classification* | Service Line Installation Date | Entire Service Line Material Classification (by Water System) | Current LCR Sampling Site? | Sample Site Selection Criteria (Site Tier) |
| SL642 | 1406 | CALEO DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL643 | 1408 | CALEO DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL644 | 1410 | CALEO DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL645 | 1412 | CALEO DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL646 | 1414 | CALEO DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL647 | 1416 | CALEO DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL648 | 401 | CALGARY CIR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL649 | 402 | CALGARY CIR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL650 | 403 | CALGARY CIR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL651 | 404 | CALGARY CIR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL652 | 200 | CALHOUN ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL653 | 201 | CALHOUN ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL654 | 202 | CALHOUN ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL655 | 203 | CALHOUN ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL656 | 204 | CALHOUN ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL657 | 205 | CALHOUN ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL658 | 300 | CALHOUN ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL659 | 301 | CALHOUN ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL660 | 302 | CALHOUN ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL661 | 304 | CALHOUN ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL662 | 305 | CALHOUN ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL663 | 306 | CALHOUN ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL664 | 308 | CALHOUN ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL665 | 310 | CALHOUN ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL666 | 312 | CALHOUN ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL667 | 318 | CALHOUN ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL668 | 320 | CALHOUN ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL669 | 322 | CALHOUN ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL670 | 2600 | CALHOUN ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL671 | 2602 | CALHOUN ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL672 | 2604 | CALHOUN ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL673 | 2606 | CALHOUN ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL674 | 2608 | CALHOUN ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL675 | 2609 | CALHOUN ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL676 | 2610 | CALHOUN ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL677 | 2611 | CALHOUN ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL678 | 2613 | CALHOUN ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL679 | 210 | CALIFORNIA DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL680 | 211 | CALIFORNIA DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL681 | 212 | CALIFORNIA DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL682 | 213 | CALIFORNIA DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |

| Location Information | | | | | System-Owned Portion | | | Customer-Owned Portion | | Entire Service Line | Additional Information to Assign Tap Monitoring Tiering | |
|-------------------------|---------------|---------------|---------------|-----------|--|---|--------------------------------|--|--------------------------------|---|---|--|
| Unique Service Line ID* | Street Number | Street Name* | City* | Zip Code* | System-Owned Portion Service Line Material Classification* | If Non-Lead, Was Material Ever Previously Lead? | Service Line Installation Date | Customer-Owned Portion Service Line Material Classification* | Service Line Installation Date | Entire Service Line Material Classification (by Water System) | Current LCR Sampling Site? | Sample Site Selection Criteria (Site Tier) |
| SL683 | 214 | CALIFORNIA DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL684 | 215 | CALIFORNIA DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL685 | 216 | CALIFORNIA DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL686 | 217 | CALIFORNIA DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL687 | 218 | CALIFORNIA DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL688 | 219 | CALIFORNIA DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL689 | 220 | CALIFORNIA DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL690 | 221 | CALIFORNIA DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL691 | 222 | CALIFORNIA DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL692 | 223 | CALIFORNIA DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL693 | 224 | CALIFORNIA DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL694 | 225 | CALIFORNIA DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL695 | 226 | CALIFORNIA DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL696 | 227 | CALIFORNIA DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL697 | 306 | CALIFORNIA DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL698 | 307 | CALIFORNIA DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL699 | 308 | CALIFORNIA DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL700 | 309 | CALIFORNIA DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL701 | 310 | CALIFORNIA DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL702 | 311 | CALIFORNIA DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL703 | 312 | CALIFORNIA DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL704 | 313 | CALIFORNIA DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL705 | 314 | CALIFORNIA DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL706 | 316 | CALIFORNIA DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL707 | 620 | CAMELLIA DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL708 | 621 | CAMELLIA DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL709 | 622 | CAMELLIA DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL710 | 623 | CAMELLIA DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL711 | 624 | CAMELLIA DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL712 | 625 | CAMELLIA DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |

| Location Information | | | | | System-Owned Portion | | | Customer-Owned Portion | | Entire Service Line | Additional Information to Assign Tap Monitoring Tiering | |
|-------------------------|---------------|---------------|---------------|-----------|--|---|--------------------------------|--|--------------------------------|---|---|--|
| Unique Service Line ID* | Street Number | Street Name* | City* | Zip Code* | System-Owned Portion Service Line Material Classification* | If Non-Lead, Was Material Ever Previously Lead? | Service Line Installation Date | Customer-Owned Portion Service Line Material Classification* | Service Line Installation Date | Entire Service Line Material Classification (by Water System) | Current LCR Sampling Site? | Sample Site Selection Criteria (Site Tier) |
| SL762 | 1745 | CARRINGTON DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL763 | 1748 | CARRINGTON DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL764 | 1749 | CARRINGTON DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL765 | 1750 | CARRINGTON DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL766 | 1751 | CARRINGTON DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL767 | 1754 | CARRINGTON DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL768 | 1755 | CARRINGTON DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL769 | 1756 | CARRINGTON DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL770 | 1757 | CARRINGTON DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL771 | 1803 | CARRINGTON DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL772 | 1807 | CARRINGTON DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL773 | 1808 | CARRINGTON DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL774 | 1811 | CARRINGTON DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL775 | 1812 | CARRINGTON DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL776 | 1815 | CARRINGTON DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL777 | 1816 | CARRINGTON DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL778 | 1819 | CARRINGTON DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL779 | 1820 | CARRINGTON DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL780 | 1823 | CARRINGTON DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL781 | 1824 | CARRINGTON DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL782 | 1828 | CARRINGTON DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL783 | 1900 | CARRINGTON DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL784 | 1901 | CARRINGTON DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL785 | 1904 | CARRINGTON DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL786 | 1905 | CARRINGTON DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL787 | 1908 | CARRINGTON DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL788 | 1909 | CARRINGTON DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL789 | 1912 | CARRINGTON DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL790 | 1913 | CARRINGTON DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL791 | 1916 | CARRINGTON DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL792 | 1917 | CARRINGTON DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL793 | 1920 | CARRINGTON DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL794 | 1921 | CARRINGTON DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL795 | 1924 | CARRINGTON DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL796 | 1925 | CARRINGTON DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL797 | 1928 | CARRINGTON DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL798 | 1929 | CARRINGTON DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL799 | 1938 | CARRINGTON DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL800 | 1942 | CARRINGTON DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL801 | 1946 | CARRINGTON DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL802 | 1950 | CARRINGTON DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL803 | 1954 | CARRINGTON DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL804 | 1958 | CARRINGTON DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL805 | 1962 | CARRINGTON DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL806 | 1966 | CARRINGTON DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL807 | 1970 | CARRINGTON DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL808 | 1974 | CARRINGTON DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL809 | 1978 | CARRINGTON DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead | Between 1989 and 2014 | Non-Lead | No | Tier 5 |

| Location Information | | | | | System-Owned Portion | | | Customer-Owned Portion | | Entire Service Line | Additional Information to Assign Tap Monitoring Tiering | |
|-------------------------|---------------|---------------|---------------|-----------|--|---|--------------------------------|--|--------------------------------|---|---|--|
| Unique Service Line ID* | Street Number | Street Name* | City* | Zip Code* | System-Owned Portion Service Line Material Classification* | If Non-Lead, Was Material Ever Previously Lead? | Service Line Installation Date | Customer-Owned Portion Service Line Material Classification* | Service Line Installation Date | Entire Service Line Material Classification (by Water System) | Current LCR Sampling Site? | Sample Site Selection Criteria (Site Tier) |
| SL810 | 1982 | CARRINGTON DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL811 | 1986 | CARRINGTON DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL812 | 1990 | CARRINGTON DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL813 | 1994 | CARRINGTON DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL814 | 1998 | CARRINGTON DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL815 | 2000 | CARRINGTON DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL816 | 2004 | CARRINGTON DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL817 | 2008 | CARRINGTON DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL818 | 2012 | CARRINGTON DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL819 | 2016 | CARRINGTON DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL820 | 801 | CASCADE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL821 | 803 | CASCADE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL822 | 804 | CASCADE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL823 | 805 | CASCADE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | After 2014 | Non-Lead - Copper | After 2014 | Non-Lead | No | Tier 5 |
| SL824 | 806 | CASCADE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL825 | 807 | CASCADE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | After 2014 | Non-Lead - Copper | After 2014 | Non-Lead | No | Tier 5 |
| SL826 | 808 | CASCADE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL827 | 809 | CASCADE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL828 | 810 | CASCADE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL829 | 811 | CASCADE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL830 | 812 | CASCADE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL831 | 813 | CASCADE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL832 | 814 | CASCADE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL833 | 815 | CASCADE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL834 | 816 | CASCADE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL835 | 817 | CASCADE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL836 | 818 | CASCADE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL837 | 819 | CASCADE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL838 | 820 | CASCADE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |

| Location Information | | | | | System-Owned Portion | | | Customer-Owned Portion | | Entire Service Line | Additional Information to Assign Tap Monitoring Tiering | |
|-------------------------|---------------|-----------------|---------------|-----------|--|---|--------------------------------|--|--------------------------------|---|---|--|
| Unique Service Line ID* | Street Number | Street Name* | City* | Zip Code* | System-Owned Portion Service Line Material Classification* | If Non-Lead, Was Material Ever Previously Lead? | Service Line Installation Date | Customer-Owned Portion Service Line Material Classification* | Service Line Installation Date | Entire Service Line Material Classification (by Water System) | Current LCR Sampling Site? | Sample Site Selection Criteria (Site Tier) |
| SL839 | 821 | CASCADE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL840 | 822 | CASCADE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL841 | 823 | CASCADE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL842 | 825 | CASCADE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL843 | 827 | CASCADE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL844 | 2500 | CASTLE RIDGE DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL845 | 2502 | CASTLE RIDGE DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL846 | 2504 | CASTLE RIDGE DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL847 | 2506 | CASTLE RIDGE DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL848 | 2508 | CASTLE RIDGE DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL849 | 2510 | CASTLE RIDGE DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL850 | 2512 | CASTLE RIDGE DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL851 | 2514 | CASTLE RIDGE DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL852 | 101 | CEDAR DR | OAK LEAF | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL853 | 102 | CEDAR DR | OAK LEAF | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL854 | 103 | CEDAR DR | OAK LEAF | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL855 | 104 | CEDAR DR | OAK LEAF | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL856 | 105 | CEDAR DR | OAK LEAF | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL857 | 106 | CEDAR DR | OAK LEAF | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL858 | 107 | CEDAR DR | OAK LEAF | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL859 | 108 | CEDAR DR | OAK LEAF | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL860 | 109 | CEDAR DR | OAK LEAF | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL861 | 110 | CEDAR DR | OAK LEAF | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL862 | 111 | CEDAR DR | OAK LEAF | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL863 | 112 | CEDAR DR | OAK LEAF | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL864 | 113 | CEDAR DR | OAK LEAF | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL865 | 114 | CEDAR DR | OAK LEAF | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL866 | 115 | CEDAR DR | OAK LEAF | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL867 | 117 | CEDAR DR | OAK LEAF | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL868 | 118 | CEDAR DR | OAK LEAF | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL869 | 1900 | CEDAR ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | Don't Know | Before 1989 | Non-Lead | Before 1989 | Non-Lead | No | Tier 5 |
| SL870 | 1901 | CEDAR ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | Don't Know | Before 1989 | Non-Lead | Before 1989 | Non-Lead | No | Tier 5 |
| SL871 | 1902 | CEDAR ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | Don't Know | Between 1989 and 2014 | Non-Lead | Between 1989 and 2014 | Non-Lead | No | Tier 5 |

| Location Information | | | | | System-Owned Portion | | | Customer-Owned Portion | | Entire Service Line | Additional Information to Assign Tap Monitoring Tiering | |
|-------------------------|---------------|--------------------|---------------|-----------|--|---|--------------------------------|--|--------------------------------|---|---|--|
| Unique Service Line ID* | Street Number | Street Name* | City* | Zip Code* | System-Owned Portion Service Line Material Classification* | If Non-Lead, Was Material Ever Previously Lead? | Service Line Installation Date | Customer-Owned Portion Service Line Material Classification* | Service Line Installation Date | Entire Service Line Material Classification (by Water System) | Current LCR Sampling Site? | Sample Site Selection Criteria (Site Tier) |
| SL924 | 2618 | CENTURION RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL925 | 2619 | CENTURION RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL926 | 2620 | CENTURION RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL927 | 2621 | CENTURION RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL928 | 2500 | CHALMERS RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL929 | 2503 | CHALMERS RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL930 | 2504 | CHALMERS RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL931 | 2505 | CHALMERS RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL932 | 2506 | CHALMERS RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL933 | 2507 | CHALMERS RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL934 | 2508 | CHALMERS RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL935 | 2509 | CHALMERS RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL936 | 2510 | CHALMERS RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL937 | 2511 | CHALMERS RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL938 | 2512 | CHALMERS RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL939 | 2513 | CHALMERS RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL940 | 2515 | CHALMERS RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL941 | 2516 | CHALMERS RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL942 | 2518 | CHALMERS RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL943 | 2520 | CHALMERS RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL944 | 2522 | CHALMERS RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL945 | 2600 | CHALMERS RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL946 | 2601 | CHALMERS RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL947 | 2602 | CHALMERS RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL948 | 2603 | CHALMERS RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL949 | 2604 | CHALMERS RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL950 | 2605 | CHALMERS RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL951 | 2606 | CHALMERS RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL952 | 2607 | CHALMERS RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Copper | After 2014 | Non-Lead | No | Tier 5 |
| SL953 | 2608 | CHALMERS RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL954 | 2609 | CHALMERS RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Copper | After 2014 | Non-Lead | No | Tier 5 |
| SL955 | 2610 | CHALMERS RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL956 | 2611 | CHALMERS RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL957 | 2612 | CHALMERS RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Copper | After 2014 | Non-Lead | No | Tier 5 |
| SL958 | 2613 | CHALMERS RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL959 | 2614 | CHALMERS RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL960 | 2616 | CHALMERS RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Copper | After 2014 | Non-Lead | No | Tier 5 |
| SL961 | 2618 | CHALMERS RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL962 | 2620 | CHALMERS RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Copper | After 2014 | Non-Lead | No | Tier 5 |
| SL963 | 2622 | CHALMERS RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Copper | After 2014 | Non-Lead | No | Tier 5 |
| SL964 | 321 | CHESNUT LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL965 | 323 | CHESNUT LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL966 | 327 | CHESNUT LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL967 | 400 | CHESNUT LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL968 | 415 | CHESNUT LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL969 | 418 | CHESNUT LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL970 | 2201 | CINNAMON SPRING ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL971 | 2205 | CINNAMON SPRING ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL972 | 2209 | CINNAMON SPRING ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL973 | 2213 | CINNAMON SPRING ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |

| Location Information | | | | | System-Owned Portion | | | Customer-Owned Portion | | Entire Service Line | Additional Information to Assign Tap Monitoring Tiering | |
|-------------------------|---------------|--------------------|---------------|-----------|--|---|--------------------------------|--|--------------------------------|---|---|--|
| Unique Service Line ID* | Street Number | Street Name* | City* | Zip Code* | System-Owned Portion Service Line Material Classification* | If Non-Lead, Was Material Ever Previously Lead? | Service Line Installation Date | Customer-Owned Portion Service Line Material Classification* | Service Line Installation Date | Entire Service Line Material Classification (by Water System) | Current LCR Sampling Site? | Sample Site Selection Criteria (Site Tier) |
| SL974 | 2217 | CINNAMON SPRING ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL975 | 2221 | CINNAMON SPRING ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL976 | 2225 | CINNAMON SPRING ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL977 | 2229 | CINNAMON SPRING ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL978 | 2233 | CINNAMON SPRING ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL979 | 2400 | CINNAMON SPRING ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL980 | 2404 | CINNAMON SPRING ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL981 | 2405 | CINNAMON SPRING ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL982 | 2406 | CINNAMON SPRING ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL983 | 2408 | CINNAMON SPRING ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL984 | 2409 | CINNAMON SPRING ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL985 | 2412 | CINNAMON SPRING ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL986 | 2413 | CINNAMON SPRING ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL987 | 2416 | CINNAMON SPRING ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL988 | 2417 | CINNAMON SPRING ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL989 | 2420 | CINNAMON SPRING ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL990 | 2421 | CINNAMON SPRING ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL991 | 2424 | CINNAMON SPRING ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL992 | 2425 | CINNAMON SPRING ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL993 | 2506 | CINNAMON SPRING ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL994 | 2510 | CINNAMON SPRING ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL995 | 2514 | CINNAMON SPRING ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL996 | 2518 | CINNAMON SPRING ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL997 | 2522 | CINNAMON SPRING ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL998 | 2526 | CINNAMON SPRING ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL999 | 2530 | CINNAMON SPRING ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1000 | 2534 | CINNAMON SPRING ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |

| Location Information | | | | | System-Owned Portion | | | Customer-Owned Portion | | Entire Service Line | Additional Information to Assign Tap Monitoring Tiering | |
|-------------------------|---------------|--------------------|---------------|-----------|--|---|--------------------------------|--|--------------------------------|---|---|--|
| Unique Service Line ID* | Street Number | Street Name* | City* | Zip Code* | System-Owned Portion Service Line Material Classification* | If Non-Lead, Was Material Ever Previously Lead? | Service Line Installation Date | Customer-Owned Portion Service Line Material Classification* | Service Line Installation Date | Entire Service Line Material Classification (by Water System) | Current LCR Sampling Site? | Sample Site Selection Criteria (Site Tier) |
| SL1001 | 2538 | CINNAMON SPRING ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1002 | 2542 | CINNAMON SPRING ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1003 | 2546 | CINNAMON SPRING ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1004 | 2549 | CINNAMON SPRING ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1005 | 2553 | CINNAMON SPRING ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1006 | 2557 | CINNAMON SPRING ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1007 | 2561 | CINNAMON SPRING ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1008 | 2565 | CINNAMON SPRING ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1009 | 2569 | CINNAMON SPRING ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1010 | 2573 | CINNAMON SPRING ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1011 | 2577 | CINNAMON SPRING ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1012 | 2601 | CINNAMON SPRING ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1013 | 2605 | CINNAMON SPRING ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1014 | 2609 | CINNAMON SPRING ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1015 | 2613 | CINNAMON SPRING ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1016 | 2617 | CINNAMON SPRING ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1017 | 2621 | CINNAMON SPRING ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1018 | 2625 | CINNAMON SPRING ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1019 | 2700 | CINNAMON SPRING ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1020 | 2701 | CINNAMON SPRING ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1021 | 2704 | CINNAMON SPRING ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1022 | 2705 | CINNAMON SPRING ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1023 | 2709 | CINNAMON SPRING ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1024 | 2713 | CINNAMON SPRING ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1025 | 2721 | CINNAMON SPRING ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1026 | 2800 | CINNAMON SPRING ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL1027 | 2801 | CINNAMON SPRING ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |

| Location Information | | | | | System-Owned Portion | | | Customer-Owned Portion | | Entire Service Line | Additional Information to Assign Tap Monitoring Tiering | |
|-------------------------|---------------|--------------------|---------------|-----------|--|---|--------------------------------|--|--------------------------------|---|---|--|
| Unique Service Line ID* | Street Number | Street Name* | City* | Zip Code* | System-Owned Portion Service Line Material Classification* | If Non-Lead, Was Material Ever Previously Lead? | Service Line Installation Date | Customer-Owned Portion Service Line Material Classification* | Service Line Installation Date | Entire Service Line Material Classification (by Water System) | Current LCR Sampling Site? | Sample Site Selection Criteria (Site Tier) |
| SL1028 | 2802 | CINNAMON SPRING ST | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL1029 | 2803 | CINNAMON SPRING ST | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL1030 | 2805 | CINNAMON SPRING ST | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL1031 | 2806 | CINNAMON SPRING ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL1032 | 2807 | CINNAMON SPRING ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL1033 | 2808 | CINNAMON SPRING ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1034 | 2809 | CINNAMON SPRING ST | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL1035 | 2811 | CINNAMON SPRING ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | Yes | Tier 5 |
| SL1036 | 2812 | CINNAMON SPRING ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1037 | 2813 | CINNAMON SPRING ST | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL1038 | 1703 | CITADEL DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1039 | 1705 | CITADEL DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1040 | 1707 | CITADEL DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1041 | 1708 | CITADEL DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1042 | 1709 | CITADEL DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1043 | 1710 | CITADEL DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1044 | 1711 | CITADEL DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1045 | 1712 | CITADEL DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1046 | 1713 | CITADEL DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1047 | 1714 | CITADEL DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1048 | 1715 | CITADEL DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1049 | 1716 | CITADEL DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1050 | 1717 | CITADEL DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1051 | 1718 | CITADEL DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1052 | 1719 | CITADEL DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1053 | 1800 | CITADEL DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1054 | 1801 | CITADEL DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |

| Location Information | | | | | System-Owned Portion | | | Customer-Owned Portion | | Entire Service Line | Additional Information to Assign Tap Monitoring Tiering | |
|-------------------------|---------------|--------------|---------------|-----------|--|---|--------------------------------|--|--------------------------------|---|---|--|
| Unique Service Line ID* | Street Number | Street Name* | City* | Zip Code* | System-Owned Portion Service Line Material Classification* | If Non-Lead, Was Material Ever Previously Lead? | Service Line Installation Date | Customer-Owned Portion Service Line Material Classification* | Service Line Installation Date | Entire Service Line Material Classification (by Water System) | Current LCR Sampling Site? | Sample Site Selection Criteria (Site Tier) |
| SL1055 | 1802 | CITADEL DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1056 | 1803 | CITADEL DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1057 | 1804 | CITADEL DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1058 | 1805 | CITADEL DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1059 | 1806 | CITADEL DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1060 | 1807 | CITADEL DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1061 | 1808 | CITADEL DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1062 | 1809 | CITADEL DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1063 | 1810 | CITADEL DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1064 | 1811 | CITADEL DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1065 | 1812 | CITADEL DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1066 | 1813 | CITADEL DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1067 | 1814 | CITADEL DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1068 | 1815 | CITADEL DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1069 | 1816 | CITADEL DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1070 | 1817 | CITADEL DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1071 | 1818 | CITADEL DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1072 | 1819 | CITADEL DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1073 | 1820 | CITADEL DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1074 | 1900 | CITADEL DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1075 | 1901 | CITADEL DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1076 | 1903 | CITADEL DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1077 | 303 | CLAYTON ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1078 | 305 | CLAYTON ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1079 | 307 | CLAYTON ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1080 | 309 | CLAYTON ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1081 | 311 | CLAYTON ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1082 | 2501 | CLAYTON ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1083 | 2503 | CLAYTON ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1084 | 2505 | CLAYTON ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1085 | 2507 | CLAYTON ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1086 | 2509 | CLAYTON ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1087 | 2510 | CLAYTON ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |

| Location Information | | | | | System-Owned Portion | | | Customer-Owned Portion | | Entire Service Line | Additional Information to Assign Tap Monitoring Tiering | |
|-------------------------|---------------|--------------|---------------|-----------|--|---|--------------------------------|--|--------------------------------|---|---|--|
| Unique Service Line ID* | Street Number | Street Name* | City* | Zip Code* | System-Owned Portion Service Line Material Classification* | If Non-Lead, Was Material Ever Previously Lead? | Service Line Installation Date | Customer-Owned Portion Service Line Material Classification* | Service Line Installation Date | Entire Service Line Material Classification (by Water System) | Current LCR Sampling Site? | Sample Site Selection Criteria (Site Tier) |
| SL1088 | 2511 | CLAYTON ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1089 | 2512 | CLAYTON ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1090 | 2513 | CLAYTON ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1091 | 2515 | CLAYTON ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1092 | 300 | CLAYTON ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1093 | 301 | CLAYTON ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1094 | 302 | CLAYTON ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1095 | 2500 | CLAYTON ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1096 | 2502 | CLAYTON ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1097 | 2504 | CLAYTON ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1098 | 2506 | CLAYTON ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1099 | 2508 | CLAYTON ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1100 | 104 | CLAYWOOD DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1101 | 108 | CLAYWOOD DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1102 | 112 | CLAYWOOD DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1103 | 113 | CLAYWOOD DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1104 | 116 | CLAYWOOD DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1105 | 117 | CLAYWOOD DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1106 | 121 | CLAYWOOD DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1107 | 125 | CLAYWOOD DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1108 | 128 | CLAYWOOD DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1109 | 129 | CLAYWOOD DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1110 | 132 | CLAYWOOD DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1111 | 145 | CLAYWOOD DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1112 | 148 | CLAYWOOD DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1113 | 149 | CLAYWOOD DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1114 | 152 | CLAYWOOD DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1115 | 204 | CLAYWOOD DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1116 | 208 | CLAYWOOD DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1117 | 212 | CLAYWOOD DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1118 | 213 | CLAYWOOD DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1119 | 216 | CLAYWOOD DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1120 | 225 | CLAYWOOD DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1121 | 229 | CLAYWOOD DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1122 | 233 | CLAYWOOD DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1123 | 237 | CLAYWOOD DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1124 | 1500 | CLEMSON DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1125 | 1501 | CLEMSON DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1126 | 1502 | CLEMSON DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1127 | 1503 | CLEMSON DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1128 | 1504 | CLEMSON DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1129 | 1505 | CLEMSON DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1130 | 1506 | CLEMSON DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1131 | 1507 | CLEMSON DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1132 | 1508 | CLEMSON DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |

| Location Information | | | | | System-Owned Portion | | | Customer-Owned Portion | | Entire Service Line | Additional Information to Assign Tap Monitoring Tiering | |
|-------------------------|---------------|--------------|---------------|-----------|--|---|--------------------------------|--|--------------------------------|---|---|--|
| Unique Service Line ID* | Street Number | Street Name* | City* | Zip Code* | System-Owned Portion Service Line Material Classification* | If Non-Lead, Was Material Ever Previously Lead? | Service Line Installation Date | Customer-Owned Portion Service Line Material Classification* | Service Line Installation Date | Entire Service Line Material Classification (by Water System) | Current LCR Sampling Site? | Sample Site Selection Criteria (Site Tier) |
| SL1133 | 1509 | CLEMSON DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1134 | 1510 | CLEMSON DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1135 | 1511 | CLEMSON DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1136 | 1512 | CLEMSON DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1137 | 1513 | CLEMSON DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1138 | 1514 | CLEMSON DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1139 | 1515 | CLEMSON DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1140 | 1516 | CLEMSON DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1141 | 1517 | CLEMSON DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1142 | 1518 | CLEMSON DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1143 | 1519 | CLEMSON DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1144 | 1520 | CLEMSON DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1145 | 1521 | CLEMSON DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1146 | 1522 | CLEMSON DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1147 | 1523 | CLEMSON DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1148 | 1524 | CLEMSON DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1149 | 1525 | CLEMSON DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1150 | 1600 | CLEMSON DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1151 | 1602 | CLEMSON DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1152 | 1604 | CLEMSON DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1153 | 1606 | CLEMSON DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1154 | 1608 | CLEMSON DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1155 | 1610 | CLEMSON DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1156 | 308 | CLOVER CT | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1157 | 310 | CLOVER CT | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1158 | 312 | CLOVER CT | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1159 | 314 | CLOVER CT | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1160 | 316 | CLOVER CT | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1161 | 318 | CLOVER CT | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1162 | 1500 | COLUMBIA DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |

| Location Information | | | | | System-Owned Portion | | | Customer-Owned Portion | | Entire Service Line | Additional Information to Assign Tap Monitoring Tiering | |
|-------------------------|---------------|--------------|---------------|-----------|--|---|--------------------------------|--|--------------------------------|---|---|--|
| Unique Service Line ID* | Street Number | Street Name* | City* | Zip Code* | System-Owned Portion Service Line Material Classification* | If Non-Lead, Was Material Ever Previously Lead? | Service Line Installation Date | Customer-Owned Portion Service Line Material Classification* | Service Line Installation Date | Entire Service Line Material Classification (by Water System) | Current LCR Sampling Site? | Sample Site Selection Criteria (Site Tier) |
| SL1163 | 1501 | COLUMBIA DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1164 | 1502 | COLUMBIA DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1165 | 1503 | COLUMBIA DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1166 | 1504 | COLUMBIA DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1167 | 1505 | COLUMBIA DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1168 | 1506 | COLUMBIA DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1169 | 1507 | COLUMBIA DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1170 | 1508 | COLUMBIA DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1171 | 1509 | COLUMBIA DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1172 | 1510 | COLUMBIA DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1173 | 1511 | COLUMBIA DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1174 | 1512 | COLUMBIA DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1175 | 1513 | COLUMBIA DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1176 | 1514 | COLUMBIA DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1177 | 1515 | COLUMBIA DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1178 | 1516 | COLUMBIA DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1179 | 1517 | COLUMBIA DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1180 | 1518 | COLUMBIA DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1181 | 1519 | COLUMBIA DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1182 | 1520 | COLUMBIA DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1183 | 1521 | COLUMBIA DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1184 | 1522 | COLUMBIA DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1185 | 1523 | COLUMBIA DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1186 | 1524 | COLUMBIA DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1187 | 1525 | COLUMBIA DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1188 | 1601 | COLUMBIA DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1189 | 1603 | COLUMBIA DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |

| Location Information | | | | | System-Owned Portion | | | Customer-Owned Portion | | Entire Service Line | Additional Information to Assign Tap Monitoring Tiering | |
|-------------------------|---------------|-----------------|---------------|-----------|--|---|--------------------------------|--|--------------------------------|---|---|--|
| Unique Service Line ID* | Street Number | Street Name* | City* | Zip Code* | System-Owned Portion Service Line Material Classification* | If Non-Lead, Was Material Ever Previously Lead? | Service Line Installation Date | Customer-Owned Portion Service Line Material Classification* | Service Line Installation Date | Entire Service Line Material Classification (by Water System) | Current LCR Sampling Site? | Sample Site Selection Criteria (Site Tier) |
| SL1190 | 1605 | COLUMBIA DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1191 | 1607 | COLUMBIA DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1192 | 1609 | COLUMBIA DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1193 | 1611 | COLUMBIA DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1194 | 1613 | COLUMBIA DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1195 | 1614 | COLUMBIA DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1196 | 1615 | COLUMBIA DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1197 | 1616 | COLUMBIA DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1198 | 1617 | COLUMBIA DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1199 | 1618 | COLUMBIA DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1200 | 1619 | COLUMBIA DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1201 | 2600 | COMAL CREEK DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1202 | 2601 | COMAL CREEK DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1203 | 2604 | COMAL CREEK DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1204 | 2605 | COMAL CREEK DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1205 | 2608 | COMAL CREEK DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1206 | 2609 | COMAL CREEK DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1207 | 2612 | COMAL CREEK DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1208 | 2613 | COMAL CREEK DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1209 | 2616 | COMAL CREEK DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1210 | 2617 | COMAL CREEK DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1211 | 2620 | COMAL CREEK DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1212 | 2621 | COMAL CREEK DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1213 | 2624 | COMAL CREEK DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1214 | 2625 | COMAL CREEK DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1215 | 2628 | COMAL CREEK DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1216 | 2629 | COMAL CREEK DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1217 | 2632 | COMAL CREEK DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1218 | 2633 | COMAL CREEK DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1219 | 2637 | COMAL CREEK DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1220 | 2641 | COMAL CREEK DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1221 | 2521 | COMAL CREEK DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1222 | 2525 | COMAL CREEK DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1223 | 2529 | COMAL CREEK DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1224 | 2533 | COMAL CREEK DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1225 | 2537 | COMAL CREEK DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1226 | 2541 | COMAL CREEK DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1227 | 2545 | COMAL CREEK DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1228 | 2549 | COMAL CREEK DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1229 | 2636 | COMAL CREEK DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1230 | 200 | CONCHO RIVER DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1231 | 201 | CONCHO RIVER DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1232 | 204 | CONCHO RIVER DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1233 | 205 | CONCHO RIVER DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |

| Location Information | | | | | System-Owned Portion | | | Customer-Owned Portion | | Entire Service Line | Additional Information to Assign Tap Monitoring Tiering | |
|-------------------------|---------------|------------------|---------------|-----------|--|---|--------------------------------|--|--------------------------------|---|---|--|
| Unique Service Line ID* | Street Number | Street Name* | City* | Zip Code* | System-Owned Portion Service Line Material Classification* | If Non-Lead, Was Material Ever Previously Lead? | Service Line Installation Date | Customer-Owned Portion Service Line Material Classification* | Service Line Installation Date | Entire Service Line Material Classification (by Water System) | Current LCR Sampling Site? | Sample Site Selection Criteria (Site Tier) |
| SL1234 | 208 | CONCHO RIVER DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1235 | 209 | CONCHO RIVER DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1236 | 212 | CONCHO RIVER DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1237 | 213 | CONCHO RIVER DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1238 | 216 | CONCHO RIVER DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1239 | 217 | CONCHO RIVER DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1240 | 220 | CONCHO RIVER DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1241 | 221 | CONCHO RIVER DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1242 | 224 | CONCHO RIVER DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1243 | 225 | CONCHO RIVER DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1244 | 228 | CONCHO RIVER DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1245 | 229 | CONCHO RIVER DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1246 | 232 | CONCHO RIVER DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1247 | 233 | CONCHO RIVER DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1248 | 300 | CONCHO RIVER DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1249 | 301 | CONCHO RIVER DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1250 | 304 | CONCHO RIVER DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1251 | 305 | CONCHO RIVER DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1252 | 308 | CONCHO RIVER DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1253 | 309 | CONCHO RIVER DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1254 | 312 | CONCHO RIVER DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1255 | 313 | CONCHO RIVER DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1256 | 501 | CORAL REEF LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1257 | 503 | CORAL REEF LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1258 | 505 | CORAL REEF LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1259 | 507 | CORAL REEF LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1260 | 509 | CORAL REEF LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1261 | 511 | CORAL REEF LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1262 | 3000 | COURTNEY LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | After 2014 | Non-Lead - Copper | After 2014 | Non-Lead | No | Tier 5 |
| SL1263 | 3002 | COURTNEY LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1264 | 3004 | COURTNEY LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1265 | 3006 | COURTNEY LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1266 | 3008 | COURTNEY LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1267 | 3010 | COURTNEY LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1268 | 3012 | COURTNEY LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1269 | 3014 | COURTNEY LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1270 | 3016 | COURTNEY LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1271 | 3018 | COURTNEY LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1272 | 3020 | COURTNEY LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1273 | 3022 | COURTNEY LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1274 | 3024 | COURTNEY LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1275 | 3026 | COURTNEY LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1276 | 3028 | COURTNEY LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1277 | 3030 | COURTNEY LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1278 | 3032 | COURTNEY LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1279 | 3018 | COURTNEY LN PARK | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1280 | 705 | CRABAPPLE DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1281 | 709 | CRABAPPLE DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |

| Location Information | | | | | System-Owned Portion | | | Customer-Owned Portion | | Entire Service Line | Additional Information to Assign Tap Monitoring Tiering | |
|-------------------------|---------------|--------------|---------------|-----------|--|---|--------------------------------|--|--------------------------------|---|---|--|
| Unique Service Line ID* | Street Number | Street Name* | City* | Zip Code* | System-Owned Portion Service Line Material Classification* | If Non-Lead, Was Material Ever Previously Lead? | Service Line Installation Date | Customer-Owned Portion Service Line Material Classification* | Service Line Installation Date | Entire Service Line Material Classification (by Water System) | Current LCR Sampling Site? | Sample Site Selection Criteria (Site Tier) |
| SL1282 | 712 | CRABAPPLE DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1283 | 713 | CRABAPPLE DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1284 | 716 | CRABAPPLE DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1285 | 717 | CRABAPPLE DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1286 | 720 | CRABAPPLE DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1287 | 721 | CRABAPPLE DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1288 | 724 | CRABAPPLE DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1289 | 725 | CRABAPPLE DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1290 | 728 | CRABAPPLE DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1291 | 729 | CRABAPPLE DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1292 | 125 | CRADDOCK CIR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL1293 | 127 | CRADDOCK CIR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL1294 | 131 | CRADDOCK CIR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1295 | 133 | CRADDOCK CIR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL1296 | 141 | CRADDOCK CIR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL1297 | 100 | CRADDOCK DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL1298 | 101 | CRADDOCK DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL1299 | 104 | CRADDOCK DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL1300 | 105 | CRADDOCK DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL1301 | 108 | CRADDOCK DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL1302 | 109 | CRADDOCK DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL1303 | 110 | CRADDOCK DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL1304 | 111 | CRADDOCK DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | Yes | Tier 5 |
| SL1305 | 114 | CRADDOCK DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL1306 | 115 | CRADDOCK DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL1307 | 118 | CRADDOCK DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1308 | 119 | CRADDOCK DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1309 | 122 | CRADDOCK DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1310 | 123 | CRADDOCK DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL1311 | 126 | CRADDOCK DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1312 | 130 | CRADDOCK DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1313 | 131 | CRADDOCK DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1314 | 134 | CRADDOCK DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1315 | 138 | CRADDOCK DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1316 | 142 | CRADDOCK DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1317 | 200 | CRADDOCK DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1318 | 208 | CRADDOCK DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1319 | 300 | CRADDOCK DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1320 | 304 | CRADDOCK DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |

| Location Information | | | | | System-Owned Portion | | | Customer-Owned Portion | | Entire Service Line | Additional Information to Assign Tap Monitoring Tiering | |
|-------------------------|---------------|---------------|---------------|-----------|--|---|--------------------------------|--|--------------------------------|---|---|--|
| Unique Service Line ID* | Street Number | Street Name* | City* | Zip Code* | System-Owned Portion Service Line Material Classification* | If Non-Lead, Was Material Ever Previously Lead? | Service Line Installation Date | Customer-Owned Portion Service Line Material Classification* | Service Line Installation Date | Entire Service Line Material Classification (by Water System) | Current LCR Sampling Site? | Sample Site Selection Criteria (Site Tier) |
| SL1321 | 308 | CRADDOCK DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1322 | 312 | CRADDOCK DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | After 2014 | Non-Lead - Copper | After 2014 | Non-Lead | No | Tier 5 |
| SL1323 | 316 | CRADDOCK DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1324 | 320 | CRADDOCK DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1325 | 324 | CRADDOCK DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | Yes | Tier 5 |
| SL1326 | 327 | CRADDOCK DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1327 | 328 | CRADDOCK DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1328 | 332 | CRADDOCK DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1329 | 333 | CRADDOCK DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL1330 | 336 | CRADDOCK DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1331 | 337 | CRADDOCK DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL1332 | 338 | CRADDOCK DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1333 | 344 | CRADDOCK DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1334 | 348 | CRADDOCK DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1335 | 1701 | CREEK VIEW DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL1336 | 1703 | CREEK VIEW DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL1337 | 1707 | CREEK VIEW DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL1338 | 1711 | CREEK VIEW DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL1339 | 1715 | CREEK VIEW DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL1340 | 1717 | CREEK VIEW DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL1341 | 1721 | CREEK VIEW DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL1342 | 1723 | CREEK VIEW DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL1343 | 1727 | CREEK VIEW DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL1344 | 1729 | CREEK VIEW DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL1345 | 1733 | CREEK VIEW DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL1346 | 1735 | CREEK VIEW DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL1347 | 1741 | CREEK VIEW DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL1348 | 1743 | CREEK VIEW DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL1349 | 1747 | CREEK VIEW DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL1350 | 1753 | CREEK VIEW DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL1351 | 1755 | CREEK VIEW DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL1352 | 800 | CREEKSIDE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1353 | 802 | CREEKSIDE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1354 | 804 | CREEKSIDE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1355 | 805 | CREEKSIDE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1356 | 806 | CREEKSIDE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1357 | 807 | CREEKSIDE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1358 | 808 | CREEKSIDE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |

| Location Information | | | | | System-Owned Portion | | | Customer-Owned Portion | | Entire Service Line | Additional Information to Assign Tap Monitoring Tiering | |
|-------------------------|---------------|----------------|---------------|-----------|--|---|--------------------------------|--|--------------------------------|---|---|--|
| Unique Service Line ID* | Street Number | Street Name* | City* | Zip Code* | System-Owned Portion Service Line Material Classification* | If Non-Lead, Was Material Ever Previously Lead? | Service Line Installation Date | Customer-Owned Portion Service Line Material Classification* | Service Line Installation Date | Entire Service Line Material Classification (by Water System) | Current LCR Sampling Site? | Sample Site Selection Criteria (Site Tier) |
| SL1453 | 2530 | CROSSBRANCH DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1454 | 2532 | CROSSBRANCH DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1455 | 202 | CYPRESS DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1456 | 204 | CYPRESS DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1457 | 206 | CYPRESS DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1458 | 208 | CYPRESS DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1459 | 210 | CYPRESS DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1460 | 1704 | DARTMOUTH DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1461 | 1706 | DARTMOUTH DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1462 | 1708 | DARTMOUTH DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1463 | 1709 | DARTMOUTH DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1464 | 1710 | DARTMOUTH DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1465 | 1711 | DARTMOUTH DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1466 | 1712 | DARTMOUTH DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1467 | 1713 | DARTMOUTH DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1468 | 1714 | DARTMOUTH DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1469 | 1715 | DARTMOUTH DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1470 | 1716 | DARTMOUTH DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1471 | 1717 | DARTMOUTH DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1472 | 1718 | DARTMOUTH DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1473 | 1719 | DARTMOUTH DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1474 | 1720 | DARTMOUTH DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1475 | 1800 | DARTMOUTH DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1476 | 1801 | DARTMOUTH DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1477 | 1802 | DARTMOUTH DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1478 | 1803 | DARTMOUTH DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1479 | 1804 | DARTMOUTH DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1480 | 1805 | DARTMOUTH DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1481 | 1806 | DARTMOUTH DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1482 | 1807 | DARTMOUTH DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1483 | 1808 | DARTMOUTH DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |

| Location Information | | | | | System-Owned Portion | | | Customer-Owned Portion | | Entire Service Line | Additional Information to Assign Tap Monitoring Tiering | |
|-------------------------|---------------|---------------|---------------|-----------|--|---|--------------------------------|--|--------------------------------|---|---|--|
| Unique Service Line ID* | Street Number | Street Name* | City* | Zip Code* | System-Owned Portion Service Line Material Classification* | If Non-Lead, Was Material Ever Previously Lead? | Service Line Installation Date | Customer-Owned Portion Service Line Material Classification* | Service Line Installation Date | Entire Service Line Material Classification (by Water System) | Current LCR Sampling Site? | Sample Site Selection Criteria (Site Tier) |
| SL1536 | 1102 | DEVONSHIRE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1537 | 1103 | DEVONSHIRE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1538 | 1104 | DEVONSHIRE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1539 | 1105 | DEVONSHIRE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1540 | 1106 | DEVONSHIRE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1541 | 1107 | DEVONSHIRE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1542 | 1108 | DEVONSHIRE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1543 | 1109 | DEVONSHIRE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1544 | 1110 | DEVONSHIRE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1545 | 1111 | DEVONSHIRE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1546 | 1112 | DEVONSHIRE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1547 | 1113 | DEVONSHIRE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1548 | 1115 | DEVONSHIRE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1549 | 1117 | DEVONSHIRE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1550 | 1503 | DOCKSIDE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1551 | 1504 | DOCKSIDE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1552 | 1505 | DOCKSIDE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1553 | 1506 | DOCKSIDE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1554 | 1507 | DOCKSIDE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1555 | 1508 | DOCKSIDE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1556 | 1509 | DOCKSIDE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1557 | 1510 | DOCKSIDE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1558 | 1511 | DOCKSIDE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1559 | 1512 | DOCKSIDE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1560 | 1513 | DOCKSIDE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1561 | 1514 | DOCKSIDE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1562 | 1516 | DOCKSIDE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1563 | 507 | DOE CREEK TRL | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |

| Location Information | | | | | System-Owned Portion | | | Customer-Owned Portion | | Entire Service Line | Additional Information to Assign Tap Monitoring Tiering | |
|-------------------------|---------------|---------------|---------------|-----------|--|---|--------------------------------|--|--------------------------------|---|---|--|
| Unique Service Line ID* | Street Number | Street Name* | City* | Zip Code* | System-Owned Portion Service Line Material Classification* | If Non-Lead, Was Material Ever Previously Lead? | Service Line Installation Date | Customer-Owned Portion Service Line Material Classification* | Service Line Installation Date | Entire Service Line Material Classification (by Water System) | Current LCR Sampling Site? | Sample Site Selection Criteria (Site Tier) |
| SL1564 | 508 | DOE CREEK TRL | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1565 | 509 | DOE CREEK TRL | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1566 | 510 | DOE CREEK TRL | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1567 | 511 | DOE CREEK TRL | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1568 | 512 | DOE CREEK TRL | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1569 | 513 | DOE CREEK TRL | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1570 | 514 | DOE CREEK TRL | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1571 | 515 | DOE CREEK TRL | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1572 | 516 | DOE CREEK TRL | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1573 | 517 | DOE CREEK TRL | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1574 | 518 | DOE CREEK TRL | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1575 | 519 | DOE CREEK TRL | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1576 | 520 | DOE CREEK TRL | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1577 | 521 | DOE CREEK TRL | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1578 | 522 | DOE CREEK TRL | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1579 | 523 | DOE CREEK TRL | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1580 | 524 | DOE CREEK TRL | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1581 | 525 | DOE CREEK TRL | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1582 | 526 | DOE CREEK TRL | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1583 | 527 | DOE CREEK TRL | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1584 | 528 | DOE CREEK TRL | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1585 | 529 | DOE CREEK TRL | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1586 | 530 | DOE CREEK TRL | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1587 | 600 | DOE CREEK TRL | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1588 | 601 | DOE CREEK TRL | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1589 | 602 | DOE CREEK TRL | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1590 | 603 | DOE CREEK TRL | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1591 | 604 | DOE CREEK TRL | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1592 | 605 | DOE CREEK TRL | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1593 | 606 | DOE CREEK TRL | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1594 | 608 | DOE CREEK TRL | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1595 | 609 | DOE CREEK TRL | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1596 | 610 | DOE CREEK TRL | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1597 | 612 | DOE CREEK TRL | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1598 | 1900 | DOGWOOD ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | Don't Know | Before 1989 | Non-Lead | Before 1989 | Non-Lead | No | Tier 5 |
| SL1599 | 1901 | DOGWOOD ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | Don't Know | Before 1989 | Non-Lead | Before 1989 | Non-Lead | No | Tier 5 |
| SL1600 | 1902 | DOGWOOD ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | Don't Know | Before 1989 | Non-Lead | Before 1989 | Non-Lead | No | Tier 5 |
| SL1601 | 1903 | DOGWOOD ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | Don't Know | Before 1989 | Non-Lead | Before 1989 | Non-Lead | No | Tier 5 |
| SL1602 | 1904 | DOGWOOD ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | Don't Know | After 2014 | Non-Lead | After 2014 | Non-Lead | No | Tier 5 |
| SL1603 | 1905 | DOGWOOD ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | Don't Know | Before 1989 | Non-Lead | Before 1989 | Non-Lead | No | Tier 5 |
| SL1604 | 1908 | DOGWOOD ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | Don't Know | Before 1989 | Non-Lead | Before 1989 | Non-Lead | No | Tier 5 |
| SL1605 | 1909 | DOGWOOD ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | Don't Know | After 2014 | Non-Lead | After 2014 | Non-Lead | No | Tier 5 |
| SL1606 | 1910 | DOGWOOD ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | Don't Know | Before 1989 | Non-Lead | Before 1989 | Non-Lead | No | Tier 5 |
| SL1607 | 1911 | DOGWOOD ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | Don't Know | Between 1989 and 2014 | Non-Lead | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1608 | 1912 | DOGWOOD ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | Don't Know | After 2014 | Non-Lead | After 2014 | Non-Lead | No | Tier 5 |
| SL1609 | 1913 | DOGWOOD ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | Don't Know | After 2014 | Non-Lead | After 2014 | Non-Lead | No | Tier 5 |
| SL1610 | 2915 | DOROTHY LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL1611 | 2917 | DOROTHY LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1612 | 3001 | DOROTHY LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1613 | 3003 | DOROTHY LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |

| Location Information | | | | | System-Owned Portion | | | Customer-Owned Portion | | Entire Service Line | Additional Information to Assign Tap Monitoring Tiering | |
|-------------------------|---------------|---------------|---------------|-----------|--|---|--------------------------------|--|--------------------------------|---|---|--|
| Unique Service Line ID* | Street Number | Street Name* | City* | Zip Code* | System-Owned Portion Service Line Material Classification* | If Non-Lead, Was Material Ever Previously Lead? | Service Line Installation Date | Customer-Owned Portion Service Line Material Classification* | Service Line Installation Date | Entire Service Line Material Classification (by Water System) | Current LCR Sampling Site? | Sample Site Selection Criteria (Site Tier) |
| SL1614 | 3005 | DOROTHY LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1615 | 3007 | DOROTHY LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1616 | 3009 | DOROTHY LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1617 | 3011 | DOROTHY LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1618 | 3013 | DOROTHY LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1619 | 3015 | DOROTHY LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1620 | 3017 | DOROTHY LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1621 | 3019 | DOROTHY LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1622 | 3021 | DOROTHY LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1623 | 3023 | DOROTHY LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1624 | 3025 | DOROTHY LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1625 | 3027 | DOROTHY LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1626 | 3029 | DOROTHY LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1627 | 3031 | DOROTHY LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1628 | 3033 | DOROTHY LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1629 | 3035 | DOROTHY LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1630 | 3037 | DOROTHY LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1631 | 3039 | DOROTHY LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1632 | 3040 | DOROTHY LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1633 | 3041 | DOROTHY LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1634 | 3043 | DOROTHY LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1635 | 314 | DOVE CREEK LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1636 | 318 | DOVE CREEK LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1637 | 324 | DOVE CREEK LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1638 | 328 | DOVE CREEK LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1639 | 332 | DOVE CREEK LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1640 | 400 | DOVE CREEK LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1641 | 404 | DOVE CREEK LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1642 | 408 | DOVE CREEK LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1643 | 412 | DOVE CREEK LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1644 | 416 | DOVE CREEK LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1645 | 420 | DOVE CREEK LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1646 | 424 | DOVE CREEK LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1647 | 428 | DOVE CREEK LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1648 | 429 | DOVE CREEK LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1649 | 432 | DOVE CREEK LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |

| Location Information | | | | | System-Owned Portion | | | Customer-Owned Portion | | Entire Service Line | Additional Information to Assign Tap Monitoring Tiering | |
|-------------------------|---------------|---------------|---------------|-----------|--|---|--------------------------------|--|--------------------------------|---|---|--|
| Unique Service Line ID* | Street Number | Street Name* | City* | Zip Code* | System-Owned Portion Service Line Material Classification* | If Non-Lead, Was Material Ever Previously Lead? | Service Line Installation Date | Customer-Owned Portion Service Line Material Classification* | Service Line Installation Date | Entire Service Line Material Classification (by Water System) | Current LCR Sampling Site? | Sample Site Selection Criteria (Site Tier) |
| SL1650 | 433 | DOVE CREEK LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1651 | 436 | DOVE CREEK LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1652 | 437 | DOVE CREEK LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1653 | 440 | DOVE CREEK LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1654 | 441 | DOVE CREEK LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1655 | 444 | DOVE CREEK LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1656 | 445 | DOVE CREEK LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1657 | 448 | DOVE CREEK LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1658 | 449 | DOVE CREEK LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1659 | 452 | DOVE CREEK LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1660 | 453 | DOVE CREEK LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1661 | 456 | DOVE CREEK LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1662 | 1902 | DRAKE ST | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1663 | 1904 | DRAKE ST | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1664 | 1906 | DRAKE ST | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1665 | 1908 | DRAKE ST | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1666 | 1910 | DRAKE ST | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1667 | 1912 | DRAKE ST | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1668 | 1913 | DRAKE ST | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1669 | 1914 | DRAKE ST | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1670 | 1915 | DRAKE ST | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1671 | 1916 | DRAKE ST | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1672 | 1917 | DRAKE ST | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1673 | 1918 | DRAKE ST | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1674 | 1919 | DRAKE ST | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1675 | 1920 | DRAKE ST | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1676 | 1921 | DRAKE ST | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1677 | 1922 | DRAKE ST | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1678 | 2500 | DUNBARTON DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1679 | 2502 | DUNBARTON DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1680 | 2504 | DUNBARTON DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1681 | 2506 | DUNBARTON DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1682 | 2508 | DUNBARTON DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1683 | 2510 | DUNBARTON DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1684 | 2512 | DUNBARTON DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1685 | 2501 | DUNBARTON DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1686 | 2503 | DUNBARTON DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1687 | 2505 | DUNBARTON DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1688 | 2507 | DUNBARTON DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |

| Location Information | | | | | System-Owned Portion | | | Customer-Owned Portion | | Entire Service Line | Additional Information to Assign Tap Monitoring Tiering | |
|-------------------------|---------------|-----------------|---------------|-----------|--|---|--------------------------------|--|--------------------------------|---|---|--|
| Unique Service Line ID* | Street Number | Street Name* | City* | Zip Code* | System-Owned Portion Service Line Material Classification* | If Non-Lead, Was Material Ever Previously Lead? | Service Line Installation Date | Customer-Owned Portion Service Line Material Classification* | Service Line Installation Date | Entire Service Line Material Classification (by Water System) | Current LCR Sampling Site? | Sample Site Selection Criteria (Site Tier) |
| SL1851 | 222 | E MILAS LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL1852 | 224 | E MILAS LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL1853 | 226 | E MILAS LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL1854 | 300 | E MILAS LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL1855 | 301 | E MILAS LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL1856 | 302 | E MILAS LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL1857 | 303 | E MILAS LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL1858 | 304 | E MILAS LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL1859 | 305 | E MILAS LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL1860 | 306 | E MILAS LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL1861 | 307 | E MILAS LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL1862 | 308 | E MILAS LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL1863 | 309 | E MILAS LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL1864 | 601 | E OVERHILL DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1865 | 602 | E OVERHILL DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1866 | 603 | E OVERHILL DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1867 | 604 | E OVERHILL DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1868 | 606 | E OVERHILL DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1869 | 610 | E OVERHILL DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1870 | 611 | E OVERHILL DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL1871 | 613 | E OVERHILL DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1872 | 616 | E OVERHILL DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1873 | 617 | E OVERHILL DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1874 | 619 | E OVERHILL DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL1875 | 201 | E OVILLA RD | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1876 | 215 | E OVILLA RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1877 | 302 | E OVILLA RD | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1878 | 401 | E OVILLA RD | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1879 | 501 | E OVILLA RD | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1880 | 700 | E OVILLA RD | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1881 | 602 | E SOUTHBROOK DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL1882 | 603 | E SOUTHBROOK DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL1883 | 604 | E SOUTHBROOK DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1884 | 610 | E SOUTHBROOK DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1885 | 617 | E SOUTHBROOK DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1886 | 110 | E WOOD DELL DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1887 | 600 | E WOOD DELL DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1888 | 602 | E WOOD DELL DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1889 | 605 | E WOOD DELL DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1890 | 609 | E WOOD DELL DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1891 | 611 | E WOOD DELL DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1892 | 615 | E WOOD DELL DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL1893 | 619 | E WOOD DELL DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1894 | 620 | E WOOD DELL DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL1895 | 1099 | EASTBROOK DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |

| Location Information | | | | | System-Owned Portion | | | Customer-Owned Portion | | Entire Service Line | Additional Information to Assign Tap Monitoring Tiering | |
|-------------------------|---------------|---------------|---------------|-----------|--|---|--------------------------------|--|--------------------------------|---|---|--|
| Unique Service Line ID* | Street Number | Street Name* | City* | Zip Code* | System-Owned Portion Service Line Material Classification* | If Non-Lead, Was Material Ever Previously Lead? | Service Line Installation Date | Customer-Owned Portion Service Line Material Classification* | Service Line Installation Date | Entire Service Line Material Classification (by Water System) | Current LCR Sampling Site? | Sample Site Selection Criteria (Site Tier) |
| SL1896 | 1100 | EASTBROOK DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1897 | 1101 | EASTBROOK DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1898 | 1102 | EASTBROOK DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1899 | 1103 | EASTBROOK DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1900 | 1104 | EASTBROOK DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1901 | 1105 | EASTBROOK DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1902 | 1106 | EASTBROOK DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1903 | 1107 | EASTBROOK DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1904 | 1108 | EASTBROOK DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1905 | 1109 | EASTBROOK DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1906 | 1110 | EASTBROOK DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1907 | 1111 | EASTBROOK DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1908 | 1112 | EASTBROOK DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1909 | 1113 | EASTBROOK DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1910 | 1114 | EASTBROOK DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1911 | 1115 | EASTBROOK DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1912 | 1116 | EASTBROOK DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1913 | 1117 | EASTBROOK DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1914 | 1118 | EASTBROOK DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1915 | 1119 | EASTBROOK DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1916 | 1120 | EASTBROOK DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1917 | 1121 | EASTBROOK DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1918 | 1300 | EDINBURGH CIR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1919 | 1302 | EDINBURGH CIR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1920 | 1304 | EDINBURGH CIR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1921 | 1305 | EDINBURGH CIR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1922 | 1306 | EDINBURGH CIR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |

| Location Information | | | | | System-Owned Portion | | | Customer-Owned Portion | | Entire Service Line | Additional Information to Assign Tap Monitoring Tiering | |
|-------------------------|---------------|---------------|---------------|-----------|--|---|--------------------------------|--|--------------------------------|---|---|--|
| Unique Service Line ID* | Street Number | Street Name* | City* | Zip Code* | System-Owned Portion Service Line Material Classification* | If Non-Lead, Was Material Ever Previously Lead? | Service Line Installation Date | Customer-Owned Portion Service Line Material Classification* | Service Line Installation Date | Entire Service Line Material Classification (by Water System) | Current LCR Sampling Site? | Sample Site Selection Criteria (Site Tier) |
| SL1923 | 1307 | EDINBURGH CIR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1924 | 1308 | EDINBURGH CIR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1925 | 1309 | EDINBURGH CIR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1926 | 1310 | EDINBURGH CIR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1927 | 1311 | EDINBURGH CIR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1928 | 1312 | EDINBURGH CIR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1929 | 101 | ELM DR | OAK LEAF | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1930 | 102 | ELM DR | OAK LEAF | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1931 | 103 | ELM DR | OAK LEAF | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1932 | 104 | ELM DR | OAK LEAF | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1933 | 105 | ELM DR | OAK LEAF | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1934 | 106 | ELM DR | OAK LEAF | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1935 | 200 | ELM DR | OAK LEAF | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1936 | 202 | ELM DR | OAK LEAF | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1937 | 204 | ELM DR | OAK LEAF | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1938 | 302 | ELM DR | OAK LEAF | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1939 | 303 | ELM DR | OAK LEAF | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1940 | 304 | ELM DR | OAK LEAF | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1941 | 402 | ELM DR | OAK LEAF | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1942 | 404 | ELM DR | OAK LEAF | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1943 | 502 | ELM DR | OAK LEAF | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1944 | 504 | ELM DR | OAK LEAF | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1945 | 1900 | ELM ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | Don't Know | Between 1989 and 2014 | Non-Lead | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1946 | 1901 | ELM ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | Don't Know | Between 1989 and 2014 | Non-Lead | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1947 | 1902 | ELM ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | Don't Know | Before 1989 | Non-Lead | Before 1989 | Non-Lead | No | Tier 5 |
| SL1948 | 1903 | ELM ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | Don't Know | Before 1989 | Non-Lead | Before 1989 | Non-Lead | No | Tier 5 |
| SL1949 | 1904 | ELM ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | Don't Know | After 2014 | Non-Lead | After 2014 | Non-Lead | No | Tier 5 |
| SL1950 | 1905 | ELM ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | Don't Know | Before 1989 | Non-Lead | Before 1989 | Non-Lead | No | Tier 5 |
| SL1951 | 1907 | ELM ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | Don't Know | After 2014 | Non-Lead | After 2014 | Non-Lead | No | Tier 5 |
| SL1952 | 1908 | ELM ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | Don't Know | Between 1989 and 2014 | Non-Lead | Between 1989 and 2014 | Non-Lead | No | Tier 5 |

| Location Information | | | | | System-Owned Portion | | | Customer-Owned Portion | | Entire Service Line | Additional Information to Assign Tap Monitoring Tiering | |
|-------------------------|---------------|--------------------|---------------|-----------|--|---|--------------------------------|--|--------------------------------|---|---|--|
| Unique Service Line ID* | Street Number | Street Name* | City* | Zip Code* | System-Owned Portion Service Line Material Classification* | If Non-Lead, Was Material Ever Previously Lead? | Service Line Installation Date | Customer-Owned Portion Service Line Material Classification* | Service Line Installation Date | Entire Service Line Material Classification (by Water System) | Current LCR Sampling Site? | Sample Site Selection Criteria (Site Tier) |
| SL1953 | 1909 | ELM ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | Don't Know | Between 1989 and 2014 | Non-Lead | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1954 | 1910 | ELM ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | Don't Know | After 2014 | Non-Lead | After 2014 | Non-Lead | No | Tier 5 |
| SL1955 | 1911 | ELM ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | Don't Know | After 2014 | Non-Lead | After 2014 | Non-Lead | No | Tier 5 |
| SL1956 | 1912 | ELM ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | Don't Know | Between 1989 and 2014 | Non-Lead | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1957 | 1913 | ELM ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | Don't Know | Between 1989 and 2014 | Non-Lead | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL1958 | 2300 | EMERALD SPRINGS DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1959 | 2304 | EMERALD SPRINGS DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1960 | 2308 | EMERALD SPRINGS DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1961 | 2312 | EMERALD SPRINGS DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1962 | 2313 | EMERALD SPRINGS DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1963 | 2316 | EMERALD SPRINGS DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1964 | 2317 | EMERALD SPRINGS DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1965 | 2320 | EMERALD SPRINGS DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1966 | 2321 | EMERALD SPRINGS DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1967 | 2324 | EMERALD SPRINGS DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1968 | 2325 | EMERALD SPRINGS DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1969 | 2328 | EMERALD SPRINGS DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1970 | 2329 | EMERALD SPRINGS DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1971 | 2332 | EMERALD SPRINGS DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1972 | 2333 | EMERALD SPRINGS DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1973 | 2336 | EMERALD SPRINGS DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1974 | 2337 | EMERALD SPRINGS DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1975 | 2340 | EMERALD SPRINGS DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1976 | 2341 | EMERALD SPRINGS DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1977 | 2344 | EMERALD SPRINGS DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1978 | 2400 | EMERALD SPRINGS DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1979 | 2404 | EMERALD SPRINGS DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1980 | 2408 | EMERALD SPRINGS DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |

| Location Information | | | | | System-Owned Portion | | | Customer-Owned Portion | | Entire Service Line | Additional Information to Assign Tap Monitoring Tiering | |
|-------------------------|---------------|--------------------|---------------|-----------|--|---|--------------------------------|--|--------------------------------|---|---|--|
| Unique Service Line ID* | Street Number | Street Name* | City* | Zip Code* | System-Owned Portion Service Line Material Classification* | If Non-Lead, Was Material Ever Previously Lead? | Service Line Installation Date | Customer-Owned Portion Service Line Material Classification* | Service Line Installation Date | Entire Service Line Material Classification (by Water System) | Current LCR Sampling Site? | Sample Site Selection Criteria (Site Tier) |
| SL1981 | 2412 | EMERALD SPRINGS DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1982 | 2416 | EMERALD SPRINGS DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1983 | 2420 | EMERALD SPRINGS DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1984 | 2424 | EMERALD SPRINGS DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1985 | 2428 | EMERALD SPRINGS DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1986 | 2432 | EMERALD SPRINGS DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1987 | 2436 | EMERALD SPRINGS DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1988 | 2440 | EMERALD SPRINGS DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1989 | 2500 | EMERALD SPRINGS DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1990 | 2504 | EMERALD SPRINGS DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1991 | 2508 | EMERALD SPRINGS DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1992 | 2512 | EMERALD SPRINGS DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1993 | 2516 | EMERALD SPRINGS DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1994 | 2520 | EMERALD SPRINGS DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1995 | 2524 | EMERALD SPRINGS DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1996 | 2528 | EMERALD SPRINGS DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1997 | 2532 | EMERALD SPRINGS DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1998 | 2536 | EMERALD SPRINGS DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL1999 | 2540 | EMERALD SPRINGS DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2000 | 2544 | EMERALD SPRINGS DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2001 | 2548 | EMERALD SPRINGS DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2002 | 2600 | EMERALD SPRINGS DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2003 | 2604 | EMERALD SPRINGS DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2004 | 2608 | EMERALD SPRINGS DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2005 | 2612 | EMERALD SPRINGS DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2006 | 2616 | EMERALD SPRINGS DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2007 | 212 | EPHRAIM CT | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |

| Location Information | | | | | System-Owned Portion | | | Customer-Owned Portion | | Entire Service Line | Additional Information to Assign Tap Monitoring Tiering | |
|-------------------------|---------------|--------------|---------------|-----------|--|---|--------------------------------|--|--------------------------------|---|---|--|
| Unique Service Line ID* | Street Number | Street Name* | City* | Zip Code* | System-Owned Portion Service Line Material Classification* | If Non-Lead, Was Material Ever Previously Lead? | Service Line Installation Date | Customer-Owned Portion Service Line Material Classification* | Service Line Installation Date | Entire Service Line Material Classification (by Water System) | Current LCR Sampling Site? | Sample Site Selection Criteria (Site Tier) |
| SL2008 | 213 | EPHRAIM CT | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2009 | 214 | EPHRAIM CT | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2010 | 215 | EPHRAIM CT | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2011 | 216 | EPHRAIM CT | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2012 | 217 | EPHRAIM CT | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2013 | 218 | EPHRAIM CT | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2014 | 219 | EPHRAIM CT | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2015 | 220 | EPHRAIM CT | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2016 | 221 | EPHRAIM CT | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2017 | 222 | EPHRAIM CT | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2018 | 223 | EPHRAIM CT | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2019 | 200 | EPHRAIM DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2020 | 201 | EPHRAIM DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2021 | 202 | EPHRAIM DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2022 | 203 | EPHRAIM DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2023 | 204 | EPHRAIM DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2024 | 205 | EPHRAIM DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2025 | 206 | EPHRAIM DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2026 | 207 | EPHRAIM DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2027 | 208 | EPHRAIM DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2028 | 209 | EPHRAIM DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2029 | 210 | EPHRAIM DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2030 | 211 | EPHRAIM DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2031 | 1961 | EVERGREEN LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2032 | 1963 | EVERGREEN LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2033 | 1100 | FAIRHAVEN DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2034 | 1101 | FAIRHAVEN DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2035 | 1102 | FAIRHAVEN DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2036 | 1103 | FAIRHAVEN DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2037 | 1104 | FAIRHAVEN DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2038 | 1105 | FAIRHAVEN DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2039 | 1106 | FAIRHAVEN DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2040 | 1107 | FAIRHAVEN DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |

| Location Information | | | | | System-Owned Portion | | | Customer-Owned Portion | | Entire Service Line | Additional Information to Assign Tap Monitoring Tiering | |
|-------------------------|---------------|--------------|---------------|-----------|--|---|--------------------------------|--|--------------------------------|---|---|--|
| Unique Service Line ID* | Street Number | Street Name* | City* | Zip Code* | System-Owned Portion Service Line Material Classification* | If Non-Lead, Was Material Ever Previously Lead? | Service Line Installation Date | Customer-Owned Portion Service Line Material Classification* | Service Line Installation Date | Entire Service Line Material Classification (by Water System) | Current LCR Sampling Site? | Sample Site Selection Criteria (Site Tier) |
| SL2041 | 1108 | FAIRHAVEN DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2042 | 1109 | FAIRHAVEN DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2043 | 1111 | FAIRHAVEN DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2044 | 1113 | FAIRHAVEN DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2045 | 1115 | FAIRHAVEN DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2046 | 1117 | FAIRHAVEN DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2047 | 1119 | FAIRHAVEN DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2048 | 1121 | FAIRHAVEN DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2049 | 1123 | FAIRHAVEN DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2050 | 1200 | FAIRHAVEN DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2051 | 1201 | FAIRHAVEN DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2052 | 1202 | FAIRHAVEN DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2053 | 1203 | FAIRHAVEN DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2054 | 1204 | FAIRHAVEN DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2055 | 1205 | FAIRHAVEN DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2056 | 1206 | FAIRHAVEN DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2057 | 1207 | FAIRHAVEN DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2058 | 1208 | FAIRHAVEN DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2059 | 1209 | FAIRHAVEN DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2060 | 1210 | FAIRHAVEN DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2061 | 1211 | FAIRHAVEN DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2062 | 1212 | FAIRHAVEN DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2063 | 1213 | FAIRHAVEN DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2064 | 1215 | FAIRHAVEN DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2065 | 202 | FERRIDAY ST | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2066 | 301 | FERRIDAY ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2067 | 303 | FERRIDAY ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2068 | 305 | FERRIDAY ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2069 | 307 | FERRIDAY ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2070 | 309 | FERRIDAY ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2071 | 311 | FERRIDAY ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2072 | 313 | FERRIDAY ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2073 | 315 | FERRIDAY ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2074 | 317 | FERRIDAY ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2075 | 319 | FERRIDAY ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2076 | 321 | FERRIDAY ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2077 | 101 | FIREBERRY DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2078 | 104 | FIREBERRY DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2079 | 105 | FIREBERRY DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |

| Location Information | | | | | System-Owned Portion | | | Customer-Owned Portion | | Entire Service Line | Additional Information to Assign Tap Monitoring Tiering | |
|-------------------------|---------------|-----------------|---------------|-----------|--|---|--------------------------------|--|--------------------------------|---|---|--|
| Unique Service Line ID* | Street Number | Street Name* | City* | Zip Code* | System-Owned Portion Service Line Material Classification* | If Non-Lead, Was Material Ever Previously Lead? | Service Line Installation Date | Customer-Owned Portion Service Line Material Classification* | Service Line Installation Date | Entire Service Line Material Classification (by Water System) | Current LCR Sampling Site? | Sample Site Selection Criteria (Site Tier) |
| SL2080 | 108 | FIREBERRY DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2081 | 109 | FIREBERRY DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2082 | 112 | FIREBERRY DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2083 | 113 | FIREBERRY DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2084 | 117 | FIREBERRY DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2085 | 121 | FIREBERRY DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2086 | 129 | FIREBERRY DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2087 | 137 | FIREBERRY DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2088 | 148 | FIREBERRY DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2089 | 152 | FIREBERRY DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2090 | 153 | FIREBERRY DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2091 | 2609 | FIREBIRD RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2092 | 2611 | FIREBIRD RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2093 | 2613 | FIREBIRD RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2094 | 2615 | FIREBIRD RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2095 | 1113 | FLEMING CT | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2096 | 1114 | FLEMING CT | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2097 | 1115 | FLEMING CT | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2098 | 1116 | FLEMING CT | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2099 | 1117 | FLEMING CT | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2100 | 1118 | FLEMING CT | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2101 | 1119 | FLEMING CT | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2102 | 1120 | FLEMING CT | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2103 | 1121 | FLEMING CT | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2104 | 234 | FORDHAM DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2105 | 236 | FORDHAM DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2106 | 238 | FORDHAM DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2107 | 240 | FORDHAM DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2108 | 101 | FOREST BROOK DR | OAK LEAF | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2109 | 103 | FOREST BROOK DR | OAK LEAF | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2110 | 104 | FOREST BROOK DR | OAK LEAF | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2111 | 107 | FOREST BROOK DR | OAK LEAF | 75154 | Non-Lead - Copper | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2112 | 112 | FOREST BROOK DR | OAK LEAF | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL2113 | 113 | FOREST BROOK DR | OAK LEAF | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2114 | 114 | FOREST BROOK DR | OAK LEAF | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2115 | 116 | FOREST BROOK DR | OAK LEAF | 75154 | Non-Lead - Copper | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2116 | 118 | FOREST BROOK DR | OAK LEAF | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |

| Location Information | | | | | System-Owned Portion | | | Customer-Owned Portion | | Entire Service Line | Additional Information to Assign Tap Monitoring Tiering | |
|-------------------------|---------------|-------------------|---------------|-----------|--|---|--------------------------------|--|--------------------------------|---|---|--|
| Unique Service Line ID* | Street Number | Street Name* | City* | Zip Code* | System-Owned Portion Service Line Material Classification* | If Non-Lead, Was Material Ever Previously Lead? | Service Line Installation Date | Customer-Owned Portion Service Line Material Classification* | Service Line Installation Date | Entire Service Line Material Classification (by Water System) | Current LCR Sampling Site? | Sample Site Selection Criteria (Site Tier) |
| SL2117 | 120 | FOREST BROOK DR | OAK LEAF | 75154 | Non-Lead - Copper | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2118 | 121 | FOREST BROOK DR | OAK LEAF | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2119 | 125 | FOREST BROOK DR | OAK LEAF | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2120 | 126 | FOREST BROOK DR | OAK LEAF | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2121 | 128 | FOREST BROOK DR | OAK LEAF | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2122 | 129 | FOREST BROOK DR | OAK LEAF | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2123 | 132 | FOREST BROOK DR | OAK LEAF | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2124 | 133 | FOREST BROOK DR | OAK LEAF | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Copper | After 2014 | Non-Lead | No | Tier 5 |
| SL2125 | 134 | FOREST BROOK DR | OAK LEAF | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2126 | 136 | FOREST BROOK DR | OAK LEAF | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2127 | 137 | FOREST BROOK DR | OAK LEAF | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2128 | 138 | FOREST BROOK DR | OAK LEAF | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2129 | 2500 | FOULES DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2130 | 2501 | FOULES DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2131 | 2503 | FOULES DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2132 | 2505 | FOULES DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2133 | 2507 | FOULES DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2134 | 2509 | FOULES DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2135 | 2511 | FOULES DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2136 | 2502 | FOULES DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2137 | 2504 | FOULES DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2138 | 2506 | FOULES DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2139 | 2508 | FOULES DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2140 | 2510 | FOULES DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2141 | 2512 | FOULES DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2142 | 2513 | FOULES DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2143 | 2514 | FOULES DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2144 | 300 | FOUNTAIN CREEK CT | OVILLA | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2145 | 301 | FOUNTAIN CREEK CT | OVILLA | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2146 | 302 | FOUNTAIN CREEK CT | OVILLA | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2147 | 303 | FOUNTAIN CREEK CT | OVILLA | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2148 | 304 | FOUNTAIN CREEK CT | OVILLA | 75154 | Non-Lead - Copper | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2149 | 305 | FOUNTAIN CREEK CT | OVILLA | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2150 | 307 | FOUNTAIN CREEK CT | OVILLA | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2151 | 309 | FOUNTAIN CREEK CT | OVILLA | 75154 | Non-Lead - Copper | No | After 2014 | Non-Lead - Copper | After 2014 | Non-Lead | No | Tier 5 |
| SL2152 | 314 | FOUNTAIN CREEK CT | OVILLA | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |

| Location Information | | | | | System-Owned Portion | | | Customer-Owned Portion | | Entire Service Line | Additional Information to Assign Tap Monitoring Tiering | |
|-------------------------|---------------|----------------|---------------|-----------|--|---|--------------------------------|--|--------------------------------|---|---|--|
| Unique Service Line ID* | Street Number | Street Name* | City* | Zip Code* | System-Owned Portion Service Line Material Classification* | If Non-Lead, Was Material Ever Previously Lead? | Service Line Installation Date | Customer-Owned Portion Service Line Material Classification* | Service Line Installation Date | Entire Service Line Material Classification (by Water System) | Current LCR Sampling Site? | Sample Site Selection Criteria (Site Tier) |
| SL2203 | 2208 | FRIO RIVER RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2204 | 2209 | FRIO RIVER RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2205 | 2212 | FRIO RIVER RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2206 | 2213 | FRIO RIVER RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2207 | 2216 | FRIO RIVER RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2208 | 2217 | FRIO RIVER RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2209 | 2300 | FRIO RIVER RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2210 | 2301 | FRIO RIVER RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2211 | 2304 | FRIO RIVER RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2212 | 2305 | FRIO RIVER RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2213 | 2308 | FRIO RIVER RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2214 | 2309 | FRIO RIVER RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2215 | 2312 | FRIO RIVER RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2216 | 2313 | FRIO RIVER RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2217 | 2317 | FRIO RIVER RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2218 | 2321 | FRIO RIVER RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2219 | 2325 | FRIO RIVER RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2220 | 2329 | FRIO RIVER RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2221 | 2401 | FRIO RIVER RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2222 | 2405 | FRIO RIVER RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2223 | 2409 | FRIO RIVER RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2224 | 2413 | FRIO RIVER RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2225 | 2417 | FRIO RIVER RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2226 | 2421 | FRIO RIVER RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2227 | 2425 | FRIO RIVER RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2228 | 2429 | FRIO RIVER RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2229 | 2433 | FRIO RIVER RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2230 | 2437 | FRIO RIVER RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2231 | 2000 | GARDENRIDGE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2232 | 2001 | GARDENRIDGE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2233 | 2002 | GARDENRIDGE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2234 | 2003 | GARDENRIDGE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2235 | 2004 | GARDENRIDGE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2236 | 2005 | GARDENRIDGE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2237 | 2006 | GARDENRIDGE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2238 | 2007 | GARDENRIDGE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2239 | 2008 | GARDENRIDGE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2240 | 2009 | GARDENRIDGE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2241 | 2010 | GARDENRIDGE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2242 | 2011 | GARDENRIDGE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2243 | 2012 | GARDENRIDGE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |

| Location Information | | | | | System-Owned Portion | | | Customer-Owned Portion | | Entire Service Line | Additional LCR Information to Assign Tap Monitoring Tiering | |
|-------------------------|---------------|----------------|---------------|-----------|--|---|--------------------------------|--|--------------------------------|---|---|--|
| Unique Service Line ID* | Street Number | Street Name* | City* | Zip Code* | System-Owned Portion Service Line Material Classification* | If Non-Lead, Was Material Ever Previously Lead? | Service Line Installation Date | Customer-Owned Portion Service Line Material Classification* | Service Line Installation Date | Entire Service Line Material Classification (by Water System) | Current LCR Sampling Site? | Sample Site Selection Criteria (Site Tier) |
| SL2244 | 2013 | GARDENRIDGE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2245 | 2014 | GARDENRIDGE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2246 | 2015 | GARDENRIDGE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2247 | 2016 | GARDENRIDGE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2248 | 2017 | GARDENRIDGE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2249 | 2018 | GARDENRIDGE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2250 | 2019 | GARDENRIDGE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2251 | 2020 | GARDENRIDGE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2252 | 2021 | GARDENRIDGE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2253 | 2022 | GARDENRIDGE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2254 | 2023 | GARDENRIDGE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2255 | 2024 | GARDENRIDGE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2256 | 2025 | GARDENRIDGE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2257 | 515 | GLACIER TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | After 2014 | Non-Lead | After 2014 | Non-Lead | No | Tier 5 |
| SL2258 | 516 | GLACIER TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Before 1989 | Non-Lead | Before 1989 | Non-Lead | No | Tier 5 |
| SL2259 | 517 | GLACIER TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | After 2014 | Non-Lead | After 2014 | Non-Lead | No | Tier 5 |
| SL2260 | 518 | GLACIER TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Before 1989 | Non-Lead | Before 1989 | Non-Lead | No | Tier 5 |
| SL2261 | 519 | GLACIER TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Before 1989 | Non-Lead | Before 1989 | Non-Lead | No | Tier 5 |
| SL2262 | 520 | GLACIER TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Before 1989 | Non-Lead | Before 1989 | Non-Lead | No | Tier 5 |
| SL2263 | 521 | GLACIER TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Between 1989 and 2014 | Non-Lead | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2264 | 400 | GLEN MEADOW DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2265 | 401 | GLEN MEADOW DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2266 | 405 | GLEN MEADOW DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Copper | After 2014 | Non-Lead | No | Tier 5 |
| SL2267 | 408 | GLEN MEADOW DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2268 | 409 | GLEN MEADOW DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2269 | 412 | GLEN MEADOW DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Copper | After 2014 | Non-Lead | No | Tier 5 |
| SL2270 | 413 | GLEN MEADOW DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2271 | 416 | GLEN MEADOW DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Copper | After 2014 | Non-Lead | No | Tier 5 |
| SL2272 | 417 | GLEN MEADOW DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2273 | 420 | GLEN MEADOW DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Copper | After 2014 | Non-Lead | No | Tier 5 |
| SL2274 | 421 | GLEN MEADOW DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2275 | 424 | GLEN MEADOW DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2276 | 425 | GLEN MEADOW DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2277 | 428 | GLEN MEADOW DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2278 | 429 | GLEN MEADOW DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2279 | 432 | GLEN MEADOW DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2280 | 433 | GLEN MEADOW DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2281 | 436 | GLEN MEADOW DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2282 | 437 | GLEN MEADOW DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2283 | 440 | GLEN MEADOW DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2284 | 441 | GLEN MEADOW DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |

| Location Information | | | | | System-Owned Portion | | | Customer-Owned Portion | | Entire Service Line | Additional Information to Assign Tap Monitoring Tiering | |
|-------------------------|---------------|----------------|---------------|-----------|--|---|--------------------------------|--|--------------------------------|---|---|--|
| Unique Service Line ID* | Street Number | Street Name* | City* | Zip Code* | System-Owned Portion Service Line Material Classification* | If Non-Lead, Was Material Ever Previously Lead? | Service Line Installation Date | Customer-Owned Portion Service Line Material Classification* | Service Line Installation Date | Entire Service Line Material Classification (by Water System) | Current LCR Sampling Site? | Sample Site Selection Criteria (Site Tier) |
| SL2285 | 444 | GLEN MEADOW DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2286 | 448 | GLEN MEADOW DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2287 | 452 | GLEN MEADOW DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2288 | 1101 | GLENCOE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2289 | 1103 | GLENCOE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2290 | 1105 | GLENCOE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2291 | 1107 | GLENCOE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2292 | 1109 | GLENCOE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2293 | 1111 | GLENCOE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2294 | 1113 | GLENCOE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2295 | 1114 | GLENCOE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2296 | 1115 | GLENCOE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2297 | 1116 | GLENCOE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2298 | 1117 | GLENCOE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2299 | 1118 | GLENCOE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2300 | 1119 | GLENCOE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2301 | 1120 | GLENCOE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2302 | 1121 | GLENCOE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2303 | 1122 | GLENCOE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2304 | 1123 | GLENCOE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2305 | 1124 | GLENCOE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2306 | 1125 | GLENCOE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2307 | 1126 | GLENCOE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2308 | 1200 | GLENCOE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2309 | 1201 | GLENCOE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2310 | 1202 | GLENCOE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2311 | 1203 | GLENCOE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2312 | 1204 | GLENCOE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2313 | 1205 | GLENCOE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |

| Location Information | | | | | System-Owned Portion | | | Customer-Owned Portion | | Entire Service Line | Additional Information to Assign Tap Monitoring Tiering | |
|-------------------------|---------------|--------------|---------------|-----------|--|---|--------------------------------|--|--------------------------------|---|---|--|
| Unique Service Line ID* | Street Number | Street Name* | City* | Zip Code* | System-Owned Portion Service Line Material Classification* | If Non-Lead, Was Material Ever Previously Lead? | Service Line Installation Date | Customer-Owned Portion Service Line Material Classification* | Service Line Installation Date | Entire Service Line Material Classification (by Water System) | Current LCR Sampling Site? | Sample Site Selection Criteria (Site Tier) |
| SL2314 | 1206 | GLENCOE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2315 | 1207 | GLENCOE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2316 | 1208 | GLENCOE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2317 | 1209 | GLENCOE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2318 | 1210 | GLENCOE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2319 | 1211 | GLENCOE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2320 | 1212 | GLENCOE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2321 | 1213 | GLENCOE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2322 | 1214 | GLENCOE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2323 | 1215 | GLENCOE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2324 | 1216 | GLENCOE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2325 | 1217 | GLENCOE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2326 | 1218 | GLENCOE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2327 | 1219 | GLENCOE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2328 | 1220 | GLENCOE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2329 | 1221 | GLENCOE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2330 | 1222 | GLENCOE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2331 | 1223 | GLENCOE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2332 | 1224 | GLENCOE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2333 | 1225 | GLENCOE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2334 | 1226 | GLENCOE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2335 | 1227 | GLENCOE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2336 | 1229 | GLENCOE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2337 | 1301 | GLENCOE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2338 | 1302 | GLENCOE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2339 | 1303 | GLENCOE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2340 | 1304 | GLENCOE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |

| Location Information | | | | | System-Owned Portion | | | Customer-Owned Portion | | Entire Service Line | Additional Information to Assign Tap Monitoring Tiering | |
|-------------------------|---------------|--------------|---------------|-----------|--|---|--------------------------------|--|--------------------------------|---|---|--|
| Unique Service Line ID* | Street Number | Street Name* | City* | Zip Code* | System-Owned Portion Service Line Material Classification* | If Non-Lead, Was Material Ever Previously Lead? | Service Line Installation Date | Customer-Owned Portion Service Line Material Classification* | Service Line Installation Date | Entire Service Line Material Classification (by Water System) | Current LCR Sampling Site? | Sample Site Selection Criteria (Site Tier) |
| SL2341 | 1305 | GLENCOE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2342 | 1306 | GLENCOE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2343 | 1307 | GLENCOE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2344 | 1308 | GLENCOE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2345 | 1309 | GLENCOE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2346 | 1310 | GLENCOE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2347 | 1311 | GLENCOE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2348 | 1312 | GLENCOE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2349 | 1313 | GLENCOE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2350 | 1314 | GLENCOE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2351 | 1315 | GLENCOE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2352 | 1515 | GLENN LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2353 | 1519 | GLENN LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2354 | 1523 | GLENN LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2355 | 1524 | GLENN LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2356 | 1527 | GLENN LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2357 | 1528 | GLENN LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2358 | 1531 | GLENN LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2359 | 1532 | GLENN LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2360 | 1638 | GLENN LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL2361 | 1710 | GLENN LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL2362 | 1715 | GLENN LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL2363 | 1725 | GLENN LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL2364 | 1735 | GLENN LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead | After 2014 | Non-Lead | No | Tier 5 |
| SL2365 | 1743 | GLENN LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL2366 | 1749 | GLENN LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | Yes | Tier 5 |
| SL2367 | 1752 | GLENN LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL2368 | 1762 | GLENN LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Copper | After 2014 | Non-Lead | No | Tier 5 |
| SL2369 | 1771 | GLENN LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL2370 | 1774 | GLENN LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL2371 | 1789 | GLENN LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL2372 | 1794 | GLENN LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL2373 | 1802 | GLENN LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL2374 | 1803 | GLENN LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL2375 | 1807 | GLENN LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |

| Location Information | | | | | System-Owned Portion | | | Customer-Owned Portion | | Entire Service Line | Additional LCR Information to Assign Tap Monitoring Tiering | |
|-------------------------|---------------|--------------|---------------|-----------|--|---|--------------------------------|--|--------------------------------|---|---|--|
| Unique Service Line ID* | Street Number | Street Name* | City* | Zip Code* | System-Owned Portion Service Line Material Classification* | If Non-Lead, Was Material Ever Previously Lead? | Service Line Installation Date | Customer-Owned Portion Service Line Material Classification* | Service Line Installation Date | Entire Service Line Material Classification (by Water System) | Current LCR Sampling Site? | Sample Site Selection Criteria (Site Tier) |
| SL2376 | 1811 | GLENN LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2377 | 1812 | GLENN LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL2378 | 1815 | GLENN LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2379 | 1822 | GLENN LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL2380 | 1832 | GLENN LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL2381 | 2001 | GLENN LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL2382 | 2003 | GLENN LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL2383 | 2005 | GLENN LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL2384 | 2007 | GLENN LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | Yes | Tier 5 |
| SL2385 | 2110 | GLENN LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL2386 | 2114 | GLENN LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL2387 | 2116 | GLENN LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL2388 | 2120 | GLENN LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL2389 | 2121 | GLENN LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL2390 | 2124 | GLENN LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL2391 | 2125 | GLENN LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL2392 | 2128 | GLENN LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL2393 | 2132 | GLENN LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL2394 | 2136 | GLENN LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL2395 | 2139 | GLENN LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2396 | 2140 | GLENN LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL2397 | 2143 | GLENN LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2398 | 2144 | GLENN LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2399 | 2147 | GLENN LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2400 | 2148 | GLENN LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2401 | 2151 | GLENN LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | Yes | Tier 5 |
| SL2402 | 2152 | GLENN LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL2403 | 2155 | GLENN LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | Yes | Tier 5 |
| SL2404 | 700 | GODWIN AVE | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL2405 | 702 | GODWIN AVE | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL2406 | 704 | GODWIN AVE | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL2407 | 706 | GODWIN AVE | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL2408 | 707 | GODWIN AVE | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2409 | 708 | GODWIN AVE | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL2410 | 709 | GODWIN AVE | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL2411 | 710 | GODWIN AVE | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL2412 | 711 | GODWIN AVE | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2413 | 712 | GODWIN AVE | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2414 | 713 | GODWIN AVE | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2415 | 714 | GODWIN AVE | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2416 | 717 | GODWIN AVE | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL2417 | 800 | GODWIN AVE | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |

| Location Information | | | | | System-Owned Portion | | | Customer-Owned Portion | | Entire Service Line | Additional Information to Assign Tap Monitoring Tiering | |
|-------------------------|---------------|----------------|---------------|-----------|--|---|--------------------------------|--|--------------------------------|---|---|--|
| Unique Service Line ID* | Street Number | Street Name* | City* | Zip Code* | System-Owned Portion Service Line Material Classification* | If Non-Lead, Was Material Ever Previously Lead? | Service Line Installation Date | Customer-Owned Portion Service Line Material Classification* | Service Line Installation Date | Entire Service Line Material Classification (by Water System) | Current LCR Sampling Site? | Sample Site Selection Criteria (Site Tier) |
| SL2418 | 802 | GODWIN AVE | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2419 | 803 | GODWIN AVE | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL2420 | 804 | GODWIN AVE | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2421 | 805 | GODWIN AVE | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL2422 | 808 | GODWIN AVE | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2423 | 812 | GODWIN AVE | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL2424 | 904 | GODWIN AVE | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL2425 | 1001 | GODWIN AVE | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2426 | 1003 | GODWIN AVE | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2427 | 1005 | GODWIN AVE | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2428 | 1006 | GODWIN AVE | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2429 | 1007 | GODWIN AVE | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2430 | 1008 | GODWIN AVE | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2431 | 1009 | GODWIN AVE | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2432 | 1010 | GODWIN AVE | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2433 | 1011 | GODWIN AVE | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2434 | 1012 | GODWIN AVE | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2435 | 1013 | GODWIN AVE | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2436 | 1014 | GODWIN AVE | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2437 | 1015 | GODWIN AVE | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2438 | 2600 | GOLDEN BELL DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2439 | 2601 | GOLDEN BELL DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2440 | 2602 | GOLDEN BELL DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2441 | 2603 | GOLDEN BELL DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2442 | 2604 | GOLDEN BELL DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2443 | 2605 | GOLDEN BELL DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2444 | 2606 | GOLDEN BELL DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2445 | 2607 | GOLDEN BELL DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2446 | 2608 | GOLDEN BELL DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2447 | 2610 | GOLDEN BELL DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2448 | 2613 | GOLDEN BELL DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2449 | 2615 | GOLDEN BELL DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2450 | 2617 | GOLDEN BELL DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2451 | 500 | GOLDEN BELL DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2452 | 502 | GOLDEN BELL DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2453 | 504 | GOLDEN BELL DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |

| Location Information | | | | | System-Owned Portion | | | Customer-Owned Portion | | Entire Service Line | Additional Information to Assign Tap Monitoring Tiering | |
|-------------------------|---------------|----------------|---------------|-----------|--|---|--------------------------------|--|--------------------------------|---|---|--|
| Unique Service Line ID* | Street Number | Street Name* | City* | Zip Code* | System-Owned Portion Service Line Material Classification* | If Non-Lead, Was Material Ever Previously Lead? | Service Line Installation Date | Customer-Owned Portion Service Line Material Classification* | Service Line Installation Date | Entire Service Line Material Classification (by Water System) | Current LCR Sampling Site? | Sample Site Selection Criteria (Site Tier) |
| SL2454 | 506 | GOLDEN BELL DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2455 | 508 | GOLDEN BELL DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2456 | 510 | GOLDEN BELL DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2457 | 512 | GOLDEN BELL DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2458 | 513 | GOLDEN BELL DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2459 | 514 | GOLDEN BELL DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2460 | 515 | GOLDEN BELL DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2461 | 516 | GOLDEN BELL DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2462 | 517 | GOLDEN BELL DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2463 | 518 | GOLDEN BELL DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2464 | 519 | GOLDEN BELL DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2465 | 520 | GOLDEN BELL DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2466 | 521 | GOLDEN BELL DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2467 | 522 | GOLDEN BELL DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2468 | 523 | GOLDEN BELL DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2469 | 524 | GOLDEN BELL DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2470 | 525 | GOLDEN BELL DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2471 | 526 | GOLDEN BELL DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2472 | 527 | GOLDEN BELL DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2473 | 528 | GOLDEN BELL DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2474 | 529 | GOLDEN BELL DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2475 | 530 | GOLDEN BELL DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2476 | 600 | GOLDEN BELL DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2477 | 601 | GOLDEN BELL DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2478 | 602 | GOLDEN BELL DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2479 | 603 | GOLDEN BELL DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2480 | 604 | GOLDEN BELL DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2481 | 605 | GOLDEN BELL DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2482 | 606 | GOLDEN BELL DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2483 | 607 | GOLDEN BELL DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2484 | 608 | GOLDEN BELL DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2485 | 609 | GOLDEN BELL DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2486 | 610 | GOLDEN BELL DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2487 | 611 | GOLDEN BELL DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2488 | 612 | GOLDEN BELL DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2489 | 613 | GOLDEN BELL DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2490 | 614 | GOLDEN BELL DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2491 | 615 | GOLDEN BELL DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2492 | 616 | GOLDEN BELL DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2493 | 617 | GOLDEN BELL DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2494 | 618 | GOLDEN BELL DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2495 | 619 | GOLDEN BELL DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |

| Location Information | | | | | System-Owned Portion | | | Customer-Owned Portion | | Entire Service Line | Additional Information to Assign Tap Monitoring Tiering | |
|-------------------------|---------------|--------------|---------------|-----------|--|---|--------------------------------|--|--------------------------------|---|---|--|
| Unique Service Line ID* | Street Number | Street Name* | City* | Zip Code* | System-Owned Portion Service Line Material Classification* | If Non-Lead, Was Material Ever Previously Lead? | Service Line Installation Date | Customer-Owned Portion Service Line Material Classification* | Service Line Installation Date | Entire Service Line Material Classification (by Water System) | Current LCR Sampling Site? | Sample Site Selection Criteria (Site Tier) |
| SL2601 | 221 | GREENHILL ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Copper | After 2014 | Non-Lead | No | Tier 5 |
| SL2602 | 223 | GREENHILL ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Copper | After 2014 | Non-Lead | No | Tier 5 |
| SL2603 | 225 | GREENHILL ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Copper | After 2014 | Non-Lead | No | Tier 5 |
| SL2604 | 227 | GREENHILL ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Copper | After 2014 | Non-Lead | No | Tier 5 |
| SL2605 | 229 | GREENHILL ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Copper | After 2014 | Non-Lead | No | Tier 5 |
| SL2606 | 231 | GREENHILL ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Copper | After 2014 | Non-Lead | No | Tier 5 |
| SL2607 | 233 | GREENHILL ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Copper | After 2014 | Non-Lead | No | Tier 5 |
| SL2608 | 300 | GREENHILL ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Copper | After 2014 | Non-Lead | No | Tier 5 |
| SL2609 | 302 | GREENHILL ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Copper | After 2014 | Non-Lead | No | Tier 5 |
| SL2610 | 304 | GREENHILL ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Copper | After 2014 | Non-Lead | No | Tier 5 |
| SL2611 | 306 | GREENHILL ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Copper | After 2014 | Non-Lead | No | Tier 5 |
| SL2612 | 308 | GREENHILL ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Copper | After 2014 | Non-Lead | No | Tier 5 |
| SL2613 | 310 | GREENHILL ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Copper | After 2014 | Non-Lead | No | Tier 5 |
| SL2614 | 312 | GREENHILL ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Copper | After 2014 | Non-Lead | No | Tier 5 |
| SL2615 | 314 | GREENHILL ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Copper | After 2014 | Non-Lead | No | Tier 5 |
| SL2616 | 1500 | GRIZZLY TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | After 2014 | Non-Lead | After 2014 | Non-Lead | No | Tier 5 |
| SL2617 | 1501 | GRIZZLY TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Before 1989 | Non-Lead | Before 1989 | Non-Lead | No | Tier 5 |
| SL2618 | 1502 | GRIZZLY TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Before 1989 | Non-Lead | Before 1989 | Non-Lead | No | Tier 5 |
| SL2619 | 1503 | GRIZZLY TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Before 1989 | Non-Lead | Before 1989 | Non-Lead | No | Tier 5 |
| SL2620 | 1504 | GRIZZLY TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Between 1989 and 2014 | Non-Lead | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2621 | 1505 | GRIZZLY TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Before 1989 | Non-Lead | Before 1989 | Non-Lead | No | Tier 5 |
| SL2622 | 1506 | GRIZZLY TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Before 1989 | Non-Lead | Before 1989 | Non-Lead | No | Tier 5 |
| SL2623 | 1507 | GRIZZLY TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Between 1989 and 2014 | Non-Lead | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2624 | 1508 | GRIZZLY TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Between 1989 and 2014 | Non-Lead | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2625 | 1509 | GRIZZLY TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Before 1989 | Non-Lead | Before 1989 | Non-Lead | No | Tier 5 |
| SL2626 | 1510 | GRIZZLY TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Before 1989 | Non-Lead | Before 1989 | Non-Lead | No | Tier 5 |
| SL2627 | 1511 | GRIZZLY TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Before 1989 | Non-Lead | Before 1989 | Non-Lead | No | Tier 5 |
| SL2628 | 1512 | GRIZZLY TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Before 1989 | Non-Lead | Before 1989 | Non-Lead | No | Tier 5 |
| SL2629 | 1513 | GRIZZLY TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Before 1989 | Non-Lead | Before 1989 | Non-Lead | No | Tier 5 |
| SL2630 | 1514 | GRIZZLY TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Between 1989 and 2014 | Non-Lead | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2631 | 1515 | GRIZZLY TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Before 1989 | Non-Lead | Before 1989 | Non-Lead | No | Tier 5 |
| SL2632 | 1516 | GRIZZLY TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Before 1989 | Non-Lead | Before 1989 | Non-Lead | No | Tier 5 |
| SL2633 | 1517 | GRIZZLY TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Before 1989 | Non-Lead | Before 1989 | Non-Lead | No | Tier 5 |
| SL2634 | 1518 | GRIZZLY TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Before 1989 | Non-Lead | Before 1989 | Non-Lead | No | Tier 5 |
| SL2635 | 1519 | GRIZZLY TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | After 2014 | Non-Lead | After 2014 | Non-Lead | No | Tier 5 |
| SL2636 | 1520 | GRIZZLY TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Before 1989 | Non-Lead | Before 1989 | Non-Lead | No | Tier 5 |
| SL2637 | 1521 | GRIZZLY TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Before 1989 | Non-Lead | Before 1989 | Non-Lead | No | Tier 5 |
| SL2638 | 1522 | GRIZZLY TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Before 1989 | Non-Lead | Before 1989 | Non-Lead | No | Tier 5 |
| SL2639 | 1523 | GRIZZLY TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Before 1989 | Non-Lead | Before 1989 | Non-Lead | No | Tier 5 |
| SL2640 | 1524 | GRIZZLY TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Before 1989 | Non-Lead | Before 1989 | Non-Lead | No | Tier 5 |
| SL2641 | 1525 | GRIZZLY TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Before 1989 | Non-Lead | Before 1989 | Non-Lead | No | Tier 5 |
| SL2642 | 1526 | GRIZZLY TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Between 1989 and 2014 | Non-Lead | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2643 | 1528 | GRIZZLY TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Before 1989 | Non-Lead | Before 1989 | Non-Lead | No | Tier 5 |
| SL2644 | 1529 | GRIZZLY TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Before 1989 | Non-Lead | Before 1989 | Non-Lead | No | Tier 5 |
| SL2645 | 1530 | GRIZZLY TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | After 2014 | Non-Lead | After 2014 | Non-Lead | No | Tier 5 |
| SL2646 | 1531 | GRIZZLY TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Before 1989 | Non-Lead | Before 1989 | Non-Lead | No | Tier 5 |
| SL2647 | 1532 | GRIZZLY TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Before 1989 | Non-Lead | Before 1989 | Non-Lead | No | Tier 5 |
| SL2648 | 1533 | GRIZZLY TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Before 1989 | Non-Lead | Before 1989 | Non-Lead | No | Tier 5 |
| SL2649 | 1534 | GRIZZLY TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Before 1989 | Non-Lead | Before 1989 | Non-Lead | No | Tier 5 |

| Location Information | | | | | System-Owned Portion | | | Customer-Owned Portion | | Entire Service Line | Additional Information to Assign Tap Monitoring Tiering | |
|-------------------------|---------------|--------------|---------------|-----------|--|---|--------------------------------|--|--------------------------------|---|---|--|
| Unique Service Line ID* | Street Number | Street Name* | City* | Zip Code* | System-Owned Portion Service Line Material Classification* | If Non-Lead, Was Material Ever Previously Lead? | Service Line Installation Date | Customer-Owned Portion Service Line Material Classification* | Service Line Installation Date | Entire Service Line Material Classification (by Water System) | Current LCR Sampling Site? | Sample Site Selection Criteria (Site Tier) |
| SL2650 | 1535 | GRIZZLY TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Between 1989 and 2014 | Non-Lead | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2651 | 1536 | GRIZZLY TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Before 1989 | Non-Lead | Before 1989 | Non-Lead | No | Tier 5 |
| SL2652 | 1537 | GRIZZLY TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | After 2014 | Non-Lead | After 2014 | Non-Lead | No | Tier 5 |
| SL2653 | 1538 | GRIZZLY TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Before 1989 | Non-Lead | Before 1989 | Non-Lead | No | Tier 5 |
| SL2654 | 1539 | GRIZZLY TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Before 1989 | Non-Lead | Before 1989 | Non-Lead | No | Tier 5 |
| SL2655 | 1600 | GRIZZLY TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Before 1989 | Non-Lead | Before 1989 | Non-Lead | No | Tier 5 |
| SL2656 | 1601 | GRIZZLY TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Before 1989 | Non-Lead | Before 1989 | Non-Lead | No | Tier 5 |
| SL2657 | 1602 | GRIZZLY TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Before 1989 | Non-Lead | Before 1989 | Non-Lead | No | Tier 5 |
| SL2658 | 1603 | GRIZZLY TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | After 2014 | Non-Lead | After 2014 | Non-Lead | No | Tier 5 |
| SL2659 | 1604 | GRIZZLY TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Before 1989 | Non-Lead | Before 1989 | Non-Lead | No | Tier 5 |
| SL2660 | 1606 | GRIZZLY TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | After 2014 | Non-Lead | After 2014 | Non-Lead | No | Tier 5 |
| SL2661 | 1607 | GRIZZLY TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Before 1989 | Non-Lead | Before 1989 | Non-Lead | No | Tier 5 |
| SL2662 | 1608 | GRIZZLY TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Between 1989 and 2014 | Non-Lead | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2663 | 1609 | GRIZZLY TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Before 1989 | Non-Lead | Before 1989 | Non-Lead | No | Tier 5 |
| SL2664 | 1610 | GRIZZLY TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Between 1989 and 2014 | Non-Lead | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2665 | 1611 | GRIZZLY TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Between 1989 and 2014 | Non-Lead | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2666 | 900 | GROUSE RD | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2667 | 901 | GROUSE RD | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2668 | 902 | GROUSE RD | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2669 | 903 | GROUSE RD | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2670 | 904 | GROUSE RD | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2671 | 905 | GROUSE RD | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2672 | 906 | GROUSE RD | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2673 | 907 | GROUSE RD | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2674 | 908 | GROUSE RD | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2675 | 909 | GROUSE RD | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2676 | 910 | GROUSE RD | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2677 | 911 | GROUSE RD | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2678 | 912 | GROUSE RD | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2679 | 913 | GROUSE RD | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2680 | 914 | GROUSE RD | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2681 | 915 | GROUSE RD | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2682 | 916 | GROUSE RD | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2683 | 917 | GROUSE RD | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2684 | 918 | GROUSE RD | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2685 | 919 | GROUSE RD | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2686 | 920 | GROUSE RD | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |

| Location Information | | | | | System-Owned Portion | | | Customer-Owned Portion | | Entire Service Line | Additional Information to Assign Tap Monitoring Tiering | |
|-------------------------|---------------|--------------|---------------|-----------|--|---|--------------------------------|--|--------------------------------|---|---|--|
| Unique Service Line ID* | Street Number | Street Name* | City* | Zip Code* | System-Owned Portion Service Line Material Classification* | If Non-Lead, Was Material Ever Previously Lead? | Service Line Installation Date | Customer-Owned Portion Service Line Material Classification* | Service Line Installation Date | Entire Service Line Material Classification (by Water System) | Current LCR Sampling Site? | Sample Site Selection Criteria (Site Tier) |
| SL2738 | 453 | GYPSUM LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2739 | 101 | HACKBERRY DR | OAK LEAF | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2740 | 102 | HACKBERRY DR | OAK LEAF | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2741 | 103 | HACKBERRY DR | OAK LEAF | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2742 | 104 | HACKBERRY DR | OAK LEAF | 75154 | Non-Lead - Copper | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2743 | 105 | HACKBERRY DR | OAK LEAF | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2744 | 106 | HACKBERRY DR | OAK LEAF | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2745 | 107 | HACKBERRY DR | OAK LEAF | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2746 | 108 | HACKBERRY DR | OAK LEAF | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2747 | 109 | HACKBERRY DR | OAK LEAF | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2748 | 110 | HACKBERRY DR | OAK LEAF | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2749 | 111 | HACKBERRY DR | OAK LEAF | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2750 | 112 | HACKBERRY DR | OAK LEAF | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2751 | 113 | HACKBERRY DR | OAK LEAF | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2752 | 114 | HACKBERRY DR | OAK LEAF | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2753 | 115 | HACKBERRY DR | OAK LEAF | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2754 | 116 | HACKBERRY DR | OAK LEAF | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2755 | 117 | HACKBERRY DR | OAK LEAF | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2756 | 118 | HACKBERRY DR | OAK LEAF | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2757 | 1549 | HAMPTON RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL2758 | 1637 | HAMPTON RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL2759 | 1639 | HAMPTON RD | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL2760 | 1809 | HAMPTON RD | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL2761 | 1927 | HAMPTON RD | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL2762 | 1929 | HAMPTON RD | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL2763 | 2503 | HAMPTON RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2764 | 2505 | HAMPTON RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2765 | 2507 | HAMPTON RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2766 | 1105 | HANSON CT | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2767 | 1106 | HANSON CT | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2768 | 1107 | HANSON CT | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2769 | 1108 | HANSON CT | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2770 | 1109 | HANSON CT | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |

| Location Information | | | | | System-Owned Portion | | | Customer-Owned Portion | | Entire Service Line | Additional Information to Assign Tap Monitoring Tiering | |
|-------------------------|---------------|----------------|---------------|-----------|--|---|--------------------------------|--|--------------------------------|---|---|--|
| Unique Service Line ID* | Street Number | Street Name* | City* | Zip Code* | System-Owned Portion Service Line Material Classification* | If Non-Lead, Was Material Ever Previously Lead? | Service Line Installation Date | Customer-Owned Portion Service Line Material Classification* | Service Line Installation Date | Entire Service Line Material Classification (by Water System) | Current LCR Sampling Site? | Sample Site Selection Criteria (Site Tier) |
| SL2771 | 1110 | HANSON CT | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2772 | 1111 | HANSON CT | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2773 | 1112 | HANSON CT | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2774 | 1113 | HANSON CT | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2775 | 514 | HAPPY BEAR TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Before 1989 | Non-Lead | Before 1989 | Non-Lead | No | Tier 5 |
| SL2776 | 515 | HAPPY BEAR TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | After 2014 | Non-Lead | After 2014 | Non-Lead | No | Tier 5 |
| SL2777 | 516 | HAPPY BEAR TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Between 1989 and 2014 | Non-Lead | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2778 | 518 | HAPPY BEAR TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Between 1989 and 2014 | Non-Lead | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2779 | 519 | HAPPY BEAR TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Before 1989 | Non-Lead | Before 1989 | Non-Lead | No | Tier 5 |
| SL2780 | 520 | HAPPY BEAR TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | After 2014 | Non-Lead | After 2014 | Non-Lead | No | Tier 5 |
| SL2781 | 521 | HAPPY BEAR TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | After 2014 | Non-Lead | After 2014 | Non-Lead | No | Tier 5 |
| SL2782 | 1606 | HARBOR VIEW DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2783 | 1607 | HARBOR VIEW DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2784 | 1608 | HARBOR VIEW DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2785 | 1609 | HARBOR VIEW DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2786 | 1610 | HARBOR VIEW DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2787 | 1611 | HARBOR VIEW DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2788 | 1613 | HARBOR VIEW DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2789 | 1615 | HARBOR VIEW DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2790 | 1617 | HARBOR VIEW DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2791 | 301 | HARVARD DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2792 | 303 | HARVARD DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2793 | 305 | HARVARD DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2794 | 307 | HARVARD DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2795 | 401 | HARVARD DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2796 | 403 | HARVARD DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2797 | 405 | HARVARD DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2798 | 407 | HARVARD DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2799 | 409 | HARVARD DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2800 | 411 | HARVARD DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |

| Location Information | | | | | System-Owned Portion | | | Customer-Owned Portion | | Entire Service Line | Additional Information to Assign Tap Monitoring Tiering | |
|-------------------------|---------------|---------------|---------------|-----------|--|---|--------------------------------|--|--------------------------------|---|---|--|
| Unique Service Line ID* | Street Number | Street Name* | City* | Zip Code* | System-Owned Portion Service Line Material Classification* | If Non-Lead, Was Material Ever Previously Lead? | Service Line Installation Date | Customer-Owned Portion Service Line Material Classification* | Service Line Installation Date | Entire Service Line Material Classification (by Water System) | Current LCR Sampling Site? | Sample Site Selection Criteria (Site Tier) |
| SL2801 | 413 | HARVARD DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2802 | 415 | HARVARD DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2803 | 417 | HARVARD DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2804 | 419 | HARVARD DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2805 | 421 | HARVARD DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2806 | 423 | HARVARD DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2807 | 425 | HARVARD DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2808 | 2700 | HAWTHORN DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2809 | 2702 | HAWTHORN DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2810 | 2704 | HAWTHORN DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2811 | 2706 | HAWTHORN DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2812 | 2708 | HAWTHORN DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2813 | 2710 | HAWTHORN DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2814 | 2712 | HAWTHORN DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2815 | 2714 | HAWTHORN DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2816 | 2716 | HAWTHORN DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2817 | 513 | HEARTLAND DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2818 | 515 | HEARTLAND DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2819 | 517 | HEARTLAND DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2820 | 519 | HEARTLAND DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2821 | 521 | HEARTLAND DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2822 | 523 | HEARTLAND DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2823 | 525 | HEARTLAND DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2824 | 527 | HEARTLAND DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2825 | 529 | HEARTLAND DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2826 | 531 | HEARTLAND DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2827 | 601 | HEARTLAND DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2828 | 603 | HEARTLAND DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2829 | 605 | HEARTLAND DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2830 | 607 | HEARTLAND DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2831 | 609 | HEARTLAND DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2832 | 611 | HEARTLAND DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2833 | 613 | HEARTLAND DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2834 | 615 | HEARTLAND DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2835 | 617 | HEARTLAND DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2836 | 1501 | HERITAGE BLVD | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2837 | 1503 | HERITAGE BLVD | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |

| Location Information | | | | | System-Owned Portion | | | Customer-Owned Portion | | Entire Service Line | Additional Information to Assign Tap Monitoring Tiering | |
|-------------------------|---------------|----------------|---------------|-----------|--|---|--------------------------------|--|--------------------------------|---|---|--|
| Unique Service Line ID* | Street Number | Street Name* | City* | Zip Code* | System-Owned Portion Service Line Material Classification* | If Non-Lead, Was Material Ever Previously Lead? | Service Line Installation Date | Customer-Owned Portion Service Line Material Classification* | Service Line Installation Date | Entire Service Line Material Classification (by Water System) | Current LCR Sampling Site? | Sample Site Selection Criteria (Site Tier) |
| SL2838 | 1505 | HERITAGE BLVD | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2839 | 1507 | HERITAGE BLVD | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2840 | 1509 | HERITAGE BLVD | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2841 | 1511 | HERITAGE BLVD | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2842 | 1513 | HERITAGE BLVD | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2843 | 1515 | HERITAGE BLVD | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2844 | 1517 | HERITAGE BLVD | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2845 | 1519 | HERITAGE BLVD | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2846 | 1521 | HERITAGE BLVD | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2847 | 1523 | HERITAGE BLVD | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2848 | 1525 | HERITAGE BLVD | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2849 | 1601 | HERITAGE BLVD | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2850 | 1603 | HERITAGE BLVD | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2851 | 1605 | HERITAGE BLVD | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2852 | 1800 | HIGH MEADOW ST | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2853 | 1801 | HIGH MEADOW ST | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2854 | 1802 | HIGH MEADOW ST | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2855 | 1803 | HIGH MEADOW ST | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2856 | 1804 | HIGH MEADOW ST | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2857 | 1805 | HIGH MEADOW ST | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2858 | 1806 | HIGH MEADOW ST | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2859 | 1807 | HIGH MEADOW ST | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2860 | 1808 | HIGH MEADOW ST | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2861 | 1809 | HIGH MEADOW ST | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2862 | 1810 | HIGH MEADOW ST | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2863 | 1811 | HIGH MEADOW ST | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2864 | 1812 | HIGH MEADOW ST | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |

| Location Information | | | | | System-Owned Portion | | | Customer-Owned Portion | | Entire Service Line | Additional Information to Assign Tap Monitoring Tiering | |
|-------------------------|---------------|----------------|---------------|-----------|--|---|--------------------------------|--|--------------------------------|---|---|--|
| Unique Service Line ID* | Street Number | Street Name* | City* | Zip Code* | System-Owned Portion Service Line Material Classification* | If Non-Lead, Was Material Ever Previously Lead? | Service Line Installation Date | Customer-Owned Portion Service Line Material Classification* | Service Line Installation Date | Entire Service Line Material Classification (by Water System) | Current LCR Sampling Site? | Sample Site Selection Criteria (Site Tier) |
| SL2865 | 1813 | HIGH MEADOW ST | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2866 | 1814 | HIGH MEADOW ST | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2867 | 1815 | HIGH MEADOW ST | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2868 | 1816 | HIGH MEADOW ST | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2869 | 1817 | HIGH MEADOW ST | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2870 | 1818 | HIGH MEADOW ST | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2871 | 1819 | HIGH MEADOW ST | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2872 | 1820 | HIGH MEADOW ST | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2873 | 1821 | HIGH MEADOW ST | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2874 | 1822 | HIGH MEADOW ST | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2875 | 1823 | HIGH MEADOW ST | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2876 | 1825 | HIGH MEADOW ST | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2877 | 1901 | HIGH MEADOW ST | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2878 | 1903 | HIGH MEADOW ST | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2879 | 1905 | HIGH MEADOW ST | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2880 | 1907 | HIGH MEADOW ST | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2881 | 1909 | HIGH MEADOW ST | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2882 | 1911 | HIGH MEADOW ST | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2883 | 1913 | HIGH MEADOW ST | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2884 | 1915 | HIGH MEADOW ST | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2885 | 1917 | HIGH MEADOW ST | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2886 | 1919 | HIGH MEADOW ST | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2887 | 1920 | HIGH MEADOW ST | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2888 | 1921 | HIGH MEADOW ST | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2889 | 1922 | HIGH MEADOW ST | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2890 | 1923 | HIGH MEADOW ST | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2891 | 1924 | HIGH MEADOW ST | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2892 | 1925 | HIGH MEADOW ST | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |

| Location Information | | | | | System-Owned Portion | | | Customer-Owned Portion | | Entire Service Line | Additional Information to Assign Tap Monitoring Tiering | |
|-------------------------|---------------|------------------|---------------|-----------|--|---|--------------------------------|--|--------------------------------|---|---|--|
| Unique Service Line ID* | Street Number | Street Name* | City* | Zip Code* | System-Owned Portion Service Line Material Classification* | If Non-Lead, Was Material Ever Previously Lead? | Service Line Installation Date | Customer-Owned Portion Service Line Material Classification* | Service Line Installation Date | Entire Service Line Material Classification (by Water System) | Current LCR Sampling Site? | Sample Site Selection Criteria (Site Tier) |
| SL2893 | 125 | HIGH MESA DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL2894 | 127 | HIGH MESA DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL2895 | 129 | HIGH MESA DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL2896 | 131 | HIGH MESA DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL2897 | 133 | HIGH MESA DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL2898 | 135 | HIGH MESA DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL2899 | 705 | HOLLINGSWORTH LN | OAK LEAF | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2900 | 707 | HOLLINGSWORTH LN | OAK LEAF | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2901 | 709 | HOLLINGSWORTH LN | OAK LEAF | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2902 | 101 | HOLLYWOOD DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL2903 | 102 | HOLLYWOOD DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL2904 | 103 | HOLLYWOOD DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | Yes | Tier 5 |
| SL2905 | 104 | HOLLYWOOD DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL2906 | 105 | HOLLYWOOD DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL2907 | 106 | HOLLYWOOD DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL2908 | 107 | HOLLYWOOD DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL2909 | 108 | HOLLYWOOD DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL2910 | 109 | HOLLYWOOD DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL2911 | 110 | HOLLYWOOD DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL2912 | 111 | HOLLYWOOD DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL2913 | 112 | HOLLYWOOD DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL2914 | 113 | HOLLYWOOD DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL2915 | 114 | HOLLYWOOD DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL2916 | 116 | HOLLYWOOD DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL2917 | 202 | HOLLYWOOD DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL2918 | 204 | HOLLYWOOD DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL2919 | 210 | HOLLYWOOD DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2920 | 211 | HOLLYWOOD DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2921 | 212 | HOLLYWOOD DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2922 | 213 | HOLLYWOOD DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2923 | 214 | HOLLYWOOD DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2924 | 215 | HOLLYWOOD DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2925 | 216 | HOLLYWOOD DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2926 | 217 | HOLLYWOOD DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2927 | 218 | HOLLYWOOD DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2928 | 219 | HOLLYWOOD DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2929 | 220 | HOLLYWOOD DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2930 | 221 | HOLLYWOOD DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2931 | 222 | HOLLYWOOD DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |

| Location Information | | | | | System-Owned Portion | | | Customer-Owned Portion | | Entire Service Line | Additional Information to Assign Tap Monitoring Tiering | |
|-------------------------|---------------|--------------|---------------|-----------|--|---|--------------------------------|--|--------------------------------|---|---|--|
| Unique Service Line ID* | Street Number | Street Name* | City* | Zip Code* | System-Owned Portion Service Line Material Classification* | If Non-Lead, Was Material Ever Previously Lead? | Service Line Installation Date | Customer-Owned Portion Service Line Material Classification* | Service Line Installation Date | Entire Service Line Material Classification (by Water System) | Current LCR Sampling Site? | Sample Site Selection Criteria (Site Tier) |
| SL2932 | 223 | HOLLYWOOD DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2933 | 224 | HOLLYWOOD DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2934 | 225 | HOLLYWOOD DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2935 | 226 | HOLLYWOOD DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2936 | 227 | HOLLYWOOD DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2937 | 1500 | HONEY TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Before 1989 | Non-Lead | Before 1989 | Non-Lead | No | Tier 5 |
| SL2938 | 1501 | HONEY TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Before 1989 | Non-Lead | Before 1989 | Non-Lead | No | Tier 5 |
| SL2939 | 1502 | HONEY TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Between 1989 and 2014 | Non-Lead | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2940 | 1503 | HONEY TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | After 2014 | Non-Lead | After 2014 | Non-Lead | No | Tier 5 |
| SL2941 | 1504 | HONEY TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | After 2014 | Non-Lead | After 2014 | Non-Lead | No | Tier 5 |
| SL2942 | 1505 | HONEY TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Before 1989 | Non-Lead | Before 1989 | Non-Lead | No | Tier 5 |
| SL2943 | 1506 | HONEY TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Before 1989 | Non-Lead | Before 1989 | Non-Lead | No | Tier 5 |
| SL2944 | 1507 | HONEY TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Between 1989 and 2014 | Non-Lead | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2945 | 1508 | HONEY TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Before 1989 | Non-Lead | Before 1989 | Non-Lead | No | Tier 5 |
| SL2946 | 1509 | HONEY TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | After 2014 | Non-Lead | After 2014 | Non-Lead | No | Tier 5 |
| SL2947 | 1510 | HONEY TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Before 1989 | Non-Lead | Before 1989 | Non-Lead | No | Tier 5 |
| SL2948 | 1512 | HONEY TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Between 1989 and 2014 | Non-Lead | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2949 | 1513 | HONEY TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | After 2014 | Non-Lead | After 2014 | Non-Lead | No | Tier 5 |
| SL2950 | 1514 | HONEY TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Before 1989 | Non-Lead | Before 1989 | Non-Lead | No | Tier 5 |
| SL2951 | 1515 | HONEY TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Before 1989 | Non-Lead | Before 1989 | Non-Lead | No | Tier 5 |
| SL2952 | 1516 | HONEY TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | After 2014 | Non-Lead | After 2014 | Non-Lead | No | Tier 5 |
| SL2953 | 1517 | HONEY TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Between 1989 and 2014 | Non-Lead | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2954 | 1518 | HONEY TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Before 1989 | Non-Lead | Before 1989 | Non-Lead | No | Tier 5 |
| SL2955 | 1519 | HONEY TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | After 2014 | Non-Lead | After 2014 | Non-Lead | No | Tier 5 |
| SL2956 | 1521 | HONEY TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Between 1989 and 2014 | Non-Lead | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2957 | 1522 | HONEY TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Before 1989 | Non-Lead | Before 1989 | Non-Lead | No | Tier 5 |
| SL2958 | 1523 | HONEY TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Between 1989 and 2014 | Non-Lead | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2959 | 1524 | HONEY TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Before 1989 | Non-Lead | Before 1989 | Non-Lead | No | Tier 5 |
| SL2960 | 1525 | HONEY TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Before 1989 | Non-Lead | Before 1989 | Non-Lead | No | Tier 5 |
| SL2961 | 1526 | HONEY TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Before 1989 | Non-Lead | Before 1989 | Non-Lead | No | Tier 5 |
| SL2962 | 1527 | HONEY TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Between 1989 and 2014 | Non-Lead | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2963 | 1528 | HONEY TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Before 1989 | Non-Lead | Before 1989 | Non-Lead | No | Tier 5 |
| SL2964 | 1529 | HONEY TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Before 1989 | Non-Lead | Before 1989 | Non-Lead | No | Tier 5 |
| SL2965 | 1530 | HONEY TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Before 1989 | Non-Lead | Before 1989 | Non-Lead | No | Tier 5 |
| SL2966 | 1531 | HONEY TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Between 1989 and 2014 | Non-Lead | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2967 | 1532 | HONEY TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2968 | 1533 | HONEY TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2969 | 1534 | HONEY TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Before 1989 | Non-Lead | Before 1989 | Non-Lead | No | Tier 5 |
| SL2970 | 1535 | HONEY TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Before 1989 | Non-Lead | Before 1989 | Non-Lead | No | Tier 5 |
| SL2971 | 1537 | HONEY TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | After 2014 | Non-Lead | After 2014 | Non-Lead | No | Tier 5 |
| SL2972 | 1538 | HONEY TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Before 1989 | Non-Lead | Before 1989 | Non-Lead | No | Tier 5 |

| Location Information | | | | | System-Owned Portion | | | Customer-Owned Portion | | Entire Service Line | Additional Information to Assign Tap Monitoring Tiering | |
|-------------------------|---------------|--------------------|---------------|-----------|--|---|--------------------------------|--|--------------------------------|---|---|--|
| Unique Service Line ID* | Street Number | Street Name* | City* | Zip Code* | System-Owned Portion Service Line Material Classification* | If Non-Lead, Was Material Ever Previously Lead? | Service Line Installation Date | Customer-Owned Portion Service Line Material Classification* | Service Line Installation Date | Entire Service Line Material Classification (by Water System) | Current LCR Sampling Site? | Sample Site Selection Criteria (Site Tier) |
| SL2973 | 1539 | HONEY TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Between 1989 and 2014 | Non-Lead | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL2974 | 700 | INDIAN HAWTHORN DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2975 | 701 | INDIAN HAWTHORN DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2976 | 704 | INDIAN HAWTHORN DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2977 | 705 | INDIAN HAWTHORN DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2978 | 708 | INDIAN HAWTHORN DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2979 | 709 | INDIAN HAWTHORN DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2980 | 712 | INDIAN HAWTHORN DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2981 | 713 | INDIAN HAWTHORN DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2982 | 716 | INDIAN HAWTHORN DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2983 | 717 | INDIAN HAWTHORN DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2984 | 720 | INDIAN HAWTHORN DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2985 | 721 | INDIAN HAWTHORN DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2986 | 724 | INDIAN HAWTHORN DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2987 | 725 | INDIAN HAWTHORN DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2988 | 728 | INDIAN HAWTHORN DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2989 | 729 | INDIAN HAWTHORN DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2990 | 3201 | IRISES LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2991 | 3205 | IRISES LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2992 | 3209 | IRISES LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2993 | 3213 | IRISES LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2994 | 3217 | IRISES LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2995 | 1806 | ISABELLA CT | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2996 | 1808 | ISABELLA CT | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2997 | 1809 | ISABELLA CT | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2998 | 1810 | ISABELLA CT | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL2999 | 1811 | ISABELLA CT | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL3000 | 1812 | ISABELLA CT | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL3001 | 1813 | ISABELLA CT | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL3002 | 1814 | ISABELLA CT | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL3003 | 1815 | ISABELLA CT | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL3004 | 1816 | ISABELLA CT | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL3005 | 1817 | ISABELLA CT | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL3006 | 1818 | ISABELLA CT | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL3007 | 1819 | ISABELLA CT | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL3008 | 1820 | ISABELLA CT | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL3009 | 212 | JACOB CT | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |

| Location Information | | | | | System-Owned Portion | | | Customer-Owned Portion | | Entire Service Line | Additional Information to Assign Tap Monitoring Tiering | |
|-------------------------|---------------|-----------------|---------------|-----------|--|---|--------------------------------|--|--------------------------------|---|---|--|
| Unique Service Line ID* | Street Number | Street Name* | City* | Zip Code* | System-Owned Portion Service Line Material Classification* | If Non-Lead, Was Material Ever Previously Lead? | Service Line Installation Date | Customer-Owned Portion Service Line Material Classification* | Service Line Installation Date | Entire Service Line Material Classification (by Water System) | Current LCR Sampling Site? | Sample Site Selection Criteria (Site Tier) |
| SL3010 | 213 | JACOB CT | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3011 | 214 | JACOB CT | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3012 | 215 | JACOB CT | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3013 | 216 | JACOB CT | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3014 | 217 | JACOB CT | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3015 | 218 | JACOB CT | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3016 | 219 | JACOB CT | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3017 | 220 | JACOB CT | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3018 | 221 | JACOB CT | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3019 | 222 | JACOB CT | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3020 | 223 | JACOB CT | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3021 | 200 | JACOB DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3022 | 201 | JACOB DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3023 | 202 | JACOB DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3024 | 203 | JACOB DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3025 | 204 | JACOB DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3026 | 205 | JACOB DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3027 | 206 | JACOB DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3028 | 207 | JACOB DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3029 | 208 | JACOB DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3030 | 209 | JACOB DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3031 | 210 | JACOB DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3032 | 211 | JACOB DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3033 | 1001 | JAMES DONALD LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3034 | 1002 | JAMES DONALD LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3035 | 1003 | JAMES DONALD LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3036 | 1004 | JAMES DONALD LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead | Between 1989 and 2014 | Non-Lead | No | Tier 5 |

| Location Information | | | | | System-Owned Portion | | | Customer-Owned Portion | | Entire Service Line | Additional Information to Assign Tap Monitoring Tiering | |
|-------------------------|---------------|-----------------|---------------|-----------|--|---|--------------------------------|--|--------------------------------|---|---|--|
| Unique Service Line ID* | Street Number | Street Name* | City* | Zip Code* | System-Owned Portion Service Line Material Classification* | If Non-Lead, Was Material Ever Previously Lead? | Service Line Installation Date | Customer-Owned Portion Service Line Material Classification* | Service Line Installation Date | Entire Service Line Material Classification (by Water System) | Current LCR Sampling Site? | Sample Site Selection Criteria (Site Tier) |
| SL3037 | 1006 | JAMES DONALD LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3038 | 1007 | JAMES DONALD LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL3039 | 1008 | JAMES DONALD LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3040 | 1009 | JAMES DONALD LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL3041 | 1010 | JAMES DONALD LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3042 | 1011 | JAMES DONALD LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL3043 | 1012 | JAMES DONALD LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3044 | 1013 | JAMES DONALD LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3045 | 1014 | JAMES DONALD LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3046 | 1015 | JAMES DONALD LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3047 | 200 | JANICE CT | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3048 | 201 | JANICE CT | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3049 | 202 | JANICE CT | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL3050 | 203 | JANICE CT | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL3051 | 204 | JANICE CT | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL3052 | 205 | JANICE CT | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL3053 | 206 | JANICE CT | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3054 | 1702 | JENKINS | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL3055 | 1703 | JENKINS | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL3056 | 1707 | JENKINS | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL3057 | 1710 | JENKINS | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL3058 | 1711 | JENKINS | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL3059 | 1714 | JENKINS | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL3060 | 1715 | JENKINS | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL3061 | 1718 | JENKINS | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL3062 | 1719 | JENKINS | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL3063 | 1720 | JENKINS | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL3064 | 1721 | JENKINS | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL3065 | 1722 | JENKINS | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL3066 | 1723 | JENKINS | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL3067 | 1724 | JENKINS | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL3068 | 1725 | JENKINS | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL3069 | 1726 | JENKINS | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL3070 | 1727 | JENKINS | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL3071 | 1728 | JENKINS | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL3072 | 1729 | JENKINS | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL3073 | 1730 | JENKINS | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL3074 | 1731 | JENKINS | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL3075 | 1732 | JENKINS | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL3076 | 1733 | JENKINS | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL3077 | 1735 | JENKINS | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL3078 | 200 | JOSEPH DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3079 | 201 | JOSEPH DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |

| Location Information | | | | | System-Owned Portion | | | Customer-Owned Portion | | Entire Service Line | Additional Information to Assign Tap Monitoring Tiering | |
|-------------------------|---------------|--------------|---------------|-----------|--|---|--------------------------------|--|--------------------------------|---|---|--|
| Unique Service Line ID* | Street Number | Street Name* | City* | Zip Code* | System-Owned Portion Service Line Material Classification* | If Non-Lead, Was Material Ever Previously Lead? | Service Line Installation Date | Customer-Owned Portion Service Line Material Classification* | Service Line Installation Date | Entire Service Line Material Classification (by Water System) | Current LCR Sampling Site? | Sample Site Selection Criteria (Site Tier) |
| SL3080 | 202 | JOSEPH DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3081 | 203 | JOSEPH DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3082 | 204 | JOSEPH DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3083 | 205 | JOSEPH DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3084 | 206 | JOSEPH DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3085 | 207 | JOSEPH DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3086 | 208 | JOSEPH DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3087 | 209 | JOSEPH DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3088 | 210 | JOSEPH DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3089 | 211 | JOSEPH DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3090 | 212 | JOSEPH DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3091 | 213 | JOSEPH DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3092 | 214 | JOSEPH DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3093 | 215 | JOSEPH DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3094 | 216 | JOSEPH DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3095 | 217 | JOSEPH DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3096 | 218 | JOSEPH DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3097 | 219 | JOSEPH DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3098 | 220 | JOSEPH DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3099 | 221 | JOSEPH DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3100 | 222 | JOSEPH DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3101 | 223 | JOSEPH DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3102 | 300 | JOSEPH DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL3103 | 301 | JOSEPH DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL3104 | 302 | JOSEPH DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL3105 | 303 | JOSEPH DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL3106 | 304 | JOSEPH DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL3107 | 305 | JOSEPH DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL3108 | 306 | JOSEPH DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL3109 | 307 | JOSEPH DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL3110 | 308 | JOSEPH DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL3111 | 309 | JOSEPH DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |

| Location Information | | | | | System-Owned Portion | | | Customer-Owned Portion | | Entire Service Line | Additional Information to Assign Tap Monitoring Tiering | |
|-------------------------|---------------|--------------|---------------|-----------|--|---|--------------------------------|--|--------------------------------|---|---|--|
| Unique Service Line ID* | Street Number | Street Name* | City* | Zip Code* | System-Owned Portion Service Line Material Classification* | If Non-Lead, Was Material Ever Previously Lead? | Service Line Installation Date | Customer-Owned Portion Service Line Material Classification* | Service Line Installation Date | Entire Service Line Material Classification (by Water System) | Current LCR Sampling Site? | Sample Site Selection Criteria (Site Tier) |
| SL3112 | 2701 | JUNIPER DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3113 | 2703 | JUNIPER DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3114 | 2705 | JUNIPER DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3115 | 2707 | JUNIPER DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3116 | 2709 | JUNIPER DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3117 | 2711 | JUNIPER DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3118 | 2713 | JUNIPER DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3119 | 1500 | KODIAK TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | After 2014 | Non-Lead | After 2014 | Non-Lead | No | Tier 5 |
| SL3120 | 1501 | KODIAK TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Before 1989 | Non-Lead | Before 1989 | Non-Lead | No | Tier 5 |
| SL3121 | 1502 | KODIAK TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | After 2014 | Non-Lead | After 2014 | Non-Lead | No | Tier 5 |
| SL3122 | 1503 | KODIAK TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Before 1989 | Non-Lead | Before 1989 | Non-Lead | No | Tier 5 |
| SL3123 | 1504 | KODIAK TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Before 1989 | Non-Lead | Before 1989 | Non-Lead | No | Tier 5 |
| SL3124 | 1505 | KODIAK TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Before 1989 | Non-Lead | Before 1989 | Non-Lead | No | Tier 5 |
| SL3125 | 1506 | KODIAK TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Before 1989 | Non-Lead | Before 1989 | Non-Lead | No | Tier 5 |
| SL3126 | 1507 | KODIAK TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Before 1989 | Non-Lead | Before 1989 | Non-Lead | No | Tier 5 |
| SL3127 | 1508 | KODIAK TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Before 1989 | Non-Lead | Before 1989 | Non-Lead | No | Tier 5 |
| SL3128 | 1509 | KODIAK TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Before 1989 | Non-Lead | Before 1989 | Non-Lead | No | Tier 5 |
| SL3129 | 1510 | KODIAK TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Before 1989 | Non-Lead | Before 1989 | Non-Lead | No | Tier 5 |
| SL3130 | 1511 | KODIAK TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Before 1989 | Non-Lead | Before 1989 | Non-Lead | No | Tier 5 |
| SL3131 | 1512 | KODIAK TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Before 1989 | Non-Lead | Before 1989 | Non-Lead | No | Tier 5 |
| SL3132 | 1513 | KODIAK TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | After 2014 | Non-Lead | After 2014 | Non-Lead | No | Tier 5 |
| SL3133 | 1514 | KODIAK TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | After 2014 | Non-Lead | After 2014 | Non-Lead | No | Tier 5 |
| SL3134 | 1515 | KODIAK TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL3135 | 1516 | KODIAK TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Before 1989 | Non-Lead | Before 1989 | Non-Lead | No | Tier 5 |
| SL3136 | 1518 | KODIAK TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Before 1989 | Non-Lead | Before 1989 | Non-Lead | No | Tier 5 |
| SL3137 | 1519 | KODIAK TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Before 1989 | Non-Lead | Before 1989 | Non-Lead | No | Tier 5 |
| SL3138 | 1520 | KODIAK TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Between 1989 and 2014 | Non-Lead | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3139 | 1521 | KODIAK TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Between 1989 and 2014 | Non-Lead | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3140 | 1522 | KODIAK TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Before 1989 | Non-Lead | Before 1989 | Non-Lead | No | Tier 5 |
| SL3141 | 1523 | KODIAK TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Before 1989 | Non-Lead | Before 1989 | Non-Lead | No | Tier 5 |
| SL3142 | 1524 | KODIAK TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Before 1989 | Non-Lead | Before 1989 | Non-Lead | No | Tier 5 |
| SL3143 | 1525 | KODIAK TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Before 1989 | Non-Lead | Before 1989 | Non-Lead | No | Tier 5 |
| SL3144 | 1526 | KODIAK TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Before 1989 | Non-Lead | Before 1989 | Non-Lead | No | Tier 5 |
| SL3145 | 1527 | KODIAK TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Before 1989 | Non-Lead | Before 1989 | Non-Lead | No | Tier 5 |
| SL3146 | 1529 | KODIAK TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Before 1989 | Non-Lead | Before 1989 | Non-Lead | No | Tier 5 |
| SL3147 | 1530 | KODIAK TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Before 1989 | Non-Lead | Before 1989 | Non-Lead | No | Tier 5 |
| SL3148 | 1531 | KODIAK TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Between 1989 and 2014 | Non-Lead | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3149 | 1532 | KODIAK TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Before 1989 | Non-Lead | Before 1989 | Non-Lead | No | Tier 5 |
| SL3150 | 1533 | KODIAK TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Before 1989 | Non-Lead | Before 1989 | Non-Lead | No | Tier 5 |
| SL3151 | 1534 | KODIAK TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | After 2014 | Non-Lead | After 2014 | Non-Lead | No | Tier 5 |
| SL3152 | 1535 | KODIAK TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Before 1989 | Non-Lead | Before 1989 | Non-Lead | No | Tier 5 |
| SL3153 | 1536 | KODIAK TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Before 1989 | Non-Lead | Before 1989 | Non-Lead | No | Tier 5 |
| SL3154 | 1538 | KODIAK TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Before 1989 | Non-Lead | Before 1989 | Non-Lead | No | Tier 5 |
| SL3155 | 1539 | KODIAK TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | After 2014 | Non-Lead | After 2014 | Non-Lead | No | Tier 5 |
| SL3156 | 1541 | KODIAK TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Before 1989 | Non-Lead | Before 1989 | Non-Lead | No | Tier 5 |

| Location Information | | | | | System-Owned Portion | | | Customer-Owned Portion | | Entire Service Line | Additional Information to Assign Tap Monitoring Tiering | |
|-------------------------|---------------|---------------|---------------|-----------|--|---|--------------------------------|--|--------------------------------|---|---|--|
| Unique Service Line ID* | Street Number | Street Name* | City* | Zip Code* | System-Owned Portion Service Line Material Classification* | If Non-Lead, Was Material Ever Previously Lead? | Service Line Installation Date | Customer-Owned Portion Service Line Material Classification* | Service Line Installation Date | Entire Service Line Material Classification (by Water System) | Current LCR Sampling Site? | Sample Site Selection Criteria (Site Tier) |
| SL3157 | 1600 | KODIAK TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Before 1989 | Non-Lead | Before 1989 | Non-Lead | No | Tier 5 |
| SL3158 | 1601 | KODIAK TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Between 1989 and 2014 | Non-Lead | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3159 | 1602 | KODIAK TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Before 1989 | Non-Lead | Before 1989 | Non-Lead | No | Tier 5 |
| SL3160 | 1603 | KODIAK TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Before 1989 | Non-Lead | Before 1989 | Non-Lead | No | Tier 5 |
| SL3161 | 1605 | KODIAK TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | Before 1989 | Non-Lead | Before 1989 | Non-Lead | No | Tier 5 |
| SL3162 | 1606 | KODIAK TRL | GLENN HEIGHTS | 75154 | Non-Lead | Don't Know | After 2014 | Non-Lead | After 2014 | Non-Lead | No | Tier 5 |
| SL3163 | 2711 | LA JOLLA CT | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3164 | 2713 | LA JOLLA CT | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3165 | 2715 | LA JOLLA CT | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL3166 | 2717 | LA JOLLA CT | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL3167 | 2719 | LA JOLLA CT | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL3168 | 2721 | LA JOLLA CT | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL3169 | 2723 | LA JOLLA CT | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL3170 | 2725 | LA JOLLA CT | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL3171 | 2727 | LA JOLLA CT | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL3172 | 2729 | LA JOLLA CT | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL3173 | 2731 | LA JOLLA CT | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3174 | 2733 | LA JOLLA CT | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3175 | 2300 | LAKE RIDGE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3176 | 2301 | LAKE RIDGE DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3177 | 2303 | LAKE RIDGE DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3178 | 2400 | LAKE RIDGE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3179 | 2401 | LAKE RIDGE DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3180 | 2402 | LAKE RIDGE DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3181 | 2403 | LAKE RIDGE DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3182 | 2404 | LAKE RIDGE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3183 | 2405 | LAKE RIDGE DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3184 | 2406 | LAKE RIDGE DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3185 | 2407 | LAKE RIDGE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3186 | 2408 | LAKE RIDGE DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3187 | 2409 | LAKE RIDGE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3188 | 2410 | LAKE RIDGE DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3189 | 2411 | LAKE RIDGE DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3190 | 2500 | LAKE RIDGE DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |

| Location Information | | | | | System-Owned Portion | | | Customer-Owned Portion | | Entire Service Line | Additional Information to Assign Tap Monitoring Tiering | |
|-------------------------|---------------|---------------|---------------|-----------|--|---|--------------------------------|--|--------------------------------|---|---|--|
| Unique Service Line ID* | Street Number | Street Name* | City* | Zip Code* | System-Owned Portion Service Line Material Classification* | If Non-Lead, Was Material Ever Previously Lead? | Service Line Installation Date | Customer-Owned Portion Service Line Material Classification* | Service Line Installation Date | Entire Service Line Material Classification (by Water System) | Current LCR Sampling Site? | Sample Site Selection Criteria (Site Tier) |
| SL3191 | 2501 | LAKE RIDGE DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL3192 | 2502 | LAKE RIDGE DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3193 | 2504 | LAKE RIDGE DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3194 | 2505 | LAKE RIDGE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3195 | 2506 | LAKE RIDGE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3196 | 2507 | LAKE RIDGE DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3197 | 2508 | LAKE RIDGE DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3198 | 2509 | LAKE RIDGE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3199 | 2510 | LAKE RIDGE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3200 | 2512 | LAKE RIDGE DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3201 | 2513 | LAKE RIDGE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3202 | 2600 | LAKE RIDGE DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3203 | 2601 | LAKE RIDGE DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3204 | 2602 | LAKE RIDGE DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3205 | 2603 | LAKE RIDGE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3206 | 2604 | LAKE RIDGE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3207 | 2605 | LAKE RIDGE DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3208 | 2606 | LAKE RIDGE DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3209 | 2607 | LAKE RIDGE DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3210 | 2608 | LAKE RIDGE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3211 | 2610 | LAKE RIDGE DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3212 | 2611 | LAKE RIDGE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3213 | 2612 | LAKE RIDGE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3214 | 2613 | LAKE RIDGE DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3215 | 2614 | LAKE RIDGE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3216 | 2615 | LAKE RIDGE DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3217 | 2616 | LAKE RIDGE DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3218 | 2701 | LAKE RIDGE DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |

| Location Information | | | | | System-Owned Portion | | | Customer-Owned Portion | | Entire Service Line | Additional Information to Assign Tap Monitoring Tiering | |
|-------------------------|---------------|---------------|---------------|-----------|--|---|--------------------------------|--|--------------------------------|---|---|--|
| Unique Service Line ID* | Street Number | Street Name* | City* | Zip Code* | System-Owned Portion Service Line Material Classification* | If Non-Lead, Was Material Ever Previously Lead? | Service Line Installation Date | Customer-Owned Portion Service Line Material Classification* | Service Line Installation Date | Entire Service Line Material Classification (by Water System) | Current LCR Sampling Site? | Sample Site Selection Criteria (Site Tier) |
| SL3219 | 2702 | LAKE RIDGE DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3220 | 2704 | LAKE RIDGE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3221 | 2706 | LAKE RIDGE DR | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3222 | 2708 | LAKE RIDGE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3223 | 2300 | LAKE RIDGE RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL3224 | 2301 | LAKE RIDGE RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL3225 | 2302 | LAKE RIDGE RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL3226 | 2303 | LAKE RIDGE RD | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL3227 | 2400 | LAKE RIDGE RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL3228 | 2401 | LAKE RIDGE RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL3229 | 2402 | LAKE RIDGE RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL3230 | 2403 | LAKE RIDGE RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL3231 | 2404 | LAKE RIDGE RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL3232 | 2405 | LAKE RIDGE RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL3233 | 2406 | LAKE RIDGE RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL3234 | 2407 | LAKE RIDGE RD | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL3235 | 2408 | LAKE RIDGE RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL3236 | 2410 | LAKE RIDGE RD | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL3237 | 2411 | LAKE RIDGE RD | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL3238 | 2500 | LAKE RIDGE RD | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL3239 | 2501 | LAKE RIDGE RD | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL3240 | 2502 | LAKE RIDGE RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL3241 | 2503 | LAKE RIDGE RD | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL3242 | 2504 | LAKE RIDGE RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL3243 | 2505 | LAKE RIDGE RD | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL3244 | 2506 | LAKE RIDGE RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3245 | 2507 | LAKE RIDGE RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL3246 | 2508 | LAKE RIDGE RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL3247 | 2509 | LAKE RIDGE RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3248 | 2510 | LAKE RIDGE RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL3249 | 2511 | LAKE RIDGE RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL3250 | 2512 | LAKE RIDGE RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL3251 | 2513 | LAKE RIDGE RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL3252 | 2600 | LAKE RIDGE RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL3253 | 2601 | LAKE RIDGE RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3254 | 2602 | LAKE RIDGE RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL3255 | 2603 | LAKE RIDGE RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL3256 | 2604 | LAKE RIDGE RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL3257 | 2605 | LAKE RIDGE RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL3258 | 2606 | LAKE RIDGE RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL3259 | 2607 | LAKE RIDGE RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL3260 | 2608 | LAKE RIDGE RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL3261 | 2610 | LAKE RIDGE RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL3262 | 2611 | LAKE RIDGE RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL3263 | 2612 | LAKE RIDGE RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3264 | 2613 | LAKE RIDGE RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL3265 | 2614 | LAKE RIDGE RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |

| Location Information | | | | | System-Owned Portion | | | Customer-Owned Portion | | Entire Service Line | Additional Information to Assign Tap Monitoring Tiering | |
|-------------------------|---------------|---------------|---------------|-----------|--|---|--------------------------------|--|--------------------------------|---|---|--|
| Unique Service Line ID* | Street Number | Street Name* | City* | Zip Code* | System-Owned Portion Service Line Material Classification* | If Non-Lead, Was Material Ever Previously Lead? | Service Line Installation Date | Customer-Owned Portion Service Line Material Classification* | Service Line Installation Date | Entire Service Line Material Classification (by Water System) | Current LCR Sampling Site? | Sample Site Selection Criteria (Site Tier) |
| SL3266 | 2615 | LAKE RIDGE RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL3267 | 2616 | LAKE RIDGE RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3268 | 2701 | LAKE RIDGE RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL3269 | 2702 | LAKE RIDGE RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL3270 | 2704 | LAKE RIDGE RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL3271 | 2706 | LAKE RIDGE RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL3272 | 2708 | LAKE RIDGE RD | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL3273 | 2203 | LAKE SHORE LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL3274 | 2204 | LAKE SHORE LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL3275 | 2205 | LAKE SHORE LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL3276 | 2208 | LAKE SHORE LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL3277 | 2211 | LAKE SHORE LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL3278 | 2213 | LAKE SHORE LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL3279 | 2214 | LAKE SHORE LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3280 | 1500 | LAKESIDE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3281 | 1501 | LAKESIDE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3282 | 1502 | LAKESIDE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3283 | 1503 | LAKESIDE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3284 | 1504 | LAKESIDE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3285 | 1505 | LAKESIDE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3286 | 1506 | LAKESIDE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3287 | 1507 | LAKESIDE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3288 | 1508 | LAKESIDE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3289 | 1509 | LAKESIDE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3290 | 1510 | LAKESIDE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3291 | 1511 | LAKESIDE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3292 | 1512 | LAKESIDE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3293 | 1513 | LAKESIDE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3294 | 1514 | LAKESIDE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3295 | 1515 | LAKESIDE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3296 | 1516 | LAKESIDE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3297 | 1517 | LAKESIDE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3298 | 1518 | LAKESIDE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead | Between 1989 and 2014 | Non-Lead | No | Tier 5 |

| Location Information | | | | | System-Owned Portion | | | Customer-Owned Portion | | Entire Service Line | Additional Information to Assign Tap Monitoring Tiering | |
|-------------------------|---------------|--------------|---------------|-----------|--|---|--------------------------------|--|--------------------------------|---|---|--|
| Unique Service Line ID* | Street Number | Street Name* | City* | Zip Code* | System-Owned Portion Service Line Material Classification* | If Non-Lead, Was Material Ever Previously Lead? | Service Line Installation Date | Customer-Owned Portion Service Line Material Classification* | Service Line Installation Date | Entire Service Line Material Classification (by Water System) | Current LCR Sampling Site? | Sample Site Selection Criteria (Site Tier) |
| SL3299 | 1519 | LAKESIDE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3300 | 1520 | LAKESIDE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3301 | 1521 | LAKESIDE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3302 | 1522 | LAKESIDE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3303 | 1600 | LAKESIDE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3304 | 1602 | LAKESIDE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3305 | 1603 | LAKESIDE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3306 | 1604 | LAKESIDE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3307 | 1606 | LAKESIDE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3308 | 1608 | LAKESIDE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3309 | 1610 | LAKESIDE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3310 | 1612 | LAKESIDE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3311 | 1614 | LAKESIDE DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3312 | 600 | LAKEVIEW DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3313 | 602 | LAKEVIEW DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3314 | 604 | LAKEVIEW DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3315 | 606 | LAKEVIEW DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3316 | 608 | LAKEVIEW DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3317 | 1602 | LANGLEY DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3318 | 1604 | LANGLEY DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3319 | 1606 | LANGLEY DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3320 | 1608 | LANGLEY DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3321 | 1610 | LANGLEY DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3322 | 1612 | LANGLEY DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3323 | 1614 | LANGLEY DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3324 | 600 | LARK LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3325 | 601 | LARK LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |

| Location Information | | | | | System-Owned Portion | | | Customer-Owned Portion | | Entire Service Line | Additional Information to Assign Tap Monitoring Tiering | |
|-------------------------|---------------|--------------|---------------|-----------|--|---|--------------------------------|--|--------------------------------|---|---|--|
| Unique Service Line ID* | Street Number | Street Name* | City* | Zip Code* | System-Owned Portion Service Line Material Classification* | If Non-Lead, Was Material Ever Previously Lead? | Service Line Installation Date | Customer-Owned Portion Service Line Material Classification* | Service Line Installation Date | Entire Service Line Material Classification (by Water System) | Current LCR Sampling Site? | Sample Site Selection Criteria (Site Tier) |
| SL3326 | 602 | LARK LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3327 | 603 | LARK LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3328 | 604 | LARK LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3329 | 605 | LARK LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3330 | 607 | LARK LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3331 | 701 | LARK LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3332 | 702 | LARK LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3333 | 703 | LARK LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3334 | 704 | LARK LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3335 | 800 | LARK LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3336 | 801 | LARK LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3337 | 802 | LARK LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3338 | 803 | LARK LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3339 | 804 | LARK LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3340 | 805 | LARK LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3341 | 900 | LARK LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3342 | 901 | LARK LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3343 | 902 | LARK LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3344 | 903 | LARK LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3345 | 906 | LARK LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3346 | 320 | LAUREL LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL3347 | 321 | LAUREL LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL3348 | 322 | LAUREL LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL3349 | 323 | LAUREL LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL3350 | 324 | LAUREL LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL3351 | 325 | LAUREL LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL3352 | 326 | LAUREL LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL3353 | 327 | LAUREL LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL3354 | 400 | LAUREL LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL3355 | 401 | LAUREL LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL3356 | 402 | LAUREL LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL3357 | 403 | LAUREL LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL3358 | 404 | LAUREL LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL3359 | 405 | LAUREL LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL3360 | 407 | LAUREL LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |

| Location Information | | | | | System-Owned Portion | | | Customer-Owned Portion | | Entire Service Line | Additional Information to Assign Tap Monitoring Tiering | |
|-------------------------|---------------|--------------------|---------------|-----------|--|---|--------------------------------|--|--------------------------------|---|---|--|
| Unique Service Line ID* | Street Number | Street Name* | City* | Zip Code* | System-Owned Portion Service Line Material Classification* | If Non-Lead, Was Material Ever Previously Lead? | Service Line Installation Date | Customer-Owned Portion Service Line Material Classification* | Service Line Installation Date | Entire Service Line Material Classification (by Water System) | Current LCR Sampling Site? | Sample Site Selection Criteria (Site Tier) |
| SL3414 | 1915 | LILLIAN AVE | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3415 | 1918 | LILLIAN AVE | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL3416 | 1919 | LILLIAN AVE | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL3417 | 2002 | LILLIAN AVE | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL3418 | 2004 | LILLIAN AVE | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL3419 | 1916 | LILLIAN AVE (BARN) | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL3420 | 518 | LIPAN LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL3421 | 520 | LIPAN LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL3422 | 522 | LIPAN LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL3423 | 524 | LIPAN LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL3424 | 526 | LIPAN LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL3425 | 528 | LIPAN LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL3426 | 500 | LITTLE CREEK TRL | OAK LEAF | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3427 | 501 | LITTLE CREEK TRL | OAK LEAF | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3428 | 502 | LITTLE CREEK TRL | OAK LEAF | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3429 | 503 | LITTLE CREEK TRL | OAK LEAF | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3430 | 504 | LITTLE CREEK TRL | OAK LEAF | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3431 | 505 | LITTLE CREEK TRL | OAK LEAF | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL3432 | 508 | LITTLE CREEK TRL | OAK LEAF | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3433 | 511 | LITTLE CREEK TRL | OAK LEAF | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3434 | 514 | LITTLE CREEK TRL | OAK LEAF | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3435 | 515 | LITTLE CREEK TRL | OAK LEAF | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL3436 | 601 | LITTLE CREEK TRL | OAK LEAF | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3437 | 603 | LITTLE CREEK TRL | OAK LEAF | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3438 | 604 | LITTLE CREEK TRL | OAK LEAF | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3439 | 605 | LITTLE CREEK TRL | OAK LEAF | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3440 | 701 | LITTLE CREEK TRL | OAK LEAF | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3441 | 702 | LITTLE CREEK TRL | OAK LEAF | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3442 | 703 | LITTLE CREEK TRL | OAK LEAF | 75154 | Non-Lead - Plastic | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL3443 | 704 | LITTLE CREEK TRL | OAK LEAF | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3444 | 705 | LITTLE CREEK TRL | OAK LEAF | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3445 | 706 | LITTLE CREEK TRL | OAK LEAF | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3446 | 707 | LITTLE CREEK TRL | OAK LEAF | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3447 | 708 | LITTLE CREEK TRL | OAK LEAF | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |

| Location Information | | | | | System-Owned Portion | | | Customer-Owned Portion | | Entire Service Line | Additional Information to Assign Tap Monitoring Tiering | |
|-------------------------|---------------|------------------|----------|-----------|--|---|--------------------------------|--|--------------------------------|---|---|--|
| Unique Service Line ID* | Street Number | Street Name* | City* | Zip Code* | System-Owned Portion Service Line Material Classification* | If Non-Lead, Was Material Ever Previously Lead? | Service Line Installation Date | Customer-Owned Portion Service Line Material Classification* | Service Line Installation Date | Entire Service Line Material Classification (by Water System) | Current LCR Sampling Site? | Sample Site Selection Criteria (Site Tier) |
| SL3448 | 801 | LITTLE CREEK TRL | OAK LEAF | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3449 | 802 | LITTLE CREEK TRL | OAK LEAF | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3450 | 804 | LITTLE CREEK TRL | OAK LEAF | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3451 | 805 | LITTLE CREEK TRL | OAK LEAF | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3452 | 806 | LITTLE CREEK TRL | OAK LEAF | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL3453 | 807 | LITTLE CREEK TRL | OAK LEAF | 75154 | Non-Lead - Copper | No | After 2014 | Non-Lead - Copper | After 2014 | Non-Lead | No | Tier 5 |
| SL3454 | 901 | LITTLE CREEK TRL | OAK LEAF | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3455 | 902 | LITTLE CREEK TRL | OAK LEAF | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3456 | 903 | LITTLE CREEK TRL | OAK LEAF | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL3457 | 905 | LITTLE CREEK TRL | OAK LEAF | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3458 | 906 | LITTLE CREEK TRL | OAK LEAF | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3459 | 907 | LITTLE CREEK TRL | OAK LEAF | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3460 | 908 | LITTLE CREEK TRL | OAK LEAF | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3461 | 909 | LITTLE CREEK TRL | OAK LEAF | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3462 | 910 | LITTLE CREEK TRL | OAK LEAF | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3463 | 911 | LITTLE CREEK TRL | OAK LEAF | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3464 | 912 | LITTLE CREEK TRL | OAK LEAF | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3465 | 119 | LOCUST CT | OAK LEAF | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3466 | 122 | LOCUST CT | OAK LEAF | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3467 | 123 | LOCUST CT | OAK LEAF | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3468 | 126 | LOCUST CT | OAK LEAF | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3469 | 130 | LOCUST CT | OAK LEAF | 75154 | Non-Lead - Copper | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL3470 | 101 | LOCUST DR | OAK LEAF | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3471 | 102 | LOCUST DR | OAK LEAF | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3472 | 103 | LOCUST DR | OAK LEAF | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3473 | 104 | LOCUST DR | OAK LEAF | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3474 | 105 | LOCUST DR | OAK LEAF | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3475 | 106 | LOCUST DR | OAK LEAF | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3476 | 107 | LOCUST DR | OAK LEAF | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |

| Location Information | | | | | System-Owned Portion | | | Customer-Owned Portion | | Entire Service Line | Additional Information to Assign Tap Monitoring Tiering | |
|-------------------------|---------------|----------------|---------------|-----------|--|---|--------------------------------|--|--------------------------------|---|---|--|
| Unique Service Line ID* | Street Number | Street Name* | City* | Zip Code* | System-Owned Portion Service Line Material Classification* | If Non-Lead, Was Material Ever Previously Lead? | Service Line Installation Date | Customer-Owned Portion Service Line Material Classification* | Service Line Installation Date | Entire Service Line Material Classification (by Water System) | Current LCR Sampling Site? | Sample Site Selection Criteria (Site Tier) |
| SL3477 | 108 | LOCUST DR | OAK LEAF | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3478 | 109 | LOCUST DR | OAK LEAF | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3479 | 110 | LOCUST DR | OAK LEAF | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3480 | 111 | LOCUST DR | OAK LEAF | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3481 | 113 | LOCUST DR | OAK LEAF | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3482 | 115 | LOCUST DR | OAK LEAF | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3483 | 116 | LOCUST DR | OAK LEAF | 75154 | Non-Lead - Copper | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL3484 | 117 | LOCUST DR | OAK LEAF | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3485 | 301 | LOCUST DR | OAK LEAF | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3486 | 401 | LOCUST DR | OAK LEAF | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3487 | 403 | LOCUST DR | OAK LEAF | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3488 | 405 | LOCUST DR | OAK LEAF | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3489 | 407 | LOCUST DR | OAK LEAF | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3490 | 409 | LOCUST DR | OAK LEAF | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3491 | 503 | LOCUST DR | OAK LEAF | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3492 | 531 | LOCUST DR | OAK LEAF | 75154 | Non-Lead - Plastic | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL3493 | 701 | LOCUST DR | OAK LEAF | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3494 | 707 | LOCUST DR | OAK LEAF | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3495 | 713 | LOCUST DR | OAK LEAF | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3496 | 725 | LOCUST DR | OAK LEAF | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3497 | 800 | LOCUST DR | OAK LEAF | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3498 | 806 | LOCUST DR | OAK LEAF | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3499 | 303 | LOCUST DR BARN | OAK LEAF | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3500 | 100 | LONDON LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL3501 | 103 | LONDON LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL3502 | 107 | LONDON LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL3503 | 111 | LONDON LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL3504 | 114 | LONDON LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL3505 | 115 | LONDON LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL3506 | 116 | LONDON LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL3507 | 118 | LONDON LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL3508 | 119 | LONDON LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL3509 | 122 | LONDON LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL3510 | 123 | LONDON LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | Yes | Tier 5 |

| Location Information | | | | | System-Owned Portion | | | Customer-Owned Portion | | Entire Service Line | Additional Information to Assign Tap Monitoring Tiering | |
|-------------------------|---------------|--------------|---------------|-----------|--|---|--------------------------------|--|--------------------------------|---|---|--|
| Unique Service Line ID* | Street Number | Street Name* | City* | Zip Code* | System-Owned Portion Service Line Material Classification* | If Non-Lead, Was Material Ever Previously Lead? | Service Line Installation Date | Customer-Owned Portion Service Line Material Classification* | Service Line Installation Date | Entire Service Line Material Classification (by Water System) | Current LCR Sampling Site? | Sample Site Selection Criteria (Site Tier) |
| SL3511 | 125 | LONDON LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL3512 | 126 | LONDON LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | Yes | Tier 5 |
| SL3513 | 127 | LONDON LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL3514 | 130 | LONDON LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL3515 | 131 | LONDON LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | Yes | Tier 5 |
| SL3516 | 132 | LONDON LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL3517 | 134 | LONDON LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL3518 | 135 | LONDON LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL3519 | 136 | LONDON LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL3520 | 139 | LONDON LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL3521 | 140 | LONDON LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL3522 | 143 | LONDON LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL3523 | 147 | LONDON LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL3524 | 200 | LONDON LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL3525 | 203 | LONDON LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL3526 | 204 | LONDON LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL3527 | 207 | LONDON LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL3528 | 208 | LONDON LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL3529 | 211 | LONDON LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL3530 | 212 | LONDON LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL3531 | 215 | LONDON LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL3532 | 210 | LOS ANGELES | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3533 | 211 | LOS ANGELES | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3534 | 212 | LOS ANGELES | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3535 | 213 | LOS ANGELES | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3536 | 214 | LOS ANGELES | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3537 | 215 | LOS ANGELES | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3538 | 216 | LOS ANGELES | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3539 | 217 | LOS ANGELES | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3540 | 218 | LOS ANGELES | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3541 | 219 | LOS ANGELES | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3542 | 220 | LOS ANGELES | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3543 | 221 | LOS ANGELES | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3544 | 222 | LOS ANGELES | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3545 | 223 | LOS ANGELES | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3546 | 224 | LOS ANGELES | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3547 | 225 | LOS ANGELES | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3548 | 226 | LOS ANGELES | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |

| Location Information | | | | | System-Owned Portion | | | Customer-Owned Portion | | Entire Service Line | Additional Information to Assign Tap Monitoring Tiering | |
|-------------------------|---------------|-----------------|---------------|-----------|--|---|--------------------------------|--|--------------------------------|---|---|--|
| Unique Service Line ID* | Street Number | Street Name* | City* | Zip Code* | System-Owned Portion Service Line Material Classification* | If Non-Lead, Was Material Ever Previously Lead? | Service Line Installation Date | Customer-Owned Portion Service Line Material Classification* | Service Line Installation Date | Entire Service Line Material Classification (by Water System) | Current LCR Sampling Site? | Sample Site Selection Criteria (Site Tier) |
| SL3549 | 227 | LOS ANGELES | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3550 | 1200 | MADISON TERRACE | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3551 | 1201 | MADISON TERRACE | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3552 | 1202 | MADISON TERRACE | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3553 | 1203 | MADISON TERRACE | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3554 | 1204 | MADISON TERRACE | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3555 | 1205 | MADISON TERRACE | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3556 | 1206 | MADISON TERRACE | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3557 | 1208 | MADISON TERRACE | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3558 | 1210 | MADISON TERRACE | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3559 | 1212 | MADISON TERRACE | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3560 | 201 | MADRE CIR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL3561 | 203 | MADRE CIR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL3562 | 205 | MADRE CIR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL3563 | 207 | MADRE CIR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL3564 | 209 | MADRE CIR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL3565 | 211 | MADRE CIR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL3566 | 500 | MAGNOLIA LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3567 | 501 | MAGNOLIA LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3568 | 502 | MAGNOLIA LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3569 | 503 | MAGNOLIA LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3570 | 504 | MAGNOLIA LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3571 | 505 | MAGNOLIA LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3572 | 506 | MAGNOLIA LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3573 | 507 | MAGNOLIA LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3574 | 508 | MAGNOLIA LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3575 | 509 | MAGNOLIA LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3576 | 510 | MAGNOLIA LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3577 | 511 | MAGNOLIA LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3578 | 512 | MAGNOLIA LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |

| Location Information | | | | | System-Owned Portion | | | Customer-Owned Portion | | Entire Service Line | Additional Information to Assign Tap Monitoring Tiering | |
|-------------------------|---------------|--------------|---------------|-----------|--|---|--------------------------------|--|--------------------------------|---|---|--|
| Unique Service Line ID* | Street Number | Street Name* | City* | Zip Code* | System-Owned Portion Service Line Material Classification* | If Non-Lead, Was Material Ever Previously Lead? | Service Line Installation Date | Customer-Owned Portion Service Line Material Classification* | Service Line Installation Date | Entire Service Line Material Classification (by Water System) | Current LCR Sampling Site? | Sample Site Selection Criteria (Site Tier) |
| SL3579 | 513 | MAGNOLIA LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3580 | 514 | MAGNOLIA LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3581 | 515 | MAGNOLIA LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3582 | 516 | MAGNOLIA LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3583 | 517 | MAGNOLIA LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3584 | 518 | MAGNOLIA LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3585 | 519 | MAGNOLIA LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3586 | 520 | MAGNOLIA LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3587 | 521 | MAGNOLIA LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3588 | 522 | MAGNOLIA LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3589 | 523 | MAGNOLIA LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3590 | 524 | MAGNOLIA LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3591 | 525 | MAGNOLIA LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3592 | 526 | MAGNOLIA LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3593 | 527 | MAGNOLIA LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3594 | 528 | MAGNOLIA LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3595 | 529 | MAGNOLIA LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3596 | 600 | MAGNOLIA LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3597 | 601 | MAGNOLIA LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3598 | 602 | MAGNOLIA LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3599 | 603 | MAGNOLIA LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3600 | 604 | MAGNOLIA LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3601 | 605 | MAGNOLIA LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3602 | 606 | MAGNOLIA LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3603 | 607 | MAGNOLIA LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3604 | 608 | MAGNOLIA LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3605 | 609 | MAGNOLIA LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |

| Location Information | | | | | System-Owned Portion | | | Customer-Owned Portion | | Entire Service Line | Additional Information to Assign Tap Monitoring Tiering | |
|-------------------------|---------------|---------------------|---------------|-----------|--|---|--------------------------------|--|--------------------------------|---|---|--|
| Unique Service Line ID* | Street Number | Street Name* | City* | Zip Code* | System-Owned Portion Service Line Material Classification* | If Non-Lead, Was Material Ever Previously Lead? | Service Line Installation Date | Customer-Owned Portion Service Line Material Classification* | Service Line Installation Date | Entire Service Line Material Classification (by Water System) | Current LCR Sampling Site? | Sample Site Selection Criteria (Site Tier) |
| SL3606 | 610 | MAGNOLIA LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3607 | 611 | MAGNOLIA LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3608 | 612 | MAGNOLIA LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3609 | 613 | MAGNOLIA LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3610 | 614 | MAGNOLIA LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3611 | 615 | MAGNOLIA LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3612 | 616 | MAGNOLIA LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3613 | 617 | MAGNOLIA LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3614 | 618 | MAGNOLIA LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3615 | 619 | MAGNOLIA LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3616 | 620 | MAGNOLIA LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3617 | 621 | MAGNOLIA LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3618 | 622 | MAGNOLIA LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3619 | 623 | MAGNOLIA LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3620 | 624 | MAGNOLIA LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3621 | 625 | MAGNOLIA LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3622 | 626 | MAGNOLIA LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3623 | 627 | MAGNOLIA LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3624 | 629 | MAGNOLIA LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3625 | 630 | MAGNOLIA LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3626 | 631 | MAGNOLIA LN | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3627 | 1400 | MAJESTIC MEADOWS DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL3628 | 1402 | MAJESTIC MEADOWS DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL3629 | 1404 | MAJESTIC MEADOWS DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL3630 | 1406 | MAJESTIC MEADOWS DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL3631 | 1408 | MAJESTIC MEADOWS DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL3632 | 1410 | MAJESTIC MEADOWS DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |

| Location Information | | | | | System-Owned Portion | | | Customer-Owned Portion | | Entire Service Line | Additional Information to Assign Tap Monitoring Tiering | |
|-------------------------|---------------|---------------------|---------------|-----------|--|---|--------------------------------|--|--------------------------------|---|---|--|
| Unique Service Line ID* | Street Number | Street Name* | City* | Zip Code* | System-Owned Portion Service Line Material Classification* | If Non-Lead, Was Material Ever Previously Lead? | Service Line Installation Date | Customer-Owned Portion Service Line Material Classification* | Service Line Installation Date | Entire Service Line Material Classification (by Water System) | Current LCR Sampling Site? | Sample Site Selection Criteria (Site Tier) |
| SL3633 | 1412 | MAJESTIC MEADOWS DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL3634 | 1413 | MAJESTIC MEADOWS DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL3635 | 1415 | MAJESTIC MEADOWS DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL3636 | 1417 | MAJESTIC MEADOWS DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL3637 | 1419 | MAJESTIC MEADOWS DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | After 2014 | Non-Lead - Plastic | After 2014 | Non-Lead | No | Tier 5 |
| SL3638 | 1500 | MAJESTIC MEADOWS DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3639 | 1501 | MAJESTIC MEADOWS DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3640 | 1503 | MAJESTIC MEADOWS DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3641 | 1505 | MAJESTIC MEADOWS DR | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3642 | 2735 | MALIBU CT | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3643 | 2737 | MALIBU CT | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3644 | 2739 | MALIBU CT | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3645 | 2741 | MALIBU CT | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3646 | 2743 | MALIBU CT | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL3647 | 2745 | MALIBU CT | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL3648 | 2747 | MALIBU CT | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Plastic | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3649 | 2749 | MALIBU CT | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3650 | 2751 | MALIBU CT | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL3651 | 2753 | MALIBU CT | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Copper | Before 1989 | Non-Lead | No | Tier 5 |
| SL3652 | 2755 | MALIBU CT | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | No | Tier 5 |
| SL3653 | 2757 | MALIBU CT | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Before 1989 | Non-Lead - Plastic | Before 1989 | Non-Lead | Yes | Tier 5 |
| SL3654 | 1500 | MANITOBA LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3655 | 1501 | MANITOBA LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3656 | 1504 | MANITOBA LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3657 | 1505 | MANITOBA LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3658 | 1508 | MANITOBA LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3659 | 1509 | MANITOBA LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3660 | 1512 | MANITOBA LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3661 | 1513 | MANITOBA LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3662 | 1517 | MANITOBA LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |

| Location Information | | | | | System-Owned Portion | | | Customer-Owned Portion | | Entire Service Line | Additional Information to Assign Tap Monitoring Tiering | |
|-------------------------|---------------|--------------|---------------|-----------|--|---|--------------------------------|--|--------------------------------|---|---|--|
| Unique Service Line ID* | Street Number | Street Name* | City* | Zip Code* | System-Owned Portion Service Line Material Classification* | If Non-Lead, Was Material Ever Previously Lead? | Service Line Installation Date | Customer-Owned Portion Service Line Material Classification* | Service Line Installation Date | Entire Service Line Material Classification (by Water System) | Current LCR Sampling Site? | Sample Site Selection Criteria (Site Tier) |
| SL3663 | 1521 | MANITOBA LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3664 | 1525 | MANITOBA LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3665 | 1529 | MANITOBA LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3666 | 1533 | MANITOBA LN | GLENN HEIGHTS | 75154 | Non-Lead - Copper | No | Between 1989 and 2014 | Non-Lead - Copper | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3667 | 100 | MAPLE ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | Don't Know | Between 1989 and 2014 | Non-Lead | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3668 | 101 | MAPLE ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | Don't Know | Between 1989 and 2014 | Non-Lead | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3669 | 102 | MAPLE ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | Don't Know | After 2014 | Non-Lead | After 2014 | Non-Lead | No | Tier 5 |
| SL3670 | 106 | MAPLE ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | Don't Know | After 2014 | Non-Lead | After 2014 | Non-Lead | No | Tier 5 |
| SL3671 | 107 | MAPLE ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | Don't Know | Between 1989 and 2014 | Non-Lead | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3672 | 108 | MAPLE ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | Don't Know | Before 1989 | Non-Lead | Before 1989 | Non-Lead | No | Tier 5 |
| SL3673 | 109 | MAPLE ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | Don't Know | After 2014 | Non-Lead | After 2014 | Non-Lead | No | Tier 5 |
| SL3674 | 110 | MAPLE ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | Don't Know | After 2014 | Non-Lead | After 2014 | Non-Lead | No | Tier 5 |
| SL3675 | 111 | MAPLE ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | Don't Know | Before 1989 | Non-Lead | Before 1989 | Non-Lead | No | Tier 5 |
| SL3676 | 112 | MAPLE ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | Don't Know | Between 1989 and 2014 | Non-Lead | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3677 | 113 | MAPLE ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | Don't Know | After 2014 | Non-Lead | After 2014 | Non-Lead | No | Tier 5 |
| SL3678 | 114 | MAPLE ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | Don't Know | After 2014 | Non-Lead | After 2014 | Non-Lead | No | Tier 5 |
| SL3679 | 115 | MAPLE ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | Don't Know | Between 1989 and 2014 | Non-Lead | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3680 | 116 | MAPLE ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | Don't Know | Between 1989 and 2014 | Non-Lead | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3681 | 117 | MAPLE ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | Don't Know | After 2014 | Non-Lead | After 2014 | Non-Lead | No | Tier 5 |
| SL3682 | 118 | MAPLE ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | Don't Know | Between 1989 and 2014 | Non-Lead | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3683 | 119 | MAPLE ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | Don't Know | Between 1989 and 2014 | Non-Lead | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3684 | 120 | MAPLE ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | Don't Know | Between 1989 and 2014 | Non-Lead | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3685 | 122 | MAPLE ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | Don't Know | Between 1989 and 2014 | Non-Lead | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3686 | 123 | MAPLE ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | Don't Know | Between 1989 and 2014 | Non-Lead | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3687 | 125 | MAPLE ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | Don't Know | After 2014 | Non-Lead | After 2014 | Non-Lead | No | Tier 5 |
| SL3688 | 126 | MAPLE ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | Don't Know | After 2014 | Non-Lead | After 2014 | Non-Lead | No | Tier 5 |
| SL3689 | 127 | MAPLE ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | Don't Know | After 2014 | Non-Lead | After 2014 | Non-Lead | No | Tier 5 |
| SL3690 | 128 | MAPLE ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | Don't Know | Between 1989 and 2014 | Non-Lead | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3691 | 129 | MAPLE ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | Don't Know | Between 1989 and 2014 | Non-Lead | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3692 | 130 | MAPLE ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | Don't Know | After 2014 | Non-Lead | After 2014 | Non-Lead | No | Tier 5 |
| SL3693 | 131 | MAPLE ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | Don't Know | Between 1989 and 2014 | Non-Lead | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3694 | 132 | MAPLE ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | Don't Know | Between 1989 and 2014 | Non-Lead | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3695 | 133 | MAPLE ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | Don't Know | Between 1989 and 2014 | Non-Lead | Between 1989 and 2014 | Non-Lead | No | Tier 5 |
| SL3696 | 134 | MAPLE ST | GLENN HEIGHTS | 75154 | Non-Lead - Plastic | Don't Know | Between 1989 and 2014 | Non-Lead | Between 1989 and 2014 | Non-Lead | No | Tier 5 |

